

Dentsply Sirona Implants publications

More than 1850 publications

A reference list on the original articles published in peer reviewed journals on
Dentsply Sirona Implants products

Please click links below to be redirected to reference list of your choice

IMPLANT SYSTEMS.....	2
ANKYLOS.....	2
ASTRA TECH IMPLANT SYSTEM.....	5
XIVE	54
FRIALIT	67
DIGITAL SOLUTIONS	78
ATLANTIS	78
SIMPLANT.....	83
REGENERATIVE PRODUCTS	98

In those cases where several DENTSPLY Implant products have been used in the same publication, the publication is listed under multiple sections, where relevant.

IMPLANT SYSTEMS

ANKYLOS

1. Abrahamsson I, Berglundh T. Effects of different implant surfaces and designs on marginal bone-level alterations: a review. *Clin Oral Implants Res* 2009;20 Suppl 4:207-15. [Abstract](#)
2. Abuhussein H, Pagni G, Rebaudi A, et al. The effect of thread pattern upon implant osseointegration. *Clin Oral Implants Res* 2010;21(2):129-36. [Abstract](#)
3. Aglietta M, Siciliano VI, Zwahlen M, et al. A systematic review of the survival and complication rates of implant supported fixed dental prostheses with cantilever extensions after an observation period of at least 5 years. *Clin Oral Implants Res* 2009;20(5):441-51. [Abstract](#)
4. Albrektsson T, Wennerberg A. Oral implant surfaces: Part 2-review focusing on clinical knowledge of different surfaces. *Int J Prosthodont* 2004;17(5):544-64. [Abstract](#)
5. Albrektsson T, Wennerberg A. Oral implant surfaces: Part 1-review focusing on topographic and chemical properties of different surfaces and in vivo responses to them. *Int J Prosthodont* 2004;17(5):536-43. [Abstract](#)
6. Albrektsson T, Sennerby L, Wennerberg A. State of the art of oral implants. *Periodontol* 2000 2008;47:15-26. [Abstract](#)
7. Alsabeeha N, Payne AG, De Silva RK, et al. Mandibular single-implant overdentures: a review with surgical and prosthodontic perspectives of a novel approach. *Clin Oral Implants Res* 2009;20(4):356-65. [Abstract](#)
8. Åstrand P. Current implant systems. *The Journal of the S.D.A.* 1993;85(11-12):651-63.
9. Atieh MA, Payne AG, Duncan WJ, et al. Immediate restoration/loading of immediately placed single implants: is it an effective bimodal approach? *Clin Oral Implants Res* 2009;20(7):645-59. [Abstract](#)
10. Att W, Bernhart J, Strub JR. Fixed rehabilitation of the edentulous maxilla: possibilities and clinical outcome. *J Oral Maxillofac Surg* 2009;67(11 Suppl):60-73. [Abstract](#)
11. Bateli M, Att W, Strub JR. Implant neck configurations for preservation of marginal bone level: a systematic review. *Int J Oral Maxillofac Implants* 2011;26(2):290-303. [Abstract](#)
12. Bavar T. A new twist on surgical guides. *J Oral Implantol* 2008;34(6):325-9. [Abstract](#)
13. Berglundh T, Persson L, Klinge B. A systematic review of the incidence of biological and technical complications in implant dentistry reported in prospective longitudinal studies of at least 5 years. *J Clin Periodontol* 2002;29 Suppl 3:197-212; discussion 32-3. [Abstract](#)
14. Bozini T, Petridis H, Garefis K. A meta-analysis of prosthodontic complication rates of implant-supported fixed dental prostheses in edentulous patients after an observation period of at least 5 years. *Int J Oral Maxillofac Implants* 2011;26(2):304-18. [Abstract](#)
15. Cehreli MC, Karasoy D, Akca K, et al. Meta-analysis of methods used to assess implant stability. *Int J Oral Maxillofac Implants* 2009;24(6):1015-32. [Abstract](#)
16. Cehreli MC, Karasoy D, Kokat AM, et al. A systematic review of marginal bone loss around implants retaining or supporting overdentures. *Int J Oral Maxillofac Implants* 2010;25(2):266-77. [Abstract](#)
17. Cehreli MC, Karasoy D, Kokat AM, et al. Systematic review of prosthetic maintenance requirements for implant-supported overdentures. *Int J Oral Maxillofac Implants* 2010;25(1):163-80. [Abstract](#)
18. Chao YL, Chen HH, Mei CC, et al. Meta-regression analysis of the initial bone height for predicting implant survival rates of two sinus elevation procedures. *J Clin Periodontol* 2010;37:456-65. [Abstract](#)

19. Cooper L, De Kok IJ, Reside GJ, et al. Immediate fixed restoration of the edentulous maxilla after implant placement. *J Oral Maxillofac Surg* 2005;63(9 Suppl 2):97-110. [Abstract](#)
20. Cooper LF, De Kok IJ, Rojas-Vizcaya F, et al. The immediate loading of dental implants. *Compend Contin Educ Dent* 2007;28(4):216-25; quiz 26. [Abstract](#)
21. Cosyn J, Hooghe N, De Bruyn H. A systematic review on the frequency of advanced recession following single immediate implant treatment. *J Clin Periodontol* 2012;39(6):582-9. [Abstract](#)
22. De Kok IJ, Thalji G, Bryington M, et al. Radiographic stents: integrating treatment planning and implant placement. *Dent Clin North Am* 2014;58(1):181-92. [Abstract](#)
23. den Hartog L, Slater JJ, Vissink A, et al. Treatment outcome of immediate, early and conventional single-tooth implants in the aesthetic zone: a systematic review to survival, bone level, soft-tissue, aesthetics and patient satisfaction. *J Clin Periodontol* 2008;35(12):1073-86. [Abstract](#)
24. D'Haese J, Van De Velde T, Komiyama A, et al. Accuracy and complications using computer-designed stereolithographic surgical guides for oral rehabilitation by means of dental implants: a review of the literature. *Clin Implant Dent Relat Res* 2012;14(3):321-35. [Abstract](#)
25. D'Souza KM, Aras MA. Types of implant surgical guides in dentistry: a review. *J Oral Implantol* 2012;38(5):643-52. [Abstract](#)
26. Eckert SE, Choi YG, Sanchez AR, et al. Comparison of dental implant systems: quality of clinical evidence and prediction of 5-year survival. *Int J Oral Maxillofac Implants* 2005;20(3):406-15. [Abstract](#)
27. Elias CN, Meirelles L. Improving osseointegration of dental implants. *Expert Rev Med Devices* 2010;7(2):241-56. [Abstract](#)
28. Esposito M, Grusovin MG, Coulthard P, et al. A 5-year follow-up comparative analysis of the efficacy of various osseointegrated dental implant systems: a systematic review of randomized controlled clinical trials. *Int J Oral Maxillofac Implants* 2005;20(4):557-68. [Abstract](#)
29. Farahani A, Zadeh HH. Adjunctive orthodontic applications in dental implantology. *J Oral Implantol* 2015;41(4):501-8. [Abstract](#)
30. Fuster-Torres MA, Albalat-Estela S, Alcaniz-Raya M, et al. CAD/CAM dental systems in implant dentistry: update. *Med Oral Patol Oral Cir Bucal* 2009;14(3):E141-5. [Abstract](#)
31. Ganz SD. Techniques for the use of CT imaging for the fabrication of surgical guides. *Atlas Oral Maxillofac Surg Clin North Am* 2006;14(1):75-97. [Abstract](#)
32. Hall SR. Implant diagnostics utilizing computed tomography imaging. *J Okla Dent Assoc* 1995;85(3):19-24. [Abstract](#)
33. Jung RE, Pjetursson BE, Glauser R, et al. A systematic review of the 5-year survival and complication rates of implant-supported single crowns. *Clin Oral Implants Res* 2008;19(2):119-30. [Abstract](#)
34. Junker R, Dimakis A, Thoneick M, et al. Effects of implant surface coatings and composition on bone integration: a systematic review. *Clin Oral Implants Res* 2009;20 Suppl 4:185-206. [Abstract](#)
35. Kotsovilis S, Karoussis IK, Trianti M, et al. Therapy of peri-implantitis: a systematic review. *J Clin Periodontol* 2008;35(7):621-9. [Abstract](#)
36. Kotsovilis S, Fourmoussis I, Karoussis IK, et al. A systematic review and meta-analysis on the effect of implant length on the survival of rough-surface dental implants. *J Periodontol* 2009;80(11):1700-18. [Abstract](#)
37. Lambert FE, Weber HP, Susarla SM, et al. Descriptive analysis of implant and prosthodontic survival rates with fixed implant-supported rehabilitations in the edentulous maxilla. *J Periodontol* 2009;80(8):1220-30. [Abstract](#)

38. Lang NP, Pun L, Lau KY, et al. A systematic review on survival and success rates of implants placed immediately into fresh extraction sockets after at least 1 year. *Clin Oral Implants Res* 2012;23 (Suppl 5):39-66. [Abstract](#)
39. Laurell L, Lundgren D. Marginal bone level changes at dental implants after 5 years in function: a meta-analysis. *Clin Implant Dent Relat Res* 2011;13(1):19-28. [Abstract](#)
40. Mendonca G, Mendonca DB, Aragao FJ, et al. Advancing dental implant surface technology - from micron- to nanotopography. *Biomaterials* 2008;29(28):3822-35. [Abstract](#)
41. Mills EJ. CBCT and implants: Improving patient care, one implant at a time, Part 2. *Dental Economics* 2011;101(5):30-34. [Abstract](#)
42. Nkenke E, Stelzle F. Clinical outcomes of sinus floor augmentation for implant placement using autogenous bone or bone substitutes: a systematic review. *Clin Oral Implants Res* 2009;20 Suppl 4:124-33. [Abstract](#)
43. Orentlicher G, Goldsmith D, Abboud M. Computer-guided planning and placement of dental implants. *Atlas Oral Maxillofac Surg Clin North Am* 2012;20(1):53-79. [Abstract](#)
44. Orentlicher G, Horowitz A, Abboud M. Computer- guided implant surgery: Indications and guidelines for use. *Compend Contin Educ Dent* 2012;33(10):720-33. [Abstract](#)
45. Pace-Balzan A, Shaw RJ, Butterworth C. Oral rehabilitation following treatment for oral cancer. *Periodontol* 2000 2011;57(1):102-17. [Abstract](#)
46. Pjetursson BE, Tan K, Lang NP, et al. A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. *Clin Oral Implants Res* 2004;15(6):667-76. [Abstract](#)
47. Pjetursson BE, Bragger U, Lang NP, et al. Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported FDPs and single crowns (SCs). *Clin Oral Implants Res* 2007;18 Suppl 3:97-113. [Abstract](#)
48. Priest G. Virtual-designed and computer-milled implant abutments. *J Oral Maxillofac Surg* 2005;63(9 Suppl 2):22-32. [Abstract](#)
49. Renvert S, Polyzois I, Claffey N. How do implant surface characteristics influence peri-implant disease? *J Clin Periodontol* 2011;38 Suppl 11:214-22. [Abstract](#)
50. Romanos GE. Present status of immediate loading of oral implants. *J Oral Implantol* 2004;30(3):189-97. [Abstract](#)
51. Sagirkaya E, Kucukekenci AS, Karasoy D, et al. Comparative assessments, meta-analysis, and recommended guidelines for reporting studies on histomorphometric bone-implant contact in humans. *Int J Oral Maxillofac Implants* 2013;28(5):1243-53. [Abstract](#)
52. Schneider D, Marquardt P, Zwahlen M, et al. A systematic review on the accuracy and the clinical outcome of computer-guided template-based implant dentistry. *Clin Oral Implants Res* 2009;20 Suppl 4:73-86. [Abstract](#)
53. Schou S. Implant treatment in periodontitis-susceptible patients: a systematic review. *J Oral Rehabil* 2008;35 Suppl 1:9-22. [Abstract](#)
54. Shaikh A, Chandler B, Reynolds A. Implant dentistry in the digital dental world. *Dental Nursing* 2010;6(4):18-23. [Abstract](#)
55. Stokbro K, Aagaard E, Torkov P, et al. Virtual planning in orthognathic surgery. *Int J Oral Maxillofac Surg* 2014;43(8):957-65. [Abstract](#)

56. Tahmaseb A, Wismeijer D, Coucke W, et al. Computer technology applications in surgical implant dentistry: a systematic review. *Int J Oral Maxillofac Implants* 2014;29 Suppl:25-42. [Abstract](#)
57. Teughels W, Merheb J, Quirynen M. Critical horizontal dimensions of interproximal and buccal bone around implants for optimal aesthetic outcomes: a systematic review. *Clin Oral Implants Res* 2009;20 Suppl 4:134-45. [Abstract](#)
58. Theoharidou A, Petridis HP, Tzannas K, et al. Abutment screw loosening in single-implant restorations: a systematic review. *Int J Oral Maxillofac Implants* 2008;23(4):681-90. [Abstract](#)
59. Tomasi C, Wennstrom JL, Berglundh T. Longevity of teeth and implants - a systematic review. *J Oral Rehabil* 2008;35 Suppl 1:23-32. [Abstract](#)
60. Vercruyssen M, Jacobs R, Van Assche N, et al. The use of CT scan based planning for oral rehabilitation by means of implants and its transfer to the surgical field: a critical review on accuracy. *J Oral Rehabil* 2008;35(6):454-74. [Abstract](#)
61. Vivek R, Singh A, Chaturvedi TP. Radiographic techniques and advancement for preoperative assessment in dental implant therapy: An overview. *Indian Journal of Dental Sciences* 2013;5(5):116-20. [Abstract](#)
62. Weigl P. New prosthetic restorative features of Ankylos implant system. *J Oral Implantol* 2004;30(3):178-88. [Abstract](#)
63. Wennerberg A, Albrektsson T. On implant surfaces: a review of current knowledge and opinions. *Int J Oral Maxillofac Implants* 2010;25(1):63-74. [Abstract](#)
64. Wennerberg A, Albrektsson T. Current challenges in successful rehabilitation with oral implants. *J Oral Rehabil* 2011;38(4):286-94. [Abstract](#)
65. Zurdo J, Romao C, Wennstrom JL. Survival and complication rates of implant-supported fixed partial dentures with cantilevers: a systematic review. *Clin Oral Implants Res* 2009;20 Suppl 4:59-66. [Abstract](#)

ASTRA TECH Implant System

1. Abdelhamed MI, Galley JD, Bailey MT, et al. A comparison of zirconia and titanium abutments for microleakage. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e643-51. [Abstract](#)
2. Abrahamsson I, Berglundh T, Wennström J, et al. The peri-implant hard and soft tissues at different implant systems. A comparative study in the dog. *Clin Oral Implants Res* 1996;7(3):212-19. [Abstract](#)
3. Abrahamsson I, Berglundh T, Lindhe J. Soft tissue response to plaque formation at different implant systems. A comparative study in the dog. *Clin Oral Implants Res* 1998;9(2):73-9. [Abstract](#)
4. Abrahamsson I, Berglundh T, Moon IS, et al. Peri-implant tissues at submerged and non-submerged titanium implants. *J Clin Periodontol* 1999;26(9):600-7. [Abstract](#)
5. Abrahamsson I, Berglundh T, Sekino S, et al. Tissue reactions to abutment shift: an experimental study in dogs. *Clin Implant Dent Relat Res* 2003;5(2):82-8. [Abstract](#)
6. Abrahamsson I, Berglundh T. Tissue characteristics at microthreaded implants: an experimental study in dogs. *Clin Implant Dent Relat Res* 2006;8(3):107-13. [Abstract](#)
7. Abrahamsson I, Albouy JP, Berglundh T. Healing at fluoride-modified implants placed in wide marginal defects: an experimental study in dogs. *Clin Oral Implants Res* 2008;19(2):153-59. [Abstract](#)
8. Abrahamsson P, Walivaara DA, Isaksson S, et al. Periosteal expansion before local bone reconstruction using a new technique for measuring soft tissue profile stability: a clinical study. *J Oral Maxillofac Surg* 2012;70(10):e521-30. [Abstract](#)

9. Abrahamsson I, Welander M, Linder E, et al. Healing at implants placed in an alveolar ridge with a sloped configuration: an experimental study in dogs. *Clin Implant Dent Relat Res* 2014;16(1):62-9. [Abstract](#)
10. Acocella A, Bertolai R, Sacco R. Modified insertion technique for immediate implant placement into fresh extraction socket in the first maxillary molar sites: a 3-year prospective study. *Implant Dent* 2010;19(3):220-8. [Abstract](#)
11. Acocella A, Ercoli C, Geminiani A, et al. Clinical evaluation of immediate loading of electroeroded screw-retained titanium fixed prostheses supported by tilted implant: A multicenter retrospective study. *Clin Implant Dent Relat Res* 2012;14 (Suppl. 1):e98-108. [Abstract](#)
12. Adatia ND, Bayne SC, Cooper LF, et al. Fracture resistance of yttria-stabilized zirconia dental implant abutments. *J Prosthodont* 2009;18(1):17-22. [Abstract](#)
13. Afshari FS, Hallas MB, Knoernschild KL. An alternative approach in fabrication of fixed complete dentures using a duplicate denture. *J Prosthodont* 2012;21(7):569-72. [Abstract](#)
14. Aguirrebeitia J, Abasolo M, Vallejo J, et al. Dental implants with conical implant-abutment interface: influence of the conical angle difference on the mechanical behavior of the implant. *Int J Oral Maxillofac Implants* 2013;28(2):e72-82. [Abstract](#)
15. Aguirre-Zorzano LA, Vallejo-Aisa FJ, Estefania-Fresco R. Supportive periodontal therapy and periodontal biotype as prognostic factors in implants placed in patients with a history of periodontitis. *Med Oral Patol Oral Cir Bucal* 2013;18(5):e786-92. [Abstract](#)
16. Aguirre-Zorzano LA, Estefania-Fresco R, Telletxea O, et al. Prevalence of peri-implant inflammatory disease in patients with a history of periodontal disease who receive supportive periodontal therapy. *Clin Oral Implants Res* 2015;26(11):1338-44. [Abstract](#)
17. Ahn SH, Park EJ, Kim ES. Reamer-mediated transalveolar sinus floor elevation without osteotome and simultaneous implant placement in the maxillary molar area: clinical outcomes of 391 implants in 380 patients. *Clin Oral Implants Res* 2012;23(7):866-72. [Abstract](#)
18. Akalin ZF, Ozkan YK, Ekerim A. Effects of implant angulation, impression material, and variation in arch curvature width on implant transfer model accuracy. *Int J Oral Maxillofac Implants* 2013;28(1):149-57. [Abstract](#)
19. Akca K, Chang TL, Tekdemir I, et al. Biomechanical aspects of initial intraosseous stability and implant design: a quantitative micro-morphometric analysis. *Clin Oral Implants Res* 2006;17(4):465-72. [Abstract](#)
20. Akca K, Cehreli MC. A photoelastic and strain-gauge analysis of interface force transmission of internal-cone implants. *Int J Periodontics Restorative Dent* 2008;28(4):391-9. [Abstract](#)
21. Akca K, Fanuscu MI, Caputo AA. Effect of compromised cortical bone on implant load distribution. *J Prosthodont* 2008;17(8):616-20. [Abstract](#)
22. Akoglu B, Ucankale M, Ozkan Y, et al. Five-year treatment outcomes with three brands of implants supporting mandibular overdentures. *Int J Oral Maxillofac Implants* 2011;26(1):188-94. [Abstract](#)
23. Albouy JP, Abrahamsson I, Persson LG, et al. Spontaneous progression of peri-implantitis at different types of implants. An experimental study in dogs. I: clinical and radiographic observations. *Clin Oral Implants Res* 2008;19(10):997-1002. [Abstract](#)
24. Albouy JP, Abrahamsson I, Persson LG, et al. Spontaneous progression of ligature induced peri-implantitis at implants with different surface characteristics. An experimental study in dogs II: histological observations. *Clin Oral Implants Res* 2009;20(4):366-71. [Abstract](#)

25. Albouy JP, Abrahamsson I, Persson LG, et al. Implant surface characteristics influence the outcome of treatment of peri-implantitis: an experimental study in dogs. *J Clin Periodontol* 2011;38(1):58-64. [Abstract](#)
26. Alharbi HM, Babay N, Alzoman H, et al. Bone morphology changes around two types of bone-level implants installed in fresh extraction sockets--a histomorphometric study in Beagle dogs. *Clin Oral Implants Res* 2015;26(9):1106-12. [Abstract](#)
27. Alissa R, Sakka S, Oliver R, et al. Influence of ibuprofen on bone healing around dental implants: a randomised double-blind placebo-controlled clinical study. *Eur J Oral Implantol* 2009;2(3):185-99. [Abstract](#)
28. Alissa R, Oliver R. Influence of prognostic risk indicators on osseointegrated dental implant failure: a matched case-control analysis. *J Oral Implantol* 2012;38(1):51-61. [Abstract](#)
29. Al-Jadaa A, Attin T, Peltomaki T, et al. Comparison of three in vitro implant leakage testing methods. *Clin Oral Implants Res* 2015;26(4):e1-7. [Abstract](#)
30. Al-Nawas B, Gotz H. Three-dimensional topographic and metrologic evaluation of dental implants by confocal laser scanning microscopy. *Clin Implant Dent Relat Res* 2003;5(3):176-83. [Abstract](#)
31. Al-Nawas B, Kammerer PW, Morbach T, et al. Ten-year retrospective follow-up study of the TiOblast dental implant. *Clin Implant Dent Relat Res* 2012;14(1):127-34. [Abstract](#)
32. Antalainen AK, Helminen M, Forss H, et al. Assessment of removed dental implants in Finland from 1994 to 2012. *Int J Oral Maxillofac Implants* 2013;28(6):1612-8. [Abstract](#)
33. Antunes AA, Oliveira Neto P, de Santis E, et al. Comparisons between Bio-Oss((R)) and Straumann((R)) Bone Ceramic in immediate and staged implant placement in dogs mandible bone defects. *Clin Oral Implants Res* 2013;24(2):135-42. [Abstract](#)
34. Apicella D, Veltri M, Chieffi N, et al. Cement thickness at implant-supported single-tooth Lava assemblies: a scanning electron microscopic investigation. *Clin Oral Implants Res* 2010;21(7):747-50. [Abstract](#)
35. Apicella D, Veltri M, Chieffi N, et al. Implant adaptation of stock abutments versus CAD/CAM abutments: A radiographic and scanning electron microscopy study. *Annali di Stomatologia* 2010;1(3-4):9-13. [Abstract](#)
36. Apicella D, Veltri M, Balleri P, et al. Influence of abutment material on the fracture strength and failure modes of abutment-fixture assemblies when loaded in a bio-faithful simulation. *Clin Oral Implants Res* 2011;22(2):182-8. [Abstract](#)
37. Arvidson K, Bystedt H, Ericsson I. Histometric and ultrastructural studies of tissues surrounding Astra dental implants in dogs. *Int J Oral Maxillofac Implants* 1990;5(2):127-34. [Abstract](#)
38. Arvidson K, Bystedt H, Frykholm A, et al. A 3-year clinical study of Astra dental implants in the treatment of edentulous mandibles. *Int J Oral Maxillofac Implants* 1992;7(3):321-9. [Abstract](#)
39. Arvidson K, Bystedt H, Frykholm A, et al. Five-year prospective follow-up report of the Astra Tech Dental Implant System in the treatment of edentulous mandibles. *Clin Oral Implants Res* 1998;9(4):225-34. [Abstract](#)
40. Arvidsson A, Sater BA, Wennerberg A. The role of functional parameters for topographical characterization of bone-anchored implants. *Clin Implant Dent Relat Res* 2006;8(2):70-6. [Abstract](#)
41. Arvidsson A, Sarve H, Johansson CB. Comparing and visualizing titanium implant integration in rat bone using 2D and 3D techniques. *J Biomed Mater Res B* 2015;103(1):12-20. [Abstract](#)
42. Åstrand P, Engquist B, Dahlgren S, et al. Astra Tech and Brånemark System implants: a prospective 5-year comparative study. Results after one year. *Clin Implant Dent Relat Res* 1999;1(1):17-26. [Abstract](#)

43. Åstrand P, Engquist B, Dahlgren S, et al. Astra Tech and Brånemark System implants: a 5-year prospective study of marginal bone reactions. *Clin Oral Implants Res* 2004;15(4):413-20. [Abstract](#)
44. Badr M, Coulthard P, Alissa R, et al. The efficacy of platelet-rich plasma in grafted maxillae. A randomised clinical trial. *Eur J Oral Implantol* 2010;3(3):233-44. [Abstract](#)
45. Bae OY, Kim YS, Shin SY, et al. Clinical outcomes of reamer- vs osteotome-mediated sinus floor elevation with simultaneous implant placement: A 2-year retrospective study. *Int J Oral Maxillofac Implants* 2015;30(4):925-30. [Abstract](#)
46. Baelum V, Ellegaard B. Implant survival in periodontally compromised patients. *J Periodontol* 2004;75(10):1404-12. [Abstract](#)
47. Baggi L, Di Girolamo M, Mirisola C, et al. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. *Implant Dent* 2013;22(4):344-50. [Abstract](#)
48. Baixe S, Fauxpoint G, Arntz Y, et al. Microgap between zirconia abutments and titanium implants. *Int J Oral Maxillofac Implants* 2010;25(3):455-60. [Abstract](#)
49. Bakke M, Holm B, Gotfredsen K. Masticatory function and patient satisfaction with implant-supported mandibular overdentures: a prospective 5-year study. *Int J Prosthodont* 2002;15(6):575-81. [Abstract](#)
50. Balatsouka D, Gotfredsen K, Lindh CH, et al. The impact of nicotine on osseointegration. An experimental study in the femur and tibia of rabbits. *Clin Oral Implants Res* 2005;16(4):389-95. [Abstract](#)
51. Balleri P, Ferrari M, Veltri M. One-year outcome of implants strategically placed in the retrocanine bone triangle. *Clin Implant Dent Relat Res* 2010;12(4):324-30. [Abstract](#)
52. Balshi TJ, Wolfinger GJ, Slauch RW, et al. A retrospective comparison of implants in the pterygomaxillary region: implant placement with two-stage, single-stage, and guided surgery protocols. *Int J Oral Maxillofac Implants* 2013;28(1):184-9. [Abstract](#)
53. Barbier L, Abeloos J, De Clercq C, et al. Peri-implant bone changes following tooth extraction, immediate placement and loading of implants in the edentulous maxilla. *Clin Oral Investig* 2012;16(4):1061-70. [Abstract](#)
54. Barewal RM, Stanford C, Weesner TC. A randomized controlled clinical trial comparing the effects of three loading protocols on dental implant stability. *Int J Oral Maxillofac Implants* 2012;27(4):945-56. [Abstract](#)
55. Barias PA, Lee DJ, Yuan JC, et al. Retrospective analysis of dental implants placed and restored by advanced prosthodontic residents. *J Prosthodont* 2013;22(2):157-63. [Abstract](#)
56. Barrero C, Bencharit S, Petrola F. Case report: Screw-retained zirconia implant restoration. *J Oral Implantol* 2015;E-pub Feb 2, doi:10.1563/aid-joi-D-14-00027. [Abstract](#)
57. Barwacz C, Hernandez MM. Direct extrinsic characterization maximizing esthetics of fixed interim restorations. *J Cosmetic Dentistry* 2013;29(1):122-31.
58. Barwacz CA, Brogden KA, Stanford CM, et al. Comparison of pro-inflammatory cytokines and bone metabolism mediators around titanium and zirconia dental implant abutments following a minimum of 6 months of clinical function. *Clin Oral Implants Res* 2015;26(4):e35-41. [Abstract](#)
59. Barwacz CA, Stanford CM, Diehl UA, et al. Electronic assessment of peri-implant mucosal esthetics around three implant-abutment configurations: a randomized clinical trial. *Clin Oral Implants Res* 2016;27(6):707-15. [Abstract](#)

60. Bashutski JD, Wang HL, Rudek I, et al. Effect of flapless surgery on single-tooth implants in the esthetic zone: a randomized clinical trial. *J Periodontol* 2013;84(12):1747-54. [Abstract](#)
61. Bazrafshan N, Darby I. Retrospective success and survival rates of dental implants placed with simultaneous bone augmentation in partially edentulous patients. *Clin Oral Implants Res* 2014;25(7):768-73. [Abstract](#)
62. Becktor JP, Hallström H, Isaksson S, et al. The use of particulate bone grafts from the mandible for maxillary sinus floor augmentation before placement of surface-modified implants: results from bone grafting to delivery of the final fixed prosthesis. *J Oral Maxillofac Surg* 2008;66(4):780-6. [Abstract](#)
63. Bencharit S, Reside GJ, Howard-Williams EL. Complex prosthodontic treatment with dental implants for a patient with polymyalgia rheumatica: a clinical report. *Int J Oral Maxillofac Implants* 2010;25(6):1241-5. [Abstract](#)
64. Bencharit S, Schardt-Sacco D, Border MB, et al. Full mouth rehabilitation with implant-supported prostheses for severe periodontitis: a case report. *Open Dent J* 2010;4:165-71. [Abstract](#)
65. Bencharit S, Misiek DJ, Simon LA, et al. Full mouth rehabilitation with dental implants for a patient with skeletal class III malocclusion: A case report. *J Oral Implantol* 2012 38(1):63-70. [Abstract](#)
66. Benic GI, Thoma DS, Munoz F, et al. Guided bone regeneration of peri-implant defects with particulated and block xenogenic bone substitutes. *Clin Oral Implants Res* 2016;27(5):567-76. [Abstract](#)
67. Berberi AN, Sabbagh JM, Aboushelib MN, et al. A 5-year comparison of marginal bone level following immediate loading of single-tooth implants placed in healed alveolar ridges and extraction sockets in the maxilla. *Front Physiol* 2014;5:29. [Abstract](#)
68. Berberi AN, Tehini GE, Noujeim ZF, et al. Influence of surgical and prosthetic techniques on marginal bone loss around titanium implants. Part I: immediate loading in fresh extraction sockets. *J Prosthodont* 2014;23(7):521-7. [Abstract](#)
69. Berberi A, Tehini G, Rifai K, et al. In vitro evaluation of leakage at implant-abutment connection of three implant systems having the same prosthetic interface using rhodamine B. *Int J Dent* 2014;2014:351263. [Abstract](#)
70. Berberi AN, Noujeim ZN, Kanj WH, et al. Immediate placement and loading of maxillary single-tooth implants: a 3-year prospective study of marginal bone level. *J Contemp Dent Pract* 2014;15(2):202-8. [Abstract](#)
71. Berberi A, Tehini G, Rifai K, et al. Leakage evaluation of original and compatible implant-abutment connections: In vitro study using Rhodamine B. *J Dent Biomech* 2014;5:1-7. [Abstract](#)
72. Berglundh T, Abrahamsson I, Lindhe J. Bone reactions to longstanding functional load at implants: an experimental study in dogs. *J Clin Periodontol* 2005;32(9):925-32. [Abstract](#)
73. Berglundh T, Abrahamsson I, Albouy JP, et al. Bone healing at implants with a fluoride-modified surface: an experimental study in dogs. *Clin Oral Implants Res* 2007;18(2):147-52. [Abstract](#)
74. Bernhart G, Koob A, Schmitter M, et al. Clinical success of implant-supported and tooth-implant-supported double crown-retained dentures. *Clin Oral Investig* 2012;16(4):1031-7. [Abstract](#)
75. Bhatavadekar NB, Hu J, Keys K, et al. Novel application of cytodetachment technology to the analysis of dental implant surfaces. *Int J Oral Maxillofac Implants* 2011;26(5):985-90. [Abstract](#)
76. Bidra AS, Hofstede TM, Skoracki RJ, et al. Maxillofacial rehabilitation of a 7-year-old boy with osteosarcoma of the mandible using a free fibula flap and implant-supported prosthesis: a clinical report. *J Prosthet Dent* 2009;102(6):348-53. [Abstract](#)

77. Bidra AS, Montgomery PC, Jacob RF. Maxillofacial rehabilitation of a microstomic patient after resection of nose, lip, and maxilla. *J Oral Maxillofac Surg* 2010;68(10):2513-9. [Abstract](#)
78. Bidra AS. Surgical and prosthodontic consequences of inadequate treatment planning for fixed implant-supported prosthesis in the edentulous mandible. *J Oral Maxillofac Surg* 2010;68(10):2528-36. [Abstract](#)
79. Bidra AS, Shaqman M. Treatment planning and sequence for implant therapy in a young adult with generalized aggressive periodontitis. *J Oral Implantol* 2012;38(4):405-15. [Abstract](#)
80. Bidra AS, Uribe F. Preprosthetic orthodontic intervention for management of a partially edentulous patient with generalized wear and malocclusion. *J Esthet Restor Dent* 2012;24(2):88-100. [Abstract](#)
81. Bilhan H, Sonmez E, Mumcu E, et al. Immediate loading: three cases with up to 38 months of clinical follow-up. *J Oral Implantol* 2009;35(2):75-81. [Abstract](#)
82. Bilhan H, Geckili O, Mumcu E, et al. Influence of surgical technique, implant shape and diameter on the primary stability in cancellous bone. *J Oral Rehabil* 2010;37(12):900-7. [Abstract](#)
83. Bilhan H, Mumcu E, Erol S, et al. Influence of platform-switching on marginal bone levels for implants with mandibular overdentures: a retrospective clinical study. *Implant Dent* 2010;19(3):250-8. [Abstract](#)
84. Bilhan H, Geckili O, Sulun T, et al. A quality-of-life comparison between self-aligning and ball attachment systems for two-implant-retained mandibular overdentures. *J Oral Implantol* 2010;37(sp1):167-73. [Abstract](#)
85. Bilhan H, Kutay O, Arat S, et al. Astra Tech, Brånemark, and ITI Implants in the rehabilitation of partial edentulism: Two-year results. *Implant Dent* 2010;19(5):437-46. [Abstract](#)
86. Bilhan H, Geckili O, Mumcu E. The use of definitive implant abutments for the fabrication of provisional crowns: a case series. *J Periodontal Implant Sci* 2011;41(5):248-52. [Abstract](#)
87. Bilhan H, Mumcu E, Geckili O, et al. The evaluation of the success of immediately placed single implants: a retrospective clinical study. *Implant Dent* 2011;20(3):215-25. [Abstract](#)
88. Biyani R, Ali M, Belles D, et al. Effect of metal extension of crown in the screw access channel of a posterior implant abutment on the retention of cement retained prosthesis. *J Oral Implantol* 2015;41(5):537-41. [Abstract](#)
89. Blum K, Wiest W, Fella C, et al. Fatigue induced changes in conical implant-abutment connections. *Dent Mater* 2015;31(11):1415-26. [Abstract](#)
90. Borges T, Lima T, Carvalho AC, et al. Clinical outcome of inter-proximal papilla between a tooth and a single implant treated with CAD/CAM abutments: a cross-sectional study. *J Oral Maxillofac Res* 2012;3(3). [Abstract](#)
91. Borges T, Lima T, Carvalho A, et al. The influence of customized abutments and custom metal abutments on the presence of the interproximal papilla at implants inserted in single-unit gaps: a 1-year prospective clinical study. *Clin Oral Implants Res* 2014;25(11):1222-7. [Abstract](#)
92. Bormann KH, Suarez-Cunqueiro MM, von See C, et al. Sandwich osteotomy for vertical and transversal augmentation of the posterior mandible. *Int J Oral Maxillofac Surg* 2010;39(6):554-60. [Abstract](#)
93. Bormann KH, Suarez-Cunqueiro MM, von See C, et al. Forty sandwich osteotomies in atrophic mandibles: a retrospective study. *J Oral Maxillofac Surg* 2011;69(6):1562-70. [Abstract](#)
94. Botticelli D, Persson LG, Lindhe J, et al. Bone tissue formation adjacent to implants placed in fresh extraction sockets: an experimental study in dogs. *Clin Oral Implants Res* 2006;17(4):351-58. [Abstract](#)

95. Bousdras VA, Walboomers F, Jansen JA, et al. Immediate functional loading of single-tooth TiO₂ grit-blasted implant restoration. A controlled prospective study in a porcine model. Part II: Histology and histomorphometry. *Clin Implant Dent Relat Res* 2007;9(4):207-16. [Abstract](#)
96. Bousdras VA, Sindet-Pedersen S, Cunningham JL, et al. Immediate functional loading of single-tooth TiO grit-blasted implant restorations: a controlled prospective study in a porcine model. Part I: Clinical outcome. *Clin Implant Dent Relat Res* 2007;9(4):197-206. [Abstract](#)
97. Boven GC, Meijer HJ, Slot W, et al. Does a large dehiscent implant surface at placement affect the 5-year treatment outcome? An assessment of implants placed to support a maxillary overdenture. *J Craniomaxillofac Surg* 2015;43(9):1758-62. [Abstract](#)
98. Bozkaya D, Muftu S, Muftu A. Evaluation of load transfer characteristics of five different implants in compact bone at different load levels by finite elements analysis. *J Prosthet Dent* 2004;92(6):523-30. [Abstract](#)
99. Brandenberg FD, Sailer I, Fehmer V, et al. Randomized controlled clinical pilot study of all-ceramic single-tooth implant reconstructions: clinical and microbiological outcomes at one year of loading. *Clin Oral Implants Res* 2016;E-pub Mar 3, doi:10.1111/clr.12813. [Abstract](#)
100. Brandtner C, Borumandi F, Krenkel C, et al. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. *Int J Oral Maxillofac Implants* 2014;29(5):1164-9. [Abstract](#)
101. Bressan E, Paniz G, Lops D, et al. Influence of abutment material on the gingival color of implant-supported all-ceramic restorations: a prospective multicenter study. *Clin Oral Implants Res* 2010;22(6):631-7. [Abstract](#)
102. Bressan E, Tomasi C, Stellini E, et al. Implant-supported mandibular overdentures: a cross-sectional study. *Clin Oral Implants Res* 2012;23(7):814-9. [Abstract](#)
103. Bressan E, Sivolella S, Urrutia ZA, et al. Short implants (6 mm) installed immediately into extraction sockets: An experimental study in dogs. *Clin Oral Implants Res* 2012;23(5):536-41. [Abstract](#)
104. Bressan E, Sivolella S, Stellini E, et al. Healing of buccal dehiscence defects at implants installed immediately into extraction sockets - an experimental study in dogs. *Clin Oral Implants Res* 2013;24(3):270-7. [Abstract](#)
105. Bressan E, Tessarolo F, Sbricoli L, et al. Effect of chlorhexidine in preventing plaque biofilm on healing abutment: a crossover controlled study. *Implant Dent* 2014;23(1):64-8. [Abstract](#)
106. Brozovic J, Demoli N, Farkas N, et al. Properties of axially loaded implant-abutment assemblies using digital holographic interferometry analysis. *Dent Mater* 2014;30(3):e17-27. [Abstract](#)
107. Bryington M, Mendonca G, Nares S, et al. Osteoblastic and cytokine gene expression of implant-adherent cells in humans. *Clin Oral Implants Res* 2014;25(1):52-8. [Abstract](#)
108. Buhara O, Uyanik LO, Ayali A, et al. Active implant periapical lesions leading to implant failure: two case reports. *J Oral Implantol* 2014;40(3):325-9. [Abstract](#)
109. Butkevica A, Nathanson D, Pober R, et al. Measurements of repeated tightening and loosening torque of seven different implant/abutment connection designs and their modifications: An in vitro study. *J Prosthodont* 2016;E-pub Mar 22, doi:10.1111/jopr.12467. [Abstract](#)
110. Bystedt H, Rasmusson L. Porous titanium granules used as osteoconductive material for sinus floor augmentation: a clinical pilot study. *Clin Implant Dent Relat Res* 2009;11(2):101-5. [Abstract](#)
111. Caglar A, Bal BT, Karakoca S, et al. Three-dimensional finite element analysis of titanium and yttrium-stabilized zirconium dioxide abutments and implants. *Int J Oral Maxillofac Implants* 2011;26(5):961-9. [Abstract](#)

112. Cakarar S, Selvi F, Can T, et al. Investigation of the risk factors associated with the survival rate of dental implants. *Implant Dent* 2014;23(3):328-33. [Abstract](#)
113. Cakir O, Kazancioglu HO, Celik G, et al. Evaluation of the efficacy of mandibular conventional and implant prostheses in a group of Turkish patients: a quality of life study. *J Prosthodont* 2014;23(5):390-6. [Abstract](#)
114. Calderini A, Maiorana C, Garlini G, et al. A simplified method to assess precision of fit between framework and supporting implants: a preliminary study. *Int J Oral Maxillofac Implants* 2007;22(5):831-8. [Abstract](#)
115. Canullo L, Penarrocha-Oltra D, Soldini C, et al. Microbiological assessment of the implant-abutment interface in different connections: cross-sectional study after 5 years of functional loading. *Clin Oral Implants Res* 2015;26(4):426-34. [Abstract](#)
116. Canullo L, Penarrocha-Oltra D, Covani U, et al. Clinical and microbiological findings in patients with peri-implantitis: a cross-sectional study. *Clin Oral Implants Res* 2016;27(3):376-82. [Abstract](#)
117. Capecchi M, Buongiorno V, Romagnoli A, et al. Severe descending mediastinitis after routine dental implant surgery: a case report. *Eur J Oral Implantol* 2012;5(4):389-96. [Abstract](#)
118. Carbiner R, Jerjes W, Shakib K, et al. Analysis of the compatibility of dental implant systems in fibula free flap reconstruction. *Head Neck Oncol* 2012;4:37. [Abstract](#)
119. Carcuac O, Abrahamsson I, Charalampakis G, et al. The effect of the local use of chlorhexidine in surgical treatment of experimental peri-implantitis in dogs. *J Clin Periodontol* 2015;42(2):196-203. [Abstract](#)
120. Carcuac O, Derks J, Charalampakis G, et al. Adjunctive systemic and local antimicrobial therapy in the surgical treatment of peri-implantitis: a randomized controlled clinical trial. *J Dent Res* 2016;95(1):50-7. [Abstract](#)
121. Carmagnola D, Araujo M, Berglundh T, et al. Bone tissue reaction around implants placed in a compromised jaw. *J Clin Periodontol* 1999;26(10):629-35. [Abstract](#)
122. Carmagnola D, Berglundh T, Araujo M, et al. Bone healing around implants placed in a jaw defect augmented with Bio-Oss. An experimental study in dogs. *J Clin Periodontol* 2000;27(11):799-805. [Abstract](#)
123. Carnaggio TV, Conrad R, Engelmeier RL, et al. Retention of CAD/CAM all-ceramic crowns on prefabricated implant abutments: an in vitro comparative study of luting agents and abutment surface area. *J Prosthodont* 2012;21(7):523-8. [Abstract](#)
124. Castro GL, Gallas M, Nunez IR, et al. Scanning electron microscopic analysis of diode laser-treated titanium implant surfaces. *Photomed Laser Surg* 2007;25(2):124-8. [Abstract](#)
125. Caudry S, Landzberg M. Clinical considerations for the use of a two-piece 3.0 mm implant for replacing a missing mandibular incisor. *Journal of Clinical & Practical Oral Implantology* 2010;1(2):25-29.
126. Cavalcanti R, Oreglia F, Manfredonia MF, et al. The influence of smoking on the survival of dental implants: a 5-year pragmatic multicentre retrospective cohort study of 1727 patients. *Eur J Oral Implantol* 2011;4(1):39-45. [Abstract](#)
127. Cecchinato D, Olsson C, Lindhe J. Submerged or non-submerged healing of endosseous implants to be used in the rehabilitation of partially dentate patients. *J Clin Periodontol* 2004;31(4):299-308. [Abstract](#)

128. Cecchinato D, Bengazi F, Blasi G, et al. Bone level alterations at implants placed in the posterior segments of the dentition: outcome of submerged/non-submerged healing. A 5-year multicenter, randomized, controlled clinical trial. *Clin Oral Implants Res* 2008;19(4):429-31. [Abstract](#)
129. Cecchinato D, Bressan EA, Toia M, et al. Osseointegration in periodontitis susceptible individuals. *Clin Oral Implants Res* 2012;23(1):1-4. [Abstract](#)
130. Cecchinato D, Parpaiola A, Lindhe J. A cross-sectional study on the prevalence of marginal bone loss among implant patients. *Clin Oral Implants Res* 2013;24(1):87-90. [Abstract](#)
131. Cecchinato D, Parpaiola A, Lindhe J. Mucosal inflammation and incidence of crestal bone loss among implant patients: a 10-year study. *Clin Oral Implants Res* 2014;25(7):791-6. [Abstract](#)
132. Cecchinato D, Lops D, Salvi GE, et al. A prospective, randomized, controlled study using OsseoSpeed implants placed in maxillary fresh extraction socket: soft tissues response. *Clin Oral Implants Res* 2015;26(1):20-7. [Abstract](#)
133. Cecchinato D, Marino M, Lindhe J. Bone loss at implants and teeth in the same segment of the dentition in partially dentate subjects. *Clin Oral Implants Res* 2016;E-pub Mar 27, doi:10.1111/clr.12847. [Abstract](#)
134. Cehreli M, Duyck J, De Cooman M, et al. Implant design and interface force transfer. A photoelastic and strain-gauge analysis. *Clin Oral Implants Res* 2004;15(2):249-57. [Abstract](#)
135. Cha HS, Kim YS, Jeon JH, et al. Cumulative survival rate and complication rates of single-tooth implant; focused on the coronal fracture of fixture in the internal connection implant. *J Oral Rehabil* 2013;40(8):595-602. [Abstract](#)
136. Chaffee NR, Felton DA, Cooper LF, et al. Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study. *J Prosthet Dent* 2002;87(1):40-4. [Abstract](#)
137. Chang M, Wennstrom JL. Bone alterations at implant-supported FDPs in relation to inter-unit distances: a 5-year radiographic study. *Clin Oral Implants Res* 2010;21(7):735-40. [Abstract](#)
138. Chang M, Wennström JL. Longitudinal changes in tooth/single-implant relationship and bone topography: an 8-year retrospective analysis. *Clin Implant Dent Relat Res* 2012;14(3):388-94. [Abstract](#)
139. Chang M, Wennstrom JL. Soft tissue topography and dimensions lateral to single implant-supported restorations. a cross-sectional study. *Clin Oral Implants Res* 2013;24(5):556-62. [Abstract](#)
140. Charalampakis G, Leonhardt A, Rabe P, et al. Clinical and microbiological characteristics of peri-implantitis cases: a retrospective multicentre study. *Clin Oral Implants Res* 2012;23(9):1045-54. [Abstract](#)
141. Charalampakis G, Ramberg P, Dahlen G, et al. Effect of cleansing of biofilm formed on titanium discs. *Clin Oral Implants Res* 2015;26(8):931-6. [Abstract](#)
142. Chiapasco M, Di Martino G, Anello T, et al. Fresh frozen versus autogenous iliac bone for the rehabilitation of the extremely atrophic maxilla with onlay grafts and endosseous implants: preliminary results of a prospective comparative study. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e251-66. [Abstract](#)
143. Chiapasco M, Colletti G, Coggiola A, et al. Clinical outcome of the use of fresh frozen allogeneic bone grafts for the reconstruction of severely resorbed alveolar ridges: preliminary results of a prospective study. *Int J Oral Maxillofac Implants* 2015;30(2):450-60. [Abstract](#)
144. Chiapasco M, Palombo D. Sinus grafting and simultaneous removal of large antral pseudocysts of the maxillary sinus with a micro-invasive intraoral access. *Int J Oral Maxillofac Surg* 2015;44(12):1499-505. [Abstract](#)

145. Ch'ng S, Skoracki RJ, Selber JC, et al. Osseointegrated implant-based dental rehabilitation in head and neck reconstruction patients. *Head Neck* 2016;38 Suppl 1:E321-7. [Abstract](#)
146. Choi JH, Lim YJ, Yim SH, et al. Evaluation of the accuracy of implant-level impression techniques for internal-connection implant prostheses in parallel and divergent models. *Int J Oral Maxillofac Implants* 2007;22(5):761-8. [Abstract](#)
147. Choi JH, Lim YJ, Kim CW, et al. The effect of different screw-tightening techniques on the stress generated on an internal-connection implant superstructure. *Int J Oral Maxillofac Implants* 2009;24(6):1045-53. [Abstract](#)
148. Choi JH. The effect of different screw-tightening techniques on the strain generated on an internal-connection implant superstructure. Part 2: models created with a splinted impression technique. *Int J Oral Maxillofac Implants* 2011;26(5):1016-23. [Abstract](#)
149. Choi JY, Lee HJ, Jang JU, et al. Comparison between bioactive fluoride modified and bioinert anodically oxidized implant surfaces in early bone response using rabbit tibia model. *Implant Dent* 2012;21(2). [Abstract](#)
150. Chu S-F, Peng P-W, Ou K-L, et al. Induced bone formation and induction as biological scaffold for functionalizational and biointegrated implants. *Journal of Alloys and Compounds* 2016;E-pub Jun 15, doi:10.1016/j.jallcom.2016.05.134.
151. Clelland NL, Seidt JD, Daroz LG, et al. Comparison of strains for splinted and nonsplinted implant prostheses using three-dimensional image correlation. *Int J Oral Maxillofac Implants* 2010;25(5):953-9. [Abstract](#)
152. Clelland NL, Yilmaz B, Seidt JD. Three-dimensional image correlation analyses for strains generated by cement and screw-retained implant prostheses. *Clin Implant Dent Relat Res* 2013;15(2):271-82. [Abstract](#)
153. Cody RP. Esthetics in implant dentistry - a case report using the Astra Tech Zir Abutment in a maxillary anterior single tooth reconstruction. *US Dentistry* 2006:27-28.
154. Coelho PG, Granato R, Marin C, et al. Biomechanical evaluation of endosseous implants at early implantation times: a study in dogs. *J Oral Maxillofac Surg* 2010;68(7):1667-75. [Abstract](#)
155. Collaert B, De Bruyn H. Early loading of four or five Astra Tech fixtures with a fixed cross-arch restoration in the mandible. *Clin Implant Dent Relat Res* 2002;4(3):133-5. [Abstract](#)
156. Collaert B, De Bruyn H. Immediate functional loading of TiOblast dental implants in full-arch edentulous maxillae: a 3-year prospective study. *Clin Oral Implants Res* 2008;19(12):1254-60. [Abstract](#)
157. Collaert B, Wijnen L, De Bruyn H. A 2-year prospective study on immediate loading with fluoride-modified implants in the edentulous mandible. *Clin Oral Implants Res* 2011;22(10):1111-6. [Abstract](#)
158. Colomina LE. Immediate loading of implant-fixed mandibular prostheses: a prospective 18-month follow-up clinical study-preliminary report. *Implant Dent* 2001;10(1):23-9. [Abstract](#)
159. Cooper LF, Scurria MS, Lang LA, et al. Treatment of edentulism using Astra Tech implants and ball abutments to retain mandibular overdentures. *Int J Oral Maxillofac Implants* 1999;14(5):646-53. [Abstract](#)
160. Cooper LF, Masuda T, Whitson SW, et al. Formation of mineralizing osteoblast cultures on machined, titanium oxide grit-blasted, and plasma-sprayed titanium surfaces. *Int J Oral Maxillofac Implants* 1999;14(1):37-47. [Abstract](#)
161. Cooper L, Felton DA, Kugelberg CF, et al. A multicenter 12-month evaluation of single-tooth implants restored 3 weeks after 1-stage surgery. *Int J Oral Maxillofac Implants* 2001;16(2):182-92. [Abstract](#)

162. Cooper LF, Rahman A, Moriarty J, et al. Immediate mandibular rehabilitation with endosseous implants: simultaneous extraction, implant placement, and loading. *Int J Oral Maxillofac Implants* 2002;17(4):517-25. [Abstract](#)
163. Cooper LF, Zhou Y, Takebe J, et al. Fluoride modification effects on osteoblast behavior and bone formation at TiO₂ grit-blasted c.p. titanium endosseous implants. *Biomaterials* 2006;27(6):926-36. [Abstract](#)
164. Cooper LF, Ellner S, Moriarty J, et al. Three-year evaluation of single-tooth implants restored 3 weeks after 1-stage surgery. *Int J Oral Maxillofac Implants* 2007;22(5):791-800. [Abstract](#)
165. Cooper LF, Moriarty JD, Guckes AD, et al. Five-year prospective evaluation of mandibular overdentures retained by two microthreaded, TiOblast nonsplinted implants and retentive ball anchors. *Int J Oral Maxillofac Implants* 2008;23(4):696-704. [Abstract](#)
166. Cooper LF, Raes F, Reside GJ, et al. Comparison of radiographic and clinical outcomes following immediate provisionalization of single-tooth dental implants placed in healed alveolar ridges and extraction sockets. *Int J Oral Maxillofac Implants* 2010;25(6):1222-32. [Abstract](#)
167. Cooper LF, Reside GJ, Raes F, et al. Immediate provisionalization of dental implants placed in healed alveolar ridges and extraction sockets: A 5-year prospective evaluation. *Int J Oral Maxillofac Implants* 2014;29(3):709-17. [Abstract](#)
168. Cooper LF, Reside G, Raes F, et al. Immediate provisionalization of dental implants in grafted alveolar ridges in the esthetic zone: a 5-year evaluation. *Int J Periodontics Restorative Dent* 2014;34(4):477-86. [Abstract](#)
169. Cooper LF, Reside G, Stanford C, et al. A multicenter randomized comparative trial of implants with different abutment interfaces to replace anterior maxillary single teeth. *Int J Oral Maxillofac Implants* 2015;30(3):622-32. [Abstract](#)
170. Cooper LF, Stanford C, Feine J, et al. Prospective assessment of CAD/CAM zirconia abutment and lithium disilicate crown restorations:: 2.4 year results. *J Prosthet Dent* 2016;E-pub Jan 28, doi:10.1016/j.prosdent.2015.08.023. [Abstract](#)
171. Costa C, Peixinho N, Silva JP, et al. Study and characterization of the crest module design: A 3D finite element analysis. *J Prosthet Dent* 2015;113(6):541-7. [Abstract](#)
172. Cosyn J, Vandenbulcke E, Browaeys H, et al. Factors associated with failure of surface-modified implants up to four years of function. *Clin Implant Dent Relat Res* 2012;14(3):347-58. [Abstract](#)
173. Créton M, Cune M, Verhoeven W, et al. Implant treatment in patients with severe hypodontia: A retrospective evaluation. *J Oral Maxillofac Surg* 2010;68(3):530-38. [Abstract](#)
174. Dahlström M, Hellqvist J. Feasibility testing of a new abutment design (P323). *Clin Oral Implants Res* 2013;24((Supplement 9)):158.
175. Dailey B, Jordan L, Blind O, et al. Axial displacement of abutments into implants and implant replicas, with the tapered cone-screw internal connection, as a function of tightening torque. *Int J Oral Maxillofac Implants* 2009;24(2):251-6. [Abstract](#)
176. Dasmah A, Thor A, Ekestubbe A, et al. Particulate vs. block bone grafts: Three-dimensional changes in graft volume after reconstruction of the atrophic maxilla, a 2-year radiographic follow-up. *J Craniomaxillofac Surg* 2012;40(8):654-9. [Abstract](#)
177. Dasmah A, Thor A, Ekestubbe A, et al. Marginal bone-level alterations at implants installed in block versus particulate onlay bone grafts mixed with platelet-rich plasma in atrophic maxilla. a prospective 5-year follow-up study of 15 patients. *Clin Implant Dent Relat Res* 2013;15(1):7-14. [Abstract](#)

178. Dasmah A, Kashani H, Thor A, et al. Integration of fluoridated implants in onlay autogenous bone grafts - an experimental study in the rabbit tibia. *J Craniomaxillofac Surg* 2014;42(6):796-800. [Abstract](#)
179. Dasmah A, Rasmusson C, Thor A, et al. Simultaneous or delayed placement of surface modified and fluoridated dental implants into autogenous block bone grafts: a histologic and biomechanical study in the rabbit. *Clin Implant Dent Relat Res* 2015;17(2):395-401. [Abstract](#)
180. Daubert DM, Weinstein BF, Bordin S, et al. Prevalence and predictive factors for peri-implant disease and implant failure: a cross-sectional analysis. *J Periodontol* 2015;86(3):337-47. [Abstract](#)
181. Dave M, Davies J, Wilson R, et al. A comparison of cone beam computed tomography and conventional periapical radiography at detecting peri-implant bone defects. *Clin Oral Implants Res* 2013;24(6):671-8. [Abstract](#)
182. Davis DM, Watson RM. The use of two implant systems for providing implant supported overdentures in the mandible--a clinical appraisal. *Eur J Prosth Rest Dent* 1993;2(2):67-71. [Abstract](#)
183. Davis DM, Rogers JO, Packer ME. The extent of maintenance required by implant-retained mandibular overdentures: a 3-year report. *Int J Oral Maxillofac Implants* 1996;11(6):767-74. [Abstract](#)
184. Davis DM. Implant supported overdentures-the King's experience. *J Dent* 1997;25 Suppl 1:S33-7. [Abstract](#)
185. Davis DM, Packer ME. Mandibular overdentures stabilized by Astra Tech implants with either ball attachments or magnets: 5-year results. *Int J Prosthodont* 1999;12(3):222-9. [Abstract](#)
186. Davis DM, Packer ME. The maintenance requirements of mandibular overdentures stabilized by Astra Tech implants using three different attachment mechanisms-balls, magnets, and bars; 3-year results. *Eur J Prosth Rest Dent* 2000;8(4):131-4. [Abstract](#)
187. De Bruyn H, Van de Velde T, Collaert B. Immediate functional loading of TiOblast dental implants in full-arch edentulous mandibles: a 3-year prospective study. *Clin Oral Implants Res* 2008;19(7):717-23. [Abstract](#)
188. De Bruyn H, Besseler J, Raes F, et al. Clinical outcome of overdenture treatment on two nonsubmerged and nonsplinted Astra Tech Microthread implants. *Clin Implant Dent Relat Res* 2009;11(2):81-9. [Abstract](#)
189. De Bruyn H, Raes F, Cooper LF, et al. Three-years clinical outcome of immediate provisionalization of single Osseospeed() implants in extraction sockets and healed ridges. *Clin Oral Implants Res* 2013;24(2):217-23. [Abstract](#)
190. De Coster P, Browaeys H, De Bruyn H. Healing of extraction sockets filled with BoneCeramic(R) prior to implant placement: preliminary histological findings. *Clin Implant Dent Relat Res* 2011;13(1):34-45. [Abstract](#)
191. De Kok IJ, Chang SS, Moriarty JD, et al. A retrospective analysis of peri-implant tissue responses at immediate load/provisionalized microthreaded implants. *Int J Oral Maxillofac Implants* 2006;21(3):405-12. [Abstract](#)
192. De Kok I, Chang K-H, Li T-S, et al. Comparison of three-implant-supported fixed dentures and two-implant-retained overdentures in the edentulous mandible: A pilot study of treatment efficacy and patient satisfaction. *Int J Oral Maxillofac Implants* 2011;26(2):415-26. [Abstract](#)
193. de Sanctis M, Vignoletti F, Discepoli N, et al. Immediate implants at fresh extraction sockets: bone healing in four different implant systems. *J Clin Periodontol* 2009;36(8):705-11. [Abstract](#)

194. de Sanctis M, Vignoletti F, Discepoli N, et al. Immediate implants at fresh extraction sockets: an experimental study in the beagle dog comparing four different implant systems. Soft tissue findings. *J Clin Periodontol* 2010;37(8):769-76. [Abstract](#)
195. De Smet E, Jaecques SV, Wevers M, et al. Constant strain rate and peri-implant bone modeling: an in vivo longitudinal micro-CT analysis. *Clin Implant Dent Relat Res* 2013;15(3):358-66. [Abstract](#)
196. de Vicente JC, Hernandez-Vallejo G, Brana-Abascal P, et al. Maxillary sinus augmentation with autologous bone harvested from the lateral maxillary wall combined with bovine-derived hydroxyapatite: clinical and histologic observations. *Clin Oral Implants Res* 2010;21(4):430-8. [Abstract](#)
197. de Waal YC, Raghoobar GM, Huddleston Slater JJ, et al. Implant decontamination during surgical peri-implantitis treatment: a randomized, double-blind, placebo-controlled trial. *J Clin Periodontol* 2013;40(2):186-95. [Abstract](#)
198. DeAngelo SJ, Kumar PS, Beck FM, et al. Early soft tissue healing around one-stage dental implants: clinical and microbiologic parameters. *J Periodontol* 2007;78(10):1878-86. [Abstract](#)
199. Del Castillo R, Ercoli C, Delgado JC, et al. An alternative multiple pontic design for a fixed implant-supported prosthesis. *J Prosthet Dent* 2011;106(3):198-203. [Abstract](#)
200. Dellavia C, Speroni S, Pellegrini G, et al. A new method to evaluate volumetric changes in sinus augmentation procedure. *Clin Implant Dent Relat Res* 2014;16(5):684-90. [Abstract](#)
201. D'haese J, Van De Velde T, Elaut L, et al. A prospective study on the accuracy of mucosally supported stereolithographic surgical guides in fully edentulous maxillae. *Clin Implant Dent Relat Res* 2012;14(2):293-303. [Abstract](#)
202. D'haese J, Vervaeke S, Verbanck N, et al. Clinical and radiographic outcome of implants placed using stereolithographic guided surgery: a prospective monocenter study. *Int J Oral Maxillofac Implants* 2013;28(1):205-15. [Abstract](#)
203. D'Haese J, De Bruyn H. Effect of smoking habits on accuracy of implant placement using mucosally supported stereolithographic surgical guides. *Clin Implant Dent Relat Res* 2013;15(3):402-11. [Abstract](#)
204. Di Tullio M, Femminella B, Pilloni A, et al. Treatment of supra-alveolar-type defects by a simplified papilla preservation technique for access flap surgery with or without enamel matrix proteins. *J Periodontol* 2013;84(8):1100-10. [Abstract](#)
205. Dierens M, Collaert B, Deschepper E, et al. Patient-centered outcome of immediately loaded implants in the rehabilitation of fully edentulous jaws. *Clin Oral Implants Res* 2009;20(10):1070-77. [Abstract](#)
206. Diss A, Dohan DM, Mouhyi J, et al. Osteotome sinus floor elevation using Choukroun's platelet-rich fibrin as grafting material: a 1-year prospective pilot study with microthreaded implants. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;105(5):572-9. [Abstract](#)
207. Dittmer S, Dittmer MP, Kohorst P, et al. Effect of implant-abutment connection design on load bearing capacity and failure mode of implants. *J Prosthodont* 2011;20(7):510-6. [Abstract](#)
208. Dittmer MP, Dittmer S, Borchers L, et al. Influence of the interface design on the yield force of the implant-abutment complex before and after cyclic mechanical loading. *J Prosthodont Res* 2012;56(1):19-24. [Abstract](#)
209. Donati M, La Scala V, Billi M, et al. Immediate functional loading of implants in single tooth replacement: a prospective clinical multicenter study. *Clin Oral Implants Res* 2008;19(8):740-48. [Abstract](#)
210. Donati M, Botticelli D, La Scala V, et al. Effect of immediate functional loading on osseointegration of implants used for single tooth replacement. A human histological study. *Clin Oral Implants Res* 2013;24(7):738-45. [Abstract](#)

211. Donati M, La Scala V, Di Raimondo R, et al. Marginal bone preservation in single-tooth replacement: a 5-year prospective clinical multicenter study. *Clin Implant Dent Relat Res* 2015;17(3):425-34. [Abstract](#)
212. Donati M, Ekestubbe A, Lindhe J, et al. Implant-supported single-tooth restorations. A 12-year prospective study. *Clin Oral Implants Res* 2015;E-pub Nov 18, doi:10.1111/clr.12726. [Abstract](#)
213. Doukas D, Michelinakis G, Smith PW, et al. The influence of interimplant distance and attachment type on the retention characteristics of mandibular overdentures on 2 implants: 6-month fatigue retention values. *Int J Prosthodont* 2008;21(2):152-4. [Abstract](#)
214. Draenert FG, Sagheb K, Baumgardt K, et al. Retrospective analysis of survival rates and marginal bone loss on short implants in the mandible. *Clin Oral Implants Res* 2012;23(9):1063-9. [Abstract](#)
215. Duddeck DU, Neugebauer J, Scheer M, et al. Surprises in the land of microns. *EDI* 2010;6(2):50-54.
216. Duyck J, Corpas L, Vermeiren S, et al. Histological, histomorphometrical, and radiological evaluation of an experimental implant design with a high insertion torque. *Clin Oral Implants Res* 2010;21(8):877-84. [Abstract](#)
217. Ebler S, Ioannidis A, Jung RE, et al. Prospective randomized controlled clinical study comparing two types of two-piece dental implants supporting fixed reconstructions - results at 1 year of loading. *Clin Oral Implants Res* 2015;E-pub Oct 13, doi:10.1111/clr.12721. [Abstract](#)
218. Ehrenfest DM, Vazquez L, Park YJ, et al. Identification card and codification of the chemical and morphological characteristics of 14 dental implant surfaces. *J Oral Implantol* 2011;37(5):525-42. [Abstract](#)
219. Eickholz P, Grotkamp FL, Steveling H, et al. Reproducibility of peri-implant probing using a force-controlled probe. *Clin Oral Implants Res* 2001;12(2):153-8. [Abstract](#)
220. Eliasson A, Blomqvist F, Wennerberg A, et al. A retrospective analysis of early and delayed loading of full-arch mandibular prostheses using three different implant systems: clinical results with up to 5 years of loading. *Clin Implant Dent Relat Res* 2009;11(2):134-48. [Abstract](#)
221. Ellegaard B, Baelum V, Karring T. Implant therapy in periodontally compromised patients. *Clin Oral Implants Res* 1997;8(3):180-8. [Abstract](#)
222. Ellegaard B, Kolsen-Petersen J, Baelum V. Implant therapy involving maxillary sinus lift in periodontally compromised patients. *Clin Oral Implants Res* 1997;8(4):305-15. [Abstract](#)
223. Ellegaard B, Baelum V, Kolsen-Petersen J. Non-grafted sinus implants in periodontally compromised patients: a time-to-event analysis. *Clin Oral Implants Res* 2006;17(2):156-64. [Abstract](#)
224. Ellingsen JE. Pre-treatment of titanium implants with fluoride improves their retention in bone. *J Mater Sci Mater Med* 1995;6:749-53. [Abstract](#)
225. Ellingsen JE. On the properties of surface-modified titanium. In: Davies JE, editor. *Bone Engineering*. Toronto: em squared inc. Toronto, Canada; 2000. p. 183-88.
226. Ellingsen JE, Lyngstadaas SP. Increasing biocompatibility by chemical modification of titanium surfaces. In: Ellingsen JE, Lyngstadaas PS, editors. *Bio-Implant Interface; Improving Biomaterials and Tissue Reactions*. Boca Raton, Florida: CRC Press LLC; 2003. p. 323-40.
227. Ellingsen JE, Johansson CB, Wennerberg A, et al. Improved retention and bone-to-implant contact with fluoride-modified titanium implants. *Int J Oral Maxillofac Implants* 2004;19(5):659-66. [Abstract](#)
228. Elter C, Heuer W, Demling A, et al. Comparative analysis of biofilm formation on dental implant abutments with respect to supra- and subgingival areas: polytetrafluoroethylene versus titanium. *Int J Prosthodont* 2011;24(4):373-5. [Abstract](#)

229. Emami E, de Souza RF, Bernier J, et al. Patient perceptions of the mandibular three-implant overdenture: a practice-based study. *Clin Oral Implants Res* 2015;26(6):639-43. [Abstract](#)
230. Emami E, Cerutti-Kopplin D, Menassa M, et al. Does immediate loading affect clinical and patient-centered outcomes of mandibular 2-unsplinted-implant overdenture? A 2-year within-case analysis. *J Dent* 2016;E-pub Apr 22, doi:10.1016/j.jdent.2016.04.009. [Abstract](#)
231. Engquist B, Astrand P, Dahlgren S, et al. Marginal bone reaction to oral implants: a prospective comparative study of Astra Tech and Branemark System implants. *Clin Oral Implants Res* 2002;13(1):30-7. [Abstract](#)
232. Ericsson I, Johansson CB, Bystedt H, et al. A histomorphometric evaluation of bone-to-implant contact on machine-prepared and roughened titanium dental implants. A pilot study in the dog. *Clin Oral Implants Res* 1994;5(4):202-6. [Abstract](#)
233. Ericsson I, Lekholm U, Sennerby L, et al. Soft tissue response to clinically contaminated and thereafter cleaned titanium surfaces. An experimental study in the rat. *Clin Oral Implants Res* 2000;11(4):370-3. [Abstract](#)
234. Erkapers M, Ekstrand K, Baer RA, et al. Patient satisfaction following dental implant treatment with immediate loading in the edentulous atrophic maxilla. *Int J Oral Maxillofac Implants* 2011;26(2):356-64. [Abstract](#)
235. Erkmen E, Meric G, Kurt A, et al. Biomechanical comparison of implant retained fixed partial dentures with fiber reinforced composite versus conventional metal frameworks: a 3D FEA study. *J Mech Behav Biomed Mater* 2011;4(1):107-16. [Abstract](#)
236. Erkut S, Uckan S. Alveolar distraction osteogenesis and implant placement in a severely resorbed maxilla: a clinical report. *J Prosthet Dent* 2006;95(5):340-3. [Abstract](#)
237. Erneklint C, Odman P, Ortengren U, et al. Tolerance test of five different types of crowns on single-tooth implants. *Int J Prosthodont* 1998;11(3):233-9. [Abstract](#)
238. Erneklint C, Odman P, Ortengren U, et al. An in vitro load evaluation of a conical implant system with 2 abutment designs and 3 different retaining-screw alloys. *Int J Oral Maxillofac Implants* 2006;21(5):733-7. [Abstract](#)
239. Esquivel-Upshaw JF, Clark AE, Shuster JJ, et al. Randomized clinical trial of implant-supported ceramic-ceramic and metal-ceramic fixed dental prostheses: preliminary results. *J Prosthodont* 2014;23(2):73-82. [Abstract](#)
240. Esquivel-Upshaw JF, Mehler A, Clark AE, et al. Fracture analysis of randomized implant-supported fixed dental prostheses. *J Dent* 2014;42(10):1335-42. [Abstract](#)
241. Esquivel-Upshaw J, Mehler A, Clark A, et al. Peri-implant complications for posterior endosteal implants. *Clin Oral Implants Res* 2015;26(12):1390-6. [Abstract](#)
242. Ettl T, Gerlach T, Schusselbauer T, et al. Bone resorption and complications in alveolar distraction osteogenesis. *Clin Oral Investig* 2010;14(5):481-9. [Abstract](#)
243. Fandridis J, Papadopoulos T. Surface characterization of three titanium dental implants. *Implant Dent* 2008;17(1):91-9. [Abstract](#)
244. Fanuscu MI, Chang TL, Akca K. Effect of surgical techniques on primary implant stability and peri-implant bone. *J Oral Maxillofac Surg* 2007;65(12):2487-91. [Abstract](#)
245. Farahani A, Zadeh HH. Adjunctive orthodontic applications in dental implantology. *J Oral Implantol* 2015;41(4):501-8. [Abstract](#)

246. Faria PE, Carvalho AL, de Torres EM, et al. Effects of early functional loading on maintenance of free autogenous bone graft and implant osseointegration: an experimental study in dogs. *J Oral Maxillofac Surg* 2010;68(4):825-32. [Abstract](#)
247. Fenlon MR, Lyons A, Farrell S, et al. Factors affecting survival and usefulness of implants placed in vascularized free composite grafts used in post-head and neck cancer reconstruction. *Clin Implant Dent Relat Res* 2009;14(2):266-72. [Abstract](#)
248. Fermergård R, Åstrand P. Osteotome sinus floor elevation and simultaneous placement of implants - A 1-year retrospective study with Astra Tech implants. *Clin Implant Dent Relat Res* 2008;10(1):62-9. [Abstract](#)
249. Fermergård R, Astrand P. Osteotome sinus floor elevation without bone grafts - a 3-year retrospective study with Astra Tech implants. *Clin Implant Dent Relat Res* 2012;14(2):198-205. [Abstract](#)
250. Ferrari M, Tricarico MG, Cagidiaco MC, et al. 3-year randomized controlled prospective clinical trial on different CAD-CAM implant abutments. *Clin Implant Dent Relat Res* 2016;E-pub Mar 14, doi:10.1111/cid.12418. [Abstract](#)
251. Ferrus J, Cecchinato D, Pjetursson EB, et al. Factors influencing ridge alterations following immediate implant placement into extraction sockets. *Clin Oral Implants Res* 2010;21(1):22-9. [Abstract](#)
252. Foong JK, Judge RB, Palamara JE, et al. Fracture resistance of titanium and zirconia abutments: An in vitro study. *J Prosthet Dent* 2013;109(5):304-12. [Abstract](#)
253. Franceschetti G, Farina R, Stacchi C, et al. Radiographic outcomes of transcrestal sinus floor elevation performed with a minimally invasive technique in smoker and non-smoker patients. *Clin Oral Implants Res* 2014;25(4):493-9. [Abstract](#)
254. Freitas-Junior AC, Almeida EO, Bonfante EA, et al. Reliability and failure modes of internal conical dental implant connections. *Clin Oral Implants Res* 2013;24(2):197-202. [Abstract](#)
255. Frisch E, Ziebolz D, Vach K, et al. Supportive post-implant therapy: patient compliance rates and impacting factors: 3-year follow-up. *J Clin Periodontol* 2014;41(10):1007-14. [Abstract](#)
256. Froum SJ, Froum SH, Rosen PS. Successful management of peri-implantitis with a regenerative approach: a consecutive series of 51 treated implants with 3- to 7.5-year follow-up. *Int J Periodontics Restorative Dent* 2012;32(1):11-20. [Abstract](#)
257. Fujioka M, Kanno T, Mitsugi M, et al. Oral rehabilitation of a maxillectomy defect using bone transport distraction and dental implants. *J Oral Maxillofac Surg* 2010;68(9):2278-82. [Abstract](#)
258. Fukuda M, Takahashi T, Iino M. Dentoalveolar reconstruction of a missing premaxilla using bone graft and endosteal implants. *J Oral Rehabil* 2003;30(1):87-90. [Abstract](#)
259. Fukuda M, Iino M, Ohnuki T, et al. Vertical alveolar distraction osteogenesis with complications in a reconstructed mandible. *J Oral Implantol* 2003;29(4):185-8. [Abstract](#)
260. Fukuda M, Takahashi T, Nagai H, et al. Implant-supported edentulous maxillary obturators with milled bar attachments after maxillectomy. *J Oral Maxillofac Surg* 2004;62(7):799-805. [Abstract](#)
261. Fukuda M, Iino M, Yamaoka K, et al. Two-stage distraction osteogenesis for mandibular segmental defect. *J Oral Maxillofac Surg* 2004;62(9):1164-8. [Abstract](#)
262. Funaki K, Takahashi T, Yamuchi K. Horizontal alveolar ridge augmentation using distraction osteogenesis: comparison with a bone-splitting method in a dog model. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(3):350-8. [Abstract](#)
263. Gaintantzopoulou M, Zinelis S, Silikas N, et al. Micro-Raman spectroscopic analysis of TiO₂ phases on the root surfaces of commercial dental implants. *Dent Mater* 2014;30(8):861-7. [Abstract](#)

264. Galindo-Moreno P, Avila G, Fernandez-Barbero JE, et al. Evaluation of sinus floor elevation using a composite bone graft mixture. *Clin Oral Implants Res* 2007;18(3):376-82. [Abstract](#)
265. Galindo-Moreno P, Avila G, Fernandez-Barbero JE, et al. Clinical and histologic comparison of two different composite grafts for sinus augmentation: a pilot clinical trial. *Clin Oral Implants Res* 2008;19(8):755-59. [Abstract](#)
266. Galindo-Moreno P, Padial-Molina M, Fernandez-Barbero JE, et al. Optimal microvessel density from composite graft of autogenous maxillary cortical bone and anorganic bovine bone in sinus augmentation: influence of clinical variables. *Clin Oral Implants Res* 2010;21(2):221-7. [Abstract](#)
267. Galindo-Moreno P, Moreno-Riestra I, Avila G, et al. Histomorphometric comparison of maxillary pristine bone and composite bone graft biopsies obtained after sinus augmentation. *Clin Oral Implants Res* 2010 21(1):122-8. [Abstract](#)
268. Galindo-Moreno P, Moreno-Riestra I, Avila G, et al. Effect of anorganic bovine bone to autogenous cortical bone ratio upon bone remodeling patterns following maxillary sinus augmentation. *Clin Oral Implants Res* 2011;22(8):857-64. [Abstract](#)
269. Galindo-Moreno P, Nilsson P, King P, et al. Clinical and radiographic evaluation of early loaded narrow diameter implants - 1-year follow-up. *Clin Oral Implants Res* 2012;23(5):609-16. [Abstract](#)
270. Galindo-Moreno P, Padial-Molina M, Avila G, et al. Complications associated with implant migration into the maxillary sinus cavity. *Clin Oral Implants Res* 2012;23(10):1152-60. [Abstract](#)
271. Galindo-Moreno P, Hernandez-Cortes P, Aneiros-Fernandez J, et al. Morphological evidences of Bio-Oss((R)) colonization by CD44-positive cells. *Clin Oral Implants Res* 2014;25(3):366-71. [Abstract](#)
272. Galindo-Moreno P, Fernandez-Jimenez A, Avila-Ortiz G, et al. Marginal bone loss around implants placed in maxillary native bone or grafted sinuses: a retrospective cohort study. *Clin Oral Implants Res* 2014;25(3):378-84. [Abstract](#)
273. Galindo-Moreno P, Fernandez-Jimenez A, O'Valle F, et al. Marginal bone loss in implants placed in grafted maxillary sinus. *Clin Implant Dent Relat Res* 2015;17(2):373-83. [Abstract](#)
274. Galindo-Moreno P, Leon-Cano A, Ortega-Oller I, et al. Marginal bone loss as success criterion in implant dentistry: beyond 2 mm. *Clin Oral Implants Res* 2015;26(4):e28-34. [Abstract](#)
275. Galindo-Moreno P, Leon-Cano A, Monje A, et al. Abutment height influences the effect of platform switching on peri-implant marginal bone loss. *Clin Oral Implants Res* 2016;27(2):167-73. [Abstract](#)
276. Gander T, Studer S, Studer G, et al. Medium-term outcome of Astra Tech implants in head and neck oncology patients. *Int J Oral Maxillofac Surg* 2014;43(11):1381-5. [Abstract](#)
277. Garcia-Bellosta S, Bravo M, Subira C, et al. Retrospective study of the long-term survival of 980 implants placed in a periodontal practice. *Int J Oral Maxillofac Implants* 2010;25(3):613-9. [Abstract](#)
278. Gates WD, 3rd, Cooper LF, Sanders AE, et al. The effect of implant-supported removable partial dentures on oral health quality of life. *Clin Oral Implants Res* 2014;25(2):207-13. [Abstract](#)
279. Geckili O, Bilhan H, Bilgin T. A 24-week prospective study comparing the stability of titanium dioxide grit-blasted dental implants with and without fluoride treatment. *Int J Oral Maxillofac Implants* 2009;24(4):684-88. [Abstract](#)
280. Geckili O, Bilhan H, Mumcu E, et al. Three-year radiologic follow-up of marginal bone loss around titanium dioxide grit-blasted dental implants with and without fluoride treatment. *Int J Oral Maxillofac Implants* 2011;26(2):319-24. [Abstract](#)
281. Geckili O, Bilhan H, Bilgin T. Impact of mandibular two-implant retained overdentures on life quality in a group of elderly Turkish edentulous patients. *Arch Gerontol Geriatr* 2011;53(2):233-6. [Abstract](#)

282. Geckili O, Mumcu E, Bilhan H. The effect of maximum bite force, implant number, and attachment type on marginal bone loss around implants supporting mandibular overdentures: a retrospective study. *Clin Implant Dent Relat Res* 2011;14(Supplement 1):e91-e97. [Abstract](#)
283. Geckili O, Bilhan H, Mumcu E. Clinical and radiographic evaluation of three-implant-retained mandibular overdentures: a 3-year retrospective study. *Quintessence Int* 2011;42(9):721-8. [Abstract](#)
284. Geckili O, Bilhan H, Cilingir A, et al. A comparative in vitro evaluation of two different magnetic devices detecting the stability of osseointegrated implants. *J Periodontol Res* 2012;47(4):508-13. [Abstract](#)
285. Geckili O, Bilhan H, Mumcu E, et al. Comparison of patient satisfaction, quality of life, and bite force between elderly edentulous patients wearing mandibular two implant-supported overdentures and conventional complete dentures after 4 years. *Spec Care Dentist* 2012;32(4):136-41. [Abstract](#)
286. Geckili O, Mumcu E, Bilhan H. Radiographic evaluation of narrow diameter implants after 5 years of clinical function: a retrospective study. *J Oral Implantol* 2013;39(S1):273-79. [Abstract](#)
287. Geckili O, Bilhan H, Geckili E, et al. Evaluation of possible prognostic factors for the success, survival, and failure of dental implants. *Implant Dent* 2014;23(1):44-50. [Abstract](#)
288. Gellrich NC, Bormann KH, Tehranchian S, et al. Containment and contouring (CoCoon) technique: a biologically adequate approach to less invasive autogenous preimplant augmentation of bone. *Br J Oral Maxillofac Surg* 2013;51(8):880-6. [Abstract](#)
289. Ghozezi R, Alikhasi M, Siadat M-R, et al. A radiographic comparison of progressive and conventional loading on crestal bone loss and dentistry in single dental implants: A randomized controlled trial study. *J Dent (Tehran)* 2013;10(2):155-63. [Abstract](#)
290. Gigandet M, Bigolin G, Faoro F, et al. Implants with original and non-original abutment connections. *Clin Implant Dent Relat Res* 2014;16(2):303-11. [Abstract](#)
291. Gjengedal H, Dahl L, Lavik A, et al. Randomized clinical trial comparing dietary intake in patients with implant-retained overdentures and conventionally relined denture. *Int J Prosthodont* 2012;25(4):340-7. [Abstract](#)
292. Goellner M, Schmitt J, Karl M, et al. The effect of axial and oblique loading on the micromovement of dental implants. *Int J Oral Maxillofac Implants* 2011;26(2):257-64. [Abstract](#)
293. Gökçen-Röhlig B, Meric U, Keskin H. Clinical and radiographic outcomes of implants immediately placed in fresh extraction sockets. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2010;109(4):1-7. [Abstract](#)
294. Gonzalez-Martin O, Lee EA, Veltri M. CBCT fractal dimension changes at the apex of immediate implants placed using undersized drilling. *Clin Oral Implants Res* 2012;23(8):954-7. [Abstract](#)
295. Goshima K, Lexner MO, Thomsen CE, et al. Functional aspects of treatment with implant-supported single crowns: a quality control study in subjects with tooth agenesis. *Clin Oral Implants Res* 2010;21(1):108-14. [Abstract](#)
296. Gotfredsen K, Warrer K, Hjorting H, et al. Effect of membranes and porous hydroxyapatite on healing in bone defects around titanium dental implants. An experimental study in monkeys. *Clin Oral Implants Res* 1991;2(4):172-8. [Abstract](#)
297. Gotfredsen K, Nimb L, Hjorting-Hansen E, et al. Histomorphometric and removal torque analysis for TiO₂-blasted titanium implants. An experimental study on dogs. *Clin Oral Implants Res* 1992;3(2):77-84. [Abstract](#)
298. Gotfredsen K, Holm B, Sewerin I, et al. Marginal tissue response adjacent to Astra Dental Implants supporting overdentures in the mandible. *Clin Oral Implants Res* 1993;4(2):83-9. [Abstract](#)

299. Gotfredsen K, Nimb L, Hjorting-Hansen E. Immediate implant placement using a biodegradable barrier, polyhydroxybutyrate-hydroxyvalerate reinforced with polyglactin 910. An experimental study in dogs. *Clin Oral Implants Res* 1994;5(2):83-91. [Abstract](#)
300. Gotfredsen K, Wennerberg A, Johansson C, et al. Anchorage of TiO₂-blasted, HA-coated, and machined implants: an experimental study with rabbits. *J Biomed Mater Res* 1995;29(10):1223-31. [Abstract](#)
301. Gotfredsen K. Implant supported overdentures-the Copenhagen experience. *J Dent* 1997;25 Suppl 1:S39-42. [Abstract](#)
302. Gotfredsen K, Holm B. Implant-supported mandibular overdentures retained with ball or bar attachments: a randomized prospective 5-year study. *Int J Prosthodont* 2000;13(2):125-30. [Abstract](#)
303. Gotfredsen K, Karlsson U. A prospective 5-year study of fixed partial prostheses supported by implants with machined and TiO₂-blasted surface. *J Prosthodont* 2001;10(1):2-7. [Abstract](#)
304. Gotfredsen K. A 5-year prospective study of single-tooth replacements supported by the Astra Tech implant: a pilot study. *Clin Implant Dent Relat Res* 2004;6(1):1-8. [Abstract](#)
305. Gotfredsen K, Lindh CH, Berglundh T. Does longstanding nicotine exposure impair bone healing and osseointegration? An experimental study in rabbits. *J Biomed Mater Res B* 2009;91(2):918-23. [Abstract](#)
306. Gotfredsen K. A 10-year prospective study of single tooth implants placed in the anterior maxilla. *Clin Implant Dent Relat Res* 2009;14(1):80-7. [Abstract](#)
307. Grigoriadis A, Johansson RS, Trulsson M. Adaptability of mastication in people with implant-supported bridges. *J Clin Periodontol* 2011;38(4):395-404. [Abstract](#)
308. Guida L, Annunziata M, Rocci A, et al. Biological response of human bone marrow mesenchymal stem cells to fluoride-modified titanium surfaces. *Clin Oral Implants Res* 2010;21(11):1234-41. [Abstract](#)
309. Guljé F, Raghoobar GM, Ter Meulen JW, et al. Mandibular overdentures supported by 6-mm dental implants: A 1-year prospective cohort study. *Clin Implant Dent Relat Res* 2011;14(Supplement 1):e59-e66. [Abstract](#)
310. Guljé F, Abrahamsson I, Chen S, et al. Implants of 6 mm vs. 11 mm lengths in the posterior maxilla and mandible: a 1-year multicenter randomized controlled trial. *Clin Oral Implants Res* 2013;24(12):1325-31. [Abstract](#)
311. Guljé FL, Raghoobar GM, Vissink A, et al. Single crowns in the resorbed posterior maxilla supported by either 6-mm implants or by 11-mm implants combined with sinus floor elevation surgery: A 1-year randomised controlled trial. *Eur J Oral Implantol* 2014;7(3):247-55. [Abstract](#)
312. Guljé FL, Raghoobar GM, Vissink A, et al. Single restorations in the resorbed posterior mandible supported by 6-mm implants: a 1-year prospective case series study. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e465-71. [Abstract](#)
313. Guljé FL, Raghoobar GM, Erkens WA, et al. Impact of crown-implant ratio of single restorations supported by 6-mm implants: A short-term case series study. *Int J Oral Maxillofac Implants* 2016;31(3):672-5. [Abstract](#)
314. Guo J, Padilla RJ, Ambrose W, et al. The effect of hydrofluoric acid treatment of TiO₂ grit blasted titanium implants on adherent osteoblast gene expression in vitro and in vivo. *Biomaterials* 2007;28(36):5418-25. [Abstract](#)
315. Guzaitis KL, Knoernschild KL, Viana MA. Effect of repeated screw joint closing and opening cycles on implant prosthetic screw reverse torque and implant and screw thread morphology. *J Prosthet Dent* 2011;106(3):159-69. [Abstract](#)

316. Halldin A, Jimbo R, Johansson CB, et al. The effect of static bone strain on implant stability and bone remodeling. *Bone* 2011;49(4):783-9. [Abstract](#)
317. Halldin A, Dahlström M. Optimization of preload and torsion by using a unique abutment screw design for each implant platform size (P332). *Clin Oral Implants Res* 2013;24((Supplement 9)):162-63.
318. Halldin A, Jimbo R, Johansson CB, et al. Implant stability and bone remodeling after 3 and 13 days of implantation with an initial static strain. *Clin Implant Dent Relat Res* 2014;16(3):383-93. [Abstract](#)
319. Halldin A, Jinno Y, Galli S, et al. Implant stability and bone remodeling up to 84 days of implantation with an initial static strain. An in vivo and theoretical investigation. *Clin Oral Implants Res* 2016;E-pub Jan 14, doi:10.1111/clr.12748. [Abstract](#)
320. Hallman M, Mordenfeld A, Strandkvist T. A retrospective 5-year follow-up study of two different titanium implant surfaces used after interpositional bone grafting for reconstruction of the atrophic edentulous maxilla. *Clin Implant Dent Relat Res* 2005;7(3):121-6. [Abstract](#)
321. Hallstrom H, Persson GR, Lindgren S, et al. Systemic antibiotics and debridement of peri-implant mucositis. A randomized clinical trial. *J Clin Periodontol* 2012;39(6):574-81. [Abstract](#)
322. Hamilton A, Judge RB, Palamara JE, et al. Evaluation of the fit of CAD/CAM abutments. *Int J Prosthodont* 2013;26(4):370-80. [Abstract](#)
323. Han JY, Shin SI, Herr Y, et al. The effects of bone grafting material and a collagen membrane in the ridge splitting technique: an experimental study in dogs. *Clin Oral Implants Res* 2011;22(12):1391-8. [Abstract](#)
324. Han J, Zhang X, Tang Z, et al. A prospective, multicenter study assessing the DENTSPLY Implants, OsseoSpeed TX, length 6 mm in the posterior maxilla and mandible: a 1-year follow-up study. *Clin Oral Implants Res* 2016;27(4):452-7. [Abstract](#)
325. Hansson S. The implant neck: smooth or provided with retention elements. A biomechanical approach. *Clin Oral Implants Res* 1999;10(5):394-405. [Abstract](#)
326. Hansson S, Norton M. The relation between surface roughness and interfacial shear strength for bone-anchored implants. A mathematical model. *J Biomech* 1999;32(8):829-36. [Abstract](#)
327. Hansson S. Implant-abutment interface: biomechanical study of flat top versus conical. *Clin Implant Dent Relat Res* 2000;2(1):33-41. [Abstract](#)
328. Hansson S. Surface roughness parameters as predictors of anchorage strength in bone: a critical analysis. *J Biomech* 2000;33(10):1297-303. [Abstract](#)
329. Hansson S. A conical implant-abutment interface at the level of the marginal bone improves the distribution of stresses in the supporting bone. An axisymmetric finite element analysis. *Clin Oral Implants Res* 2003;14(3):286-93. [Abstract](#)
330. Hansson S, Werke M. The implant thread as a retention element in cortical bone: the effect of thread size and thread profile: a finite element study. *J Biomech* 2003;36(9):1247-58. [Abstract](#)
331. Hansson S, Halldin A. Letter to the editor: re: effect of microthreads and platform switching on crestal bone stress levels: a finite element analysis. *J Periodontol* 2009;80(7):1033-5. [Abstract](#)
332. Hansson S, Löberg J, Mattisson I, et al. Characterisation of titanium dental implants. II. Local biomechanical model. *The Open Biomaterials J* 2010;2:36-52.
333. Harder S, Dimaczek B, Acil Y, et al. Molecular leakage at implant-abutment connection--in vitro investigation of tightness of internal conical implant-abutment connections against endotoxin penetration. *Clin Oral Investig* 2010;14(4):427-32. [Abstract](#)

334. Harvey BV. Optimizing the esthetic potential of implant restorations through the use of immediate implants with immediate provisionals. *J Periodontol* 2007;78(4):770-6. [Abstract](#)
335. Hasturk H, Nguyen DH, Sherzai H, et al. Comparison of the impact of scaler material composition on polished titanium implant abutment surfaces. *J Dent Hyg* 2013;87(4):200-11. [Abstract](#)
336. Haupt R, Wynne J. Use of precision milling to achieve a passive fit on a lost-wax framework. *Pract Proced Aesthet Dent* 2009;21(4):233-37.
337. Heitz-Mayfield LJ, Darby I, Heitz F, et al. Preservation of crestal bone by implant design. A comparative study in minipigs. *Clin Oral Implants Res* 2013;24(3):243-9. [Abstract](#)
338. Hibi H, Ueda M. Supraperiosteal transport distraction osteogenesis for reconstructing a segmental defect of the mandible. *J Oral Maxillofac Surg* 2011;69(3):742-6. [Abstract](#)
339. Hirata R, Bonfante EA, Machado LS, et al. Mechanical evaluation of four narrow-diameter implant systems. *Int J Prosthodont* 2014;27(4):359-62. [Abstract](#)
340. Hirata R, Bonfante EA, Anchieta RB, et al. Reliability and failure modes of narrow implant systems. *Clin Oral Investig* 2015;E-pub Nov 3, doi:10.1007/s00784-015-1636-8. [Abstract](#)
341. Hjalmarsson L, Smedberg JI. A 3-year retrospective study of Cresco frameworks: preload and complications. *Clin Implant Dent Relat Res* 2005;7(4):189-99. [Abstract](#)
342. Hjalmarsson L, Smedberg JI, Pettersson M, et al. Implant-level prostheses in the edentulous maxilla: a comparison with conventional abutment-level prostheses after 5 years of use. *Int J Prosthodont* 2011;24(2):158-67. [Abstract](#)
343. Hjerpe J, Lassila LV, Rakkolainen T, et al. Load-bearing capacity of custom-made versus prefabricated commercially available zirconia abutments. *Int J Oral Maxillofac Implants* 2011;26(1):132-8. [Abstract](#)
344. Hofstede TM, Jacob RF. Diagnostic considerations and prosthetic rehabilitation of a cocaine-induced midline destructive lesion: A clinical report. *J Prosthet Dent* 2010;103(1):1-5. [Abstract](#)
345. Hong YS, Kim MJ, Han JS, et al. Effects of hydrophilicity and fluoride surface modifications to titanium dental implants on early osseointegration: an in vivo study. *Implant Dent* 2014;23(5):529-33. [Abstract](#)
346. Hosoki M, Nishigawa K, Miyamoto Y, et al. Allergic contact dermatitis caused by titanium screws and dental implants. *J Prosthodont Res* 2016;E-pub Jan, doi:10.1016/j.jpor.2015.12.004. [Abstract](#)
347. Hosseini M, Gotfredsen K. A feasible, aesthetic quality evaluation of implant-supported single crowns: an analysis of validity and reliability. *Clin Oral Implants Res* 2012;23(4):453-8. [Abstract](#)
348. Hosseini M, Kleven E, Gotfredsen K. Fracture mode during cyclic loading of implant-supported single-tooth restorations. *J Prosthet Dent* 2012;108(2):74-83. [Abstract](#)
349. Hosseini M, Worsaae N, Schiodt M, et al. A 3-year prospective study of implant-supported, single-tooth restorations of all-ceramic and metal-ceramic materials in patients with tooth agenesis. *Clin Oral Implants Res* 2013;24(10):1078-87. [Abstract](#)
350. Hsu A, Seong WJ, Wolff R, et al. Comparison of initial implant stability of implants placed using bicortical fixation, indirect sinus elevation, and unicortical fixation. *Int J Oral Maxillofac Implants* 2016;31(2):459-68. [Abstract](#)
351. Huang B, Meng H, Piao M, et al. Influence of placement depth on bone remodeling around tapered internal connection implant: a clinical and radiographic study in dogs. *J Periodontol* 2012;83(9):1164-71. [Abstract](#)
352. Huang B, Meng H, Zhu W, et al. Influence of placement depth on bone remodeling around tapered internal connection implants: a histologic study in dogs. *Clin Oral Implants Res* 2015;26(8):942-9. [Abstract](#)

353. Hudieb MI, Wakabayashi N, Kasugai S. Magnitude and direction of mechanical stress at the osseointegrated interface of the microthread implant. *J Periodontol* 2011;82(7):1061-70. [Abstract](#)
354. Huynh-Ba G, Pjetursson BE, Sanz M, et al. Analysis of the socket bone wall dimensions in the upper maxilla in relation to immediate implant placement. *Clin Oral Implants Res* 2010;21(1):37-42. [Abstract](#)
355. Imam AY, Moshaverinia A, Chee WW, et al. A technique for retrieving fractured implant screws. *J Prosthet Dent* 2014;111(1):81-3. [Abstract](#)
356. Imam AY, Moshaverinia A, McGlumphy EA. Implant-abutment interface: a comparison of the ultimate force to failure among narrow-diameter implant systems. *J Prosthet Dent* 2014;112(2):136-42. [Abstract](#)
357. Isa ZM, Schneider GB, Zaharias R, et al. Effects of fluoride-modified titanium surfaces on osteoblast proliferation and gene expression. *Int J Oral Maxillofac Implants* 2006;21(2):203-11. [Abstract](#)
358. Isidor F. Loss of osseointegration caused by occlusal load of oral implants. A clinical and radiographic study in monkeys. *Clin Oral Implants Res* 1996;7(2):143-52. [Abstract](#)
359. Isidor F. Clinical probing and radiographic assessment in relation to the histologic bone level at oral implants in monkeys. *Clin Oral Implants Res* 1997;8(4):255-64. [Abstract](#)
360. Isidor F. Histological evaluation of peri-implant bone at implants subjected to occlusal overload or plaque accumulation. *Clin Oral Implants Res* 1997;8(1):1-9. [Abstract](#)
361. Isoda Y, Imamura E, Ueno D, et al. Use of a trephine bur and curette for minimally invasive harvesting of particulate cancellous bone and marrow from the iliac crest: a case of alveolar ridge reconstruction. *International Journal of Implant Dentistry* 2016;2(1):1-6. [Abstract](#)
362. Iturriaga MT, Ruiz CC. Maxillary sinus reconstruction with calvarium bone grafts and endosseous implants. *J Oral Maxillofac Surg* 2004;62(3):344-7. [Abstract](#)
363. Ivanoff CJ, Hallgren C, Widmark G, et al. Histologic evaluation of the bone integration of TiO₂ blasted and turned titanium microimplants in humans. *Clin Oral Implants Res* 2001;12(2):128-34. [Abstract](#)
364. Jacobi-Gresser E, Huesker K, Schutt S. Genetic and immunological markers predict titanium implant failure: a retrospective study. *Int J Oral Maxillofac Surg* 2013;42(4):537-43. [Abstract](#)
365. Jacobs R, Pittayapat P, van Steenberghe D, et al. A split-mouth comparative study up to 16 years of two screw-shaped titanium implant systems. *J Clin Periodontol* 2010;37(12):119-127. [Abstract](#)
366. Jansen VK, Conrads G, Richter EJ. Microbial leakage and marginal fit of the implant-abutment interface. *Int J Oral Maxillofac Implants* 1997;12(4):527-40. [Abstract](#)
367. Jarmar T, Palmquist A, Branemark R, et al. Characterization of the surface properties of commercially available dental implants using scanning electron microscopy, focused ion beam, and high-resolution transmission electron microscopy. *Clin Implant Dent Relat Res* 2008;10(1):11-22. [Abstract](#)
368. Jemt T, Gyzander V, Britse AO. Incidence of surgery related to problems with peri-implantitis: a retrospective study on patients followed up between 2003 and 2010 at one specialist clinic. *Clin Implant Dent Relat Res* 2015;17(2):209-20. [Abstract](#)
369. Jensen J, Brox H, Storhaug K, et al. Dental implants in patients with osteogenesis imperfecta: a retrospective and prospective study with review of the literature. *Oral Surgery* 2011;4(3):105-14. [Abstract](#)
370. Jensen JL, Storhaug K. Dental implants in patients with Ehlers-Danlos syndrome: a case series study. *Int J Prosthodont* 2012;25(1):60-2. [Abstract](#)

371. Jeong SM, Choi BH, Li J, et al. Bone healing around implants following flap and mini-flap surgeries: a radiographic evaluation between stage I and stage II surgery. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;105(3):293-6. [Abstract](#)
372. Jeong SM, Choi BH, Li J, et al. A retrospective study of the effects of sinus membrane elevation on bone formation around implants placed in the maxillary sinus cavity. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(3):364-8. [Abstract](#)
373. Jeong KI, Lee J, Um IW, et al. Alveolar cleft restoration using autogenous tooth bone graft material for implant placement: a case report. *J Oral Implantol* 2015;41(4):487-90. [Abstract](#)
374. Jimbo R, Anchieta R, Baldassarri M, et al. Histomorphometry and bone mechanical property evolution around different implant systems at early healing stages: an experimental study in dogs. *Implant Dent* 2013;22(6):596-603. [Abstract](#)
375. Jo DW, Yi YJ, Kwon MJ, et al. Correlation between interimplant distance and crestal bone loss in internal connection implants with platform switching. *Int J Oral Maxillofac Implants* 2014;29(2):296-302. [Abstract](#)
376. Joda T, Burki A, Bethge S, et al. Stiffness, strength, and failure modes of implant-supported monolithic lithium disilicate crowns: influence of titanium and zirconia abutments. *Int J Oral Maxillofac Implants* 2015;30(6):1272-9. [Abstract](#)
377. Johansson LA, Isaksson S, Lindh C, et al. Maxillary sinus floor augmentation and simultaneous implant placement using locally harvested autogenous bone chips and bone debris: a prospective clinical study. *J Oral Maxillofac Surg* 2010;68(4):837-44. [Abstract](#)
378. Johansson CB, Gretzer C, Jimbo R, et al. Enhanced implant integration with hierarchically structured implants: a pilot study in rabbits. *Clin Oral Implants Res* 2012;23(8):943-53. [Abstract](#)
379. Johansson H, Hellqvist J. Functionality of a further developed implant system: Mechanical integrity (P339). *Clin Oral Implants Res* 2013;24((Supplement 9)):166.
380. Johansson H, Hellqvist J, Johansson S. Credibility of an up-dated implant system: implant abutment leakage testing (P340). *Clin Oral Implants Res* 2013;24((Supplement 9)):166-67.
381. Jörn D, Kohorst P, Besdo S, et al. Influence of lubricant on screw preload and stresses in a finite element model for a dental implant. *J Prosthet Dent* 2014;112(2):340-8. [Abstract](#)
382. Jung JH, Choi BH, Jeong SM, et al. A retrospective study of the effects on sinus complications of exposing dental implants to the maxillary sinus cavity. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2007;103(5):623-5. [Abstract](#)
383. Kahnberg KE, Vannas-Löfqvist L. Maxillary osteotomy with an interpositional bone graft and implants for reconstruction of the severely resorbed maxilla: a clinical report. *Int J Oral Maxillofac Implants* 2005;20(6):938-45. [Abstract](#)
384. Kahnberg KE, Vannas-Lofqvist L. Sinus lift procedure using a 2-stage surgical technique: I. Clinical and radiographic report up to 5 years. *Int J Oral Maxillofac Implants* 2008;23(5):876-84. [Abstract](#)
385. Kahnberg KE. Immediate implant placement in fresh extraction sockets: a clinical report. *Int J Oral Maxillofac Implants* 2009;24(2):282-8. [Abstract](#)
386. Kahnberg KE, Wallstrom M, Rasmusson L. Local sinus lift for single-tooth implant. I. Clinical and radiographic follow-up. *Clin Implant Dent Relat Res* 2009;13(3):231-7. [Abstract](#)
387. Kahnberg KE, Vannas-Löfqvist L, Hakenberg M. Early loading of Astra Tech implants in the lower jaw. I. A comparison between immediate placement of implants in fresh extraction sockets and conventional implant surgery. *Oral Surgery* 2012;5:51-58. [Abstract](#)

388. Kahramanoglu E, Kulak-Ozkan Y. The effect of different restorative and abutment materials on marginal and internal adaptation of three-unit cantilever implant-supported fixed partial dentures: an in vitro study. *J Prosthodont* 2013;22(8):608-17. [Abstract](#)
389. Kahramanoglu E, Kulak-Ozkan Y. Marginal and internal adaptation of different superstructure and abutment materials using two different implant systems for five-unit implant-supported fixed partial dentures: an in vitro study. *Int J Oral Maxillofac Implants* 2013;28(5):1207-16. [Abstract](#)
390. Kainulainen VT, Kainulainen TJ, Oikarinen KS, et al. Performance of six bone collectors designed for dental implant surgery. *Clin Oral Implants Res* 2006;17(3):282-87. [Abstract](#)
391. Kamposiora P, Papavasiliou G, Madianos P. Presentation of two cases of immediate restoration of implants in the esthetic region, using facilitate software and guides with stereolithographic model surgery prior to patient surgery. *J Prosthodont* 2012;21(2):130-7. [Abstract](#)
392. Kan JY, Roe P, Rungcharassaeng K. Effects of implant morphology on rotational stability during immediate implant placement in the esthetic zone. *Int J Oral Maxillofac Implants* 2015;30(3):667-70. [Abstract](#)
393. Kang BS, Sul YT, Oh SJ, et al. XPS, AES and SEM analysis of recent dental implants. *Acta Biomater* 2009;5(6):2222-9. [Abstract](#)
394. Kang IH, Kim CW, Lim YJ, et al. A comparative study on the initial stability of different implants placed above the bone level using resonance frequency analysis. *J Adv Prosthodont* 2011;3(4):190-5. [Abstract](#)
395. Kanno T, Milleding P, Wennerberg A. Topography, microhardness, and precision of fit on ready-made zirconia abutment before/after sintering process. *Clin Implant Dent Relat Res* 2007;9(3):156-65. [Abstract](#)
396. Karl M, Taylor TD. Parameters determining micromotion at the implant-abutment interface. *Int J Oral Maxillofac Implants* 2014;29(6):1338-47. [Abstract](#)
397. Karlsson U, Gotfredsen K, Olsson C. Single-tooth replacement by osseointegrated Astra Tech dental implants: a 2-year report. *Int J Prosthodont* 1997;10(4):318-24. [Abstract](#)
398. Karlsson U, Gotfredsen K, Olsson C. A 2-year report on maxillary and mandibular fixed partial dentures supported by Astra Tech dental implants. A comparison of 2 implants with different surface textures. *Clin Oral Implants Res* 1998;9(4):235-42. [Abstract](#)
399. Karring ES, Stavropoulos A, Ellegaard B, et al. Treatment of peri-implantitis by the Vector system. *Clin Oral Implants Res* 2005;16(3):288-93. [Abstract](#)
400. Kartal Y, Ucok C, Ozgul O, et al. Effect of locally applied bFGF on implant stability: Biomechanical evaluation of 2 different implant surfaces in rabbits. *Implant Dent* 2014;23(4):463-70. [Abstract](#)
401. Kaufmann R, Friedli M, Hug S, et al. Removable dentures with implant support in strategic positions followed for up to 8 years. *Int J Prosthodont* 2009;22(3):233-41; discussion 42. [Abstract](#)
402. Kazemi M, Rohanian A, Monzavi A, et al. Evaluation of the accuracy and related factors of the mechanical torque-limiting device for dental implants. *J Dent (Tehran)* 2013;10(2):112-8. [Abstract](#)
403. Kempainen P, Eskola S, Ylipaavalniemi P. A comparative prospective clinical study of two single-tooth implants: a preliminary report of 102 implants. *J Prosthet Dent* 1997;77(4):382-7. [Abstract](#)
404. Kennedy KS, Jones EM, Kim DG, et al. A prospective clinical study to evaluate early success of short implants. *Int J Oral Maxillofac Implants* 2013;28(1):170-7. [Abstract](#)
405. Kerstein RB, Radke J. A comparison of fabrication precision and mechanical reliability of 2 zirconia implant abutments. *Int J Oral Maxillofac Implants* 2008;23(6):1029-36. [Abstract](#)

406. Khademi A, Shadmehr E, Ajami M, et al. Histologic and histomorphometric assessment of implants and periapical tissues when placed in the sockets of extracted teeth, teeth with periapical lesions, and healed lesions: a canine study. *J Oral Implantol* 2013;39(6):709-13. [Abstract](#)
407. Khan O, Archibald A, Thomson E, et al. The role of quantitative single photon emission computerized tomography (SPECT) in the osseous integration process of dental implants. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2000;90(2):228-32. [Abstract](#)
408. Khatami AH, Toljanic JA, Kleinman A. Mandibular reconstruction with vascularized fibula flap and osseointegrated implants: a clinical report. *J Oral Implantol* 2010;36(5):385-90. [Abstract](#)
409. Khojasteh A, Eslaminejad MB, Nazarian H, et al. Vertical bone augmentation with simultaneous implant placement using particulate mineralized bone and mesenchymal stem cells: a preliminary study in rabbit. *J Oral Implantol* 2013;39(1):3-13. [Abstract](#)
410. Khojasteh A, Hassani A, Motamedian SR, et al. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: a retrospective study and review of literature. *Clin Implant Dent Relat Res* 2016;18(2):342-59. [Abstract](#)
411. Khoury SB, Thomas L, Walters JD, et al. Early wound healing following one-stage dental implant placement with and without antibiotic prophylaxis: A pilot study. *J Periodontol* 2008;79(10):1904-12. [Abstract](#)
412. Khzam N, Mattheos N, Roberts D, et al. Immediate placement and restoration of dental implants in the esthetic region: clinical case series. *J Esthet Restor Dent* 2014;26(5):332-44. [Abstract](#)
413. Kim TH, Lee DW, Kim CK, et al. Influence of early cover screw exposure on crestal bone loss around implants: intraindividual comparison of bone level at exposed and non-exposed implants. *J Periodontol* 2009;80(6):933-9. [Abstract](#)
414. Kim JJ, Lee DW, Kim CK, et al. Effect of conical configuration of fixture on the maintenance of marginal bone level: preliminary results at 1 year of function. *Clin Oral Implants Res* 2010;21(4):439-44. [Abstract](#)
415. Kim JS, Sohn JY, Park JC, et al. Cumulative survival rate of Astra Tech implants: a retrospective analysis. *J Periodontal Implant Sci* 2011;41(2):86-91. [Abstract](#)
416. Kim S, Choi H, Woo D, et al. A three-dimensional finite element analysis of short dental implants in the posterior maxilla. *Int J Oral Maxillofac Implants* 2014;29(2):e155-64. [Abstract](#)
417. Kim A, Campbell SD, Viana MA, et al. Abutment material effect on peri-implant soft tissue color and perceived esthetics. *J Prosthodont* 2015;E-pub Sep 23, doi:10.1111/jopr.12360. [Abstract](#)
418. King P, Maiorana C, Luthardt RG, et al. Clinical and radiographic evaluation of a small-diameter dental implant used for the restoration of patients with permanent tooth agenesis (hypodontia) in the maxillary lateral incisor and mandibular incisor regions: a 36-month follow-up. *Int J Prosthodont* 2016;29(2):147-53. [Abstract](#)
419. Klotz MW, Taylor TD, Goldberg AJ. Wear at the titanium-zirconia implant-abutment interface: a pilot study. *Int J Oral Maxillofac Implants* 2011;26(5):970-5. [Abstract](#)
420. Koch FP, Gotze E, Kumar VV, et al. A bar-retained overdenture as an external fixator device in a three-dimensional CAD/CAM-based surgical reconstruction of the mandible. *J Craniomaxillofac Surg* 2015;43(8):1447-51. [Abstract](#)
421. Koldslund OC, Scheie AA, Aass AM. Prevalence of implant loss and the influence of associated factors. *J Periodontol* 2009;80(7):1069-75. [Abstract](#)
422. Koldslund OC, Scheie AA, Aass AM. Prevalence of peri-implantitis related to severity of the disease with different degrees of bone loss. *J Periodontol* 2010;81(2):231-8. [Abstract](#)

423. Koo KT, Kim MH, Kim HY, et al. Effects of implant drill wear, irrigation, and drill materials on heat generation in osteotomy sites. *J Oral Implantol* 2015;41(2):e19-23. [Abstract](#)
424. Korsch M, Obst U, Walther W. Cement-associated peri-implantitis: a retrospective clinical observational study of fixed implant-supported restorations using a methacrylate cement. *Clin Oral Implants Res* 2014;25(7):797-802. [Abstract](#)
425. Korsch M, Robra BP, Walther W. Predictors of excess cement and tissue response to fixed implant-supported dentures after cementation. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e45-53. [Abstract](#)
426. Korsch M, Walther W. Peri-implantitis associated with type of cement: A retrospective analysis of different types of cement and their clinical correlation to the peri-implant tissue. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e434-43. [Abstract](#)
427. Korsch M, Walther W. Retrospective analysis of loosening of cement-retained vs screw-retained fixed implant-supported reconstructions. *Quintessence Int* 2015;46(7):583-9. [Abstract](#)
428. Koutayas SO, Mitsias M, Wolfart S, et al. Influence of preparation mode and depth on the fracture strength of zirconia ceramic abutments restored with lithium disilicate crowns. *Int J Oral Maxillofac Implants* 2012;27(4):839-48. [Abstract](#)
429. Koutouzis T, Wennstrom JL. Bone level changes at axial- and non-axial-positioned implants supporting fixed partial dentures. A 5-year retrospective longitudinal study. *Clin Oral Implants Res* 2007;18(5):585-90. [Abstract](#)
430. Koutouzis T, Lundgren T. Crestal bone-level changes around implants placed in post-extraction sockets augmented with demineralized freeze-dried bone allograft: a retrospective radiographic study. *J Periodontol* 2010;81(10):1441-8. [Abstract](#)
431. Koutouzis T, Koutouzis G, Tomasi C, et al. Immediate loading of implants placed with the osteotome technique: One-year prospective case series. *J Periodontol* 2011;82(11):1556-62. [Abstract](#)
432. Koutouzis T, Neiva R, Lipton D, et al. The effect of interimplant distance on peri-implant bone and soft tissue dimensional changes: a nonrandomized, prospective, 2-year follow-up study. *Int J Oral Maxillofac Implants* 2015;30(4):900-8. [Abstract](#)
433. Koutouzis T, Gadalla H, Lundgren T. Bacterial colonization of the implant-abutment interface (IAI) of dental implants with a sloped marginal design: An in-vitro study. *Clin Implant Dent Relat Res* 2016;18(1):161-7. [Abstract](#)
434. Koyama K, Hasegawa T, Uchida I, et al. Simple and less invasive technique for fixation of iliac inlay bone block using dental implants in the atrophied posterior maxilla. *J Oral Maxillofac Surg Med Path* 2014;26(4):497-500. [Abstract](#)
435. Kriz P, Seydlova M, Dostalova T, et al. Dental implants and improvement of oral health-related quality of life. *Community Dent Oral Epidemiol* 2012;40(Suppl 1):65-70. [Abstract](#)
436. Kriz P, Seydlova M, Dostalova T, et al. Oral health-related quality of life and dental implants - preliminary study. *Cent Eur J Med* 2012;7(2):209-15. [Abstract](#)
437. Kumar VV, Sagheb K, Klein MO, et al. Relation between bone quality values from ultrasound transmission velocity and implant stability parameters--an ex vivo study. *Clin Oral Implants Res* 2012;23(8):975-80. [Abstract](#)
438. Kunkel M, Wahlmann U, Reichert TE, et al. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. *Clin Oral Implants Res* 2005;16(1):89-97. [Abstract](#)
439. Kuoppala R, Napankangas R, Raustia A. Outcome of implant-supported overdenture treatment--a survey of 58 patients. *Gerodontology* 2012;29(2):e577-84. [Abstract](#)

440. Kurita H, Sakai H, Uehara S, et al. Dental rehabilitation using an implant-carrying plate system in a severely resorbed edentulous maxilla: a case report. *Int J Oral Maxillofac Implants* 2008;23(1):117-20. [Abstract](#)
441. Kutan E, Bolukbasi N, Yildirim-Ondur E, et al. Clinical and radiographic evaluation of marginal bone changes around platform-switching implants placed in crestal or subcrestal positions: A randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e364-75. [Abstract](#)
442. Kwon HJ, Lee DW, Park KH, et al. Influence of the tooth- and implant-side marginal bone level on the interproximal papilla dimension in a single implant with a microthread, conical seal, and platform-switched design. *J Periodontol* 2009;80(9):1541-7. [Abstract](#)
443. Kwon TK, Lee HJ, Min SK, et al. Evaluation of early bone response to fluoride-modified and anodically oxidized titanium implants through continuous removal torque analysis. *Implant Dent* 2012;21(5):427-32. [Abstract](#)
444. Lamolle SF, Monjo M, Rubert M, et al. The effect of hydrofluoric acid treatment of titanium surface on nanostructural and chemical changes and the growth of MC3T3-E1 cells. *Biomaterials* 2009;30(5):736-42. [Abstract](#)
445. Larsson C, Vult von Steyern P, Sunzel B, et al. All-ceramic two- to five-unit implant-supported reconstructions. A randomized, prospective clinical trial. *Swed Dent J* 2006;30(2):45-53. [Abstract](#)
446. Larsson C, Vult von Steyern P, Nilner K. A prospective study of implant-supported full-arch yttria-stabilized tetragonal zirconia polycrystal mandibular fixed dental prostheses: three-year results. *Int J Prosthodont* 2010;23(4):364-9. [Abstract](#)
447. Larsson C, Vult von Steyern P. Five-year follow-up of implant-supported Y-TZP and ZTA fixed dental prostheses. A randomized, prospective clinical trial comparing two different material systems. *Int J Prosthodont* 2010;23(6):555-61. [Abstract](#)
448. Larsson C, Vult Von Steyern P. Implant-supported full-arch zirconia-based mandibular fixed dental prostheses. Eight-year results from a clinical pilot study. *Acta Odontol Scand* 2013;71(5):1118-22. [Abstract](#)
449. Lavrentiadis G, Yousef H, Luke A, et al. Changes in abutment screw dimensions after off-axis loading of implant-supported crowns: a pilot study. *Implant Dent* 2009;18(5):447-53. [Abstract](#)
450. Le BT, Follmar T, Borzabadi-Farahani A. Assessment of short dental implants restored with single-unit nonsplinted restorations. *Implant Dent* 2013;22(5):499-502. [Abstract](#)
451. Le BT, Borzabadi-Farahani A, Pluemsakunthai W. Is buccolingual angulation of maxillary anterior implants associated with the crestal labial soft tissue thickness? *Int J Oral Maxillofac Surg* 2014;43(7):874-8. [Abstract](#)
452. Lee DW, Park KH, Moon IS. Dimension of interproximal soft tissue between adjacent implants in two distinctive implant systems. *J Periodontol* 2006;77(6):1080-4. [Abstract](#)
453. Lee DW, Choi YS, Park KH, et al. Effect of microthread on the maintenance of marginal bone level: a 3-year prospective study. *Clin Oral Implants Res* 2007;18(4):465-70. [Abstract](#)
454. Lee DW, Huh JK, Park KH, et al. Comparison of interproximal soft tissue height for single implants and contra-lateral natural teeth. *Clin Oral Implants Res* 2009;20(12):1320-25. [Abstract](#)
455. Lee DJ, Harlow RE, Yuan JC, et al. Three-year clinical outcomes of implant treatments provided at a predoctoral implant program. *Int J Prosthodont* 2011;24(1):71-6. [Abstract](#)
456. Lee DW, Lee DW, Park KH, et al. The effects of off-axial loading on periimplant marginal bone loss in a single implant. *J Prosthet Dent* 2014;112(3):501-7. [Abstract](#)

457. Lee JI, Lee Y, Kim YL, et al. Effect of implant number and distribution on load transfer in implant-supported partial fixed dental prostheses for the anterior maxilla: A photoelastic stress analysis study. *J Prosthet Dent* 2016;115(2):161-9. [Abstract](#)
458. Lefever D, Van Assche N, Temmerman A, et al. Aetiology, microbiology and therapy of periapical lesions around oral implants: a retrospective analysis. *J Clin Periodontol* 2013;40(3):296-302. [Abstract](#)
459. Lehmann KM, Kammerer PW, Karbach J, et al. Long-term effect of overdenture bar design on peri-implant tissues. *Int J Oral Maxillofac Implants* 2013;28(4):1126-31. [Abstract](#)
460. Lenssen O, Barbier L, De Clercq C. Immediate functional loading of provisional implants in the reconstructed atrophic maxilla: preliminary results of a prospective study after 6 months of loading with a provisional bridge. *Int J Oral Maxillofac Surg* 2011;40(9):907-15. [Abstract](#)
461. Leutert CR, Stawarczyk B, Truninger TC, et al. Bending moments and types of failure of zirconia and titanium abutments with internal implant-abutment connections: a laboratory study. *Int J Oral Maxillofac Implants* 2012;27(3):505-12. [Abstract](#)
462. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: a prospective case series evaluating implant survival, esthetics, and bone maintenance. *Compend Contin Educ Dent* 2013;34(5):352-61. [Abstract](#)
463. Levin BP. A team approach to cost-effective, full-arch immediate loading. *Compend Contin Educ Dent* 2013;34(7):530-2. [Abstract](#)
464. Levin BP. The dual function of a dermal allograft in immediate implant therapy. *Int J Periodontics Restorative Dent* 2015;35(4):507-13. [Abstract](#)
465. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. *Compend Contin Educ Dent* 2015;36(9):682-8. [Abstract](#)
466. Levin BP. The dermal apron technique for immediate implant socket management: A novel technique. *J Esthet Restor Dent* 2016;28(1):18-28. [Abstract](#)
467. L'Homme-Langlois E, Yilmaz B, Chien HH, et al. Accuracy of mechanical torque-limiting devices for dental implants. *J Prosthet Dent* 2015;114(4):524-8. [Abstract](#)
468. Liaje A, Ozkan YK, Ozkan Y, et al. Stability and marginal bone loss with three types of early loaded implants during the first year after loading. *Int J Oral Maxillofac Implants* 2012;27(1):162-72. [Abstract](#)
469. Limbert G, van Lierde C, Muraru OL, et al. Trabecular bone strains around a dental implant and associated micromotions--a micro-CT-based three-dimensional finite element study. *J Biomech* 2010;43(7):1251-61. [Abstract](#)
470. Limmer B, Sanders AE, Reside G, et al. Complications and patient-centered outcomes with an implant-supported monolithic zirconia fixed dental prosthesis: 1 year results. *J Prosthodont* 2014;23(4):267-75. [Abstract](#)
471. Lindhe J, Bressan E, Cecchinato D, et al. Bone tissue in different parts of the edentulous maxilla and mandible. *Clin Oral Implants Res* 2013;24(4):372-7. [Abstract](#)
472. Lindhe J, Cecchinato D, Donati M, et al. Ridge preservation with the use of deproteinized bovine bone mineral. *Clin Oral Implants Res* 2014;25(7):786-90. [Abstract](#)
473. Liu R, Lei T, Dusevich V, et al. Surface characteristics and cell adhesion: a comparative study of four commercial dental implants. *J Prosthodont* 2013;22(8):641-51. [Abstract](#)
474. Löberg J, Mattisson I, Hansson S, et al. Characterisation of titanium dental implants I: Critical assessment of surface roughness parameters. *The Open Biomaterials J* 2010;2:18-35.

475. Löberg J, Mattisson I, Ahlberg E. Integrated biomechanical and topographical surface characterization. *Applied Surface Science* 2014;290:215-22.
476. Lops D, Chiapasco M, Rossi A, et al. Incidence of inter-proximal papilla between a tooth and an adjacent immediate implant placed into a fresh extraction socket: 1-year prospective study. *Clin Oral Implants Res* 2008;19(11):1135-40. [Abstract](#)
477. Lops D, Mosca D, Muller A, et al. Management of peri-implant soft tissues between tooth and adjacent immediate implant placed into fresh extraction single socket: a one-year prospective study on two different types of implant-abutment connection design. *Minerva Stomatol* 2011;60(9):403-15. [Abstract](#)
478. Lops D, Bressan E, Chiapasco M, et al. Zirconia and titanium implant abutments for single-tooth implant prostheses after 5 years of function in posterior regions. *Int J Oral Maxillofac Implants* 2013;28(1):281-7. [Abstract](#)
479. Lops D, Bressan E, Parpaiola A, et al. Soft tissues stability of cad-cam and stock abutments in anterior regions: 2-year prospective multicentric cohort study. *Clin Oral Implants Res* 2015;26(12):1436-42. [Abstract](#)
480. Lozano-Carrascal N, Salomo-Coll O, Gilabert-Cerda M, et al. Effect of implant macro-design on primary stability: A prospective clinical study. *Med Oral Patol Oral Cir Bucal* 2016;21(2):e214-21. [Abstract](#)
481. Lutz R, Berger-Fink S, Stockmann P, et al. Sinus floor augmentation with autogenous bone vs. a bovine-derived xenograft - a 5-year retrospective study. *Clin Oral Implants Res* 2015;26(6):644-8. [Abstract](#)
482. Lyngstadaas SP, Verket A, Pinholt EM, et al. Titanium granules for augmentation of the maxillary sinus - a multicenter study. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e594-600. [Abstract](#)
483. Mailoa J, Fu JH, Chan HL, et al. The effect of vertical implant position in relation to adjacent teeth on marginal bone loss in posterior arches: a retrospective study. *Int J Oral Maxillofac Implants* 2015;30(4):931-6. [Abstract](#)
484. Maiorana C, King P, Quaas S, et al. Clinical and radiographic evaluation of early loaded narrow-diameter implants: 3 years follow-up. *Clin Oral Implants Res* 2015;26(1):77-82. [Abstract](#)
485. Makkonen TA, Holmberg S, Niemi L, et al. A 5-year prospective clinical study of Astra Tech dental implants supporting fixed bridges or overdentures in the edentulous mandible. *Clin Oral Implants Res* 1997;8(6):469-75. [Abstract](#)
486. Malmstrom H, Gupta B, Ghanem A, et al. Success rate of short dental implants supporting single crowns and fixed bridges. *Clin Oral Implants Res* 2015;E-pub Sep 22, doi: 10.1111/clr.12693. [Abstract](#)
487. Manzoor B, Suleiman M, Palmer RM. The effects of simulated bone loss on the implant-abutment assembly and likelihood of fracture: an in vitro study. *Int J Oral Maxillofac Implants* 2013;28(3):729-38. [Abstract](#)
488. Marcelis K, Vercruyssen M, Naert I, et al. Model-based guided implant insertion for solitary tooth replacement: a pilot study. *Clin Oral Implants Res* 2012;23(8):999-1003. [Abstract](#)
489. Marinis A, Afshari FS, Yuan JC, et al. Retrospective analysis of implant overdenture treatment in the advanced prosthodontic clinic at the University of Illinois at Chicago. *J Oral Implantol* 2016;42(1):46-53. [Abstract](#)
490. Martin R. Astra Tech OsseoSpeed™ 3.0S implant. *Inside Dentistry* 2010;6(4):2-4.
491. Masaki C, Schneider GB, Zaharias R, et al. Effects of implant surface microtopography on osteoblast gene expression. *Clin Oral Implants Res* 2005;16(6):650-6. [Abstract](#)

492. Masuda T, Salvi GE, Offenbacher S, et al. Cell and matrix reactions at titanium implants in surgically prepared rat tibiae. *Int J Oral Maxillofac Implants* 1997;12(4):472-85. [Abstract](#)
493. Mattisson I, Gretzer C, Ahlberg E. Surface characterization, electrochemical properties and in vitro testing of hierarchically structured titanium surfaces. *Mater Res Bulletin* 2013;48(2):389-98. [Abstract](#)
494. McGuire MK, Scheyer T, Ho DK, et al. Esthetic outcomes in relation to implant-abutment interface design following a standardized treatment protocol in a multicenter randomized controlled trial- A cohort of 12 cases at 1-year follow-up. *Int J Periodontics Restorative Dent* 2015;35(2):149-59. [Abstract](#)
495. Meirelles L, Currie F, Jacobsson M, et al. The effect of chemical and nanotopographical modifications on the early stages of osseointegration. *Int J Oral Maxillofac Implants* 2008;23(4):641-7. [Abstract](#)
496. Memon S, Weltman RL, Katancik JA. Oral bisphosphonates: early endosseous dental implant success and crestal bone changes. A retrospective study. *Int J Oral Maxillofac Implants* 2012;27(5):1216-22. [Abstract](#)
497. Menassa M, de Grandmont P, Audy N, et al. Patients' expectations, satisfaction, and quality of life with immediate loading protocol. *Clin Oral Implants Res* 2016;27(1):83-9. [Abstract](#)
498. Mendes R. Computer assisted implant planning - A case report involving severely atrophic edentulous maxillary regions. *Journal of Chinese Clinical Medicine* 2010;5(11):665-7.
499. Merheb J, Vercruyssen M, Coucke W, et al. The fate of buccal bone around dental implants. A 12-month postloading follow-up study. *Clin Oral Implants Res* 2016;E-pub Jan 8, doi:10.1111/clr.12767. [Abstract](#)
500. Merheb J, Temmerman A, Rasmusson L, et al. Influence of skeletal and local bone density on dental implant stability in patients with osteoporosis. *Clin Implant Dent Relat Res* 2016;18(2):253-60. [Abstract](#)
501. Meric G, Erkmen E, Kurt A, et al. Biomechanical effects of two different collar implant structures on stress distribution under cantilever fixed partial dentures. *Acta Odontol Scand* 2011;69(6):374-84. [Abstract](#)
502. Meric G, Erkmen E, Kurt A, et al. Biomechanical comparison of two different collar structured implants supporting 3-unit fixed partial denture: a 3-D FEM study. *Acta Odontol Scand* 2012;70(1):61-71. [Abstract](#)
503. Mertens C, Steveling HG. Implant-supported fixed prostheses in the edentulous maxilla: 8-year prospective results. *Clin Oral Implants Res* 2010;22(5):464-72. [Abstract](#)
504. Mertens C, Steveling HG. Early and immediate loading of titanium implants with fluoride-modified surfaces: results of 5-year prospective study. *Clin Oral Implants Res* 2011;22(12):1354-60. [Abstract](#)
505. Mertens C, Steveling HG, Stucke K, et al. Fixed implant-retained rehabilitation of the edentulous maxilla: 11-year results of a prospective study. *Clin Implant Dent Relat Res* 2012;14(6):816-27. [Abstract](#)
506. Mertens C, Meyer-Baumer A, Kappel H, et al. Use of 8-mm and 9-mm implants in atrophic alveolar ridges: 10-year results. *Int J Oral Maxillofac Implants* 2012;27(6):1501-8. [Abstract](#)
507. Mertens C, Steveling HG, Seeberger R, et al. Reconstruction of severely atrophied alveolar ridges with calvarial onlay bone grafts and dental implants. *Clin Implant Dent Relat Res* 2013;15(5):673-83. [Abstract](#)
508. Mertens C, Decker C, Seeberger R, et al. Early bone resorption after vertical bone augmentation - a comparison of calvarial and iliac grafts. *Clin Oral Implants Res* 2013;24(7):820-5. [Abstract](#)

509. Mertens C, Lowenheim H, Hoffmann J. Image data based reconstruction of the midface using a patient-specific implant in combination with a vascularized osteomyocutaneous scapular flap. *J Craniomaxillofac Surg* 2013;41(3):219-25. [Abstract](#)
510. Mertens C, Wiens D, Steveling HG, et al. Maxillary sinus-floor elevation with nanoporous biphasic bone graft material for early implant placement. *Clin Implant Dent Relat Res* 2014;16(3):365-73. [Abstract](#)
511. Mertens C, Decker C, Engel M, et al. Early bone resorption of free microvascular reanastomized bone grafts for mandibular reconstruction - A comparison of iliac crest and fibula grafts. *J Craniomaxillofac Surg* 2014;42(5):e217-23. [Abstract](#)
512. Mertens C, Thiele O, Engel M, et al. The use of self-inflating soft tissue expanders prior to bone augmentation of atrophied alveolar ridges. *Clin Implant Dent Relat Res* 2015;17(1):44-51. [Abstract](#)
513. Mesimaki K, Lindroos B, Tornwall J, et al. Novel maxillary reconstruction with ectopic bone formation by GMP adipose stem cells. *Int J Oral Maxillofac Surg* 2009;38(3):201-9. [Abstract](#)
514. Michaud PL, Patel A. Hereditary gingival fibromatosis with extreme ridge thickness and insufficient interarch distance: A clinical report of surgical and prosthetic management. *J Prosthet Dent* 2016;E-pub Feb 9, doi:10.1016/j.prosdent.2016.01.001. [Abstract](#)
515. Michelinakis G, Barclay CW, Smith PW. The influence of interimplant distance and attachment type on the retention characteristics of mandibular overdentures on 2 implants: initial retention values. *Int J Prosthodont* 2006;19(5):507-12. [Abstract](#)
516. Milleding P, Carlen A, Wennerberg A, et al. Protein characterisation of salivary and plasma biofilms formed in vitro on non-corroded and corroded dental ceramic materials. *Biomaterials* 2001;22(18):2545-55. [Abstract](#)
517. Millen CS, Reuben RL, Ibbetson RJ. The effect of coping/veneer thickness on the fracture toughness and residual stress of implant supported, cement retained zirconia and metal-ceramic crowns. *Dent Mater* 2012;28(10):e250-8. [Abstract](#)
518. Mir-Mari J, Wui H, Jung RE, et al. Influence of blinded wound closure on the volume stability of different GBR materials: an in vitro cone-beam computed tomographic examination. *Clin Oral Implants Res* 2016;27(2):258-65. [Abstract](#)
519. Mir-Mari J, Benic GI, Valmaseda-Castellon E, et al. Influence of wound closure on the volume stability of particulate and non-particulate GBR materials: an in vitro cone-beam computed tomographic examination. Part II. *Clin Oral Implants Res* 2016;E-pub Apr 6, doi:10.1111/clr.12845. [Abstract](#)
520. Misch CM. The use of recombinant human bone morphogenetic protein-2 for the repair of extraction socket defects: a technical modification and case series report. *Int J Oral Maxillofac Implants* 2010;25(6):1246-52. [Abstract](#)
521. Misch CM. Bone augmentation of the atrophic posterior mandible for dental implants using rhBMP-2 and titanium mesh: clinical technique and early results. *Int J Periodontics Restorative Dent* 2011;31(6):581-9. [Abstract](#)
522. Misch C, Wang HL. Clinical application of recombinant human bone morphogenetic protein-2 for bone augmentation before dental implant placement. *Clin Adv Periodontics* 2011;1(2):118-30.
523. Mitsias ME, Silva NR, Pines M, et al. Reliability and fatigue damage modes of zirconia and titanium abutments. *Int J Prosthodont* 2010;23(1):56-9. [Abstract](#)
524. Mitsias M, Koutayas SO, Wolfart S, et al. Influence of zirconia abutment preparation on the fracture strength of single implant lithium disilicate crowns after chewing simulation. *Clin Oral Implants Res* 2014;25(6):675-82. [Abstract](#)

525. Mitsias ME, Thompson VP, Pines M, et al. Reliability and failure modes of two Y-TZP abutment designs. *Int J Prosthodont* 2015;28(1):75-8. [Abstract](#)
526. Miyamoto I, Tsuboi Y, Wada E, et al. Influence of cortical bone thickness and implant length on implant stability at the time of surgery--clinical, prospective, biomechanical, and imaging study. *Bone* 2005;37(6):776-80. [Abstract](#)
527. Mo A, Hjortsjo C, Olsen-Bergem H, et al. Maxillary 3-implant removable prostheses without palatal coverage on Locator abutments - a case series. *Clin Oral Implants Res* 2015;E-pub Nov 14, doi: 10.1111/clr.12724. [Abstract](#)
528. Monjo M, Lamolle SF, Lyngstadaas SP, et al. In vivo expression of osteogenic markers and bone mineral density at the surface of fluoride-modified titanium implants. *Biomaterials* 2008;29(28):3771-80. [Abstract](#)
529. Monjo M, Petzold C, Ramis JM, et al. In vitro osteogenic properties of two dental implant surfaces. *Int J Biomater* 2012;2012:181024. [Abstract](#)
530. Moon IS, Berglundh T, Abrahamsson I, et al. The barrier between the keratinized mucosa and the dental implant. An experimental study in the dog. *J Clin Periodontol* 1999;26(10):658-63. [Abstract](#)
531. Mordenfeld A, Johansson CB, Albrektsson T, et al. A randomized and controlled clinical trial of two different compositions of deproteinized bovine bone and autogenous bone used for lateral ridge augmentation. *Clin Oral Implants Res* 2014;25(3):310-20. [Abstract](#)
532. Moscovitch M. Molar restorations supported by 2 implants: an alternative to wide implants. *J Can Dent Assoc* 2001;67(9):535-9. [Abstract](#)
533. Moshaverinia A, Kar K, Aalam AA, et al. A multidisciplinary approach for the rehabilitation of a patient with an excessively worn dentition: a clinical report. *J Prosthet Dent* 2014;111(4):259-63. [Abstract](#)
534. Mu TJ, Lee DW, Park KH, et al. Changes in the fractal dimension of peri-implant trabecular bone after loading: a retrospective study. *J Periodontal Implant Sci* 2013;43(5):209-14. [Abstract](#)
535. Muhlemann S, Truninger TC, Stawarczyk B, et al. Bending moments of zirconia and titanium implant abutments supporting all-ceramic crowns after aging. *Clin Oral Implants Res* 2014;25(1):74-81. [Abstract](#)
536. Mumcu E, Bilhan H, Cekici A. Marginal bone loss around implants supporting fixed restorations. *J Oral Implantol* 2011;37(5):549-58. [Abstract](#)
537. Mumcu E, Bilhan H, Geckili O. The effect of attachment type and implant number on satisfaction and quality of life of mandibular implant-retained overdenture wearers. *Gerodontology* 2012;29(2):e618-23. [Abstract](#)
538. Mumcu E, Bilhan H, Geckili O. The influence of healing type on marginal bone levels of implants supporting mandibular overdentures: A randomized clinical study. *Indian J Dent Res* 2012;23(4):514-8. [Abstract](#)
539. Murphy WM, Barker GR, Gregory MC, et al. Experience with the Astra dental implant system. *Dent Update* 1992;19(4):143-6. [Abstract](#)
540. Murphy WM, Absi EG, Gregory MC, et al. A prospective 5-year study of two cast framework alloys for fixed implant-supported mandibular prostheses. *Int J Prosthodont* 2002;15(2):133-8. [Abstract](#)
541. Mustafa K, Silva Lopez B, Hultenby K, et al. Attachment and proliferation of human oral fibroblasts to titanium surfaces blasted with TiO₂ particles. A scanning electron microscopic and histomorphometric analysis. *Clin Oral Implants Res* 1998;9(3):195-207. [Abstract](#)

542. Nakata H, Kuroda S, Tachikawa N, et al. Histological and micro-computed tomographic observations after maxillary sinus augmentation with porous hydroxyapatite alloplasts: a clinical case series. Springerplus 2016;5(1):260. [Abstract](#)
543. Nejatidanesh F, Shakibamehr AH, Savabi O. Comparison of marginal and internal adaptation of cad/cam and conventional cement retained implant-supported single crowns. Implant Dent 2016;25(1):103-8. [Abstract](#)
544. Neldam CA, Lauridsen T, Rack A, et al. Application of high resolution synchrotron micro-CT radiation in dental implant osseointegration. J Craniomaxillofac Surg 2015;43(5):682-7. [Abstract](#)
545. Nguyen CT, Hofstede TM. Prosthodontic treatment and medical considerations for a patient with Turner syndrome: a clinical report. J Prosthodont 2012;21(7):552-5. [Abstract](#)
546. Nikzad S, Azari A. Custom-made radiographic template, computed tomography, and computer-assisted flapless surgery for treatment planning in partial edentulous patients: a prospective 12-month study. J Oral Maxillofac Surg 2010;68(6):1353-9. [Abstract](#)
547. Nisapakultorn K, Suphanantachat S, Silkosessak O, et al. Factors affecting soft tissue level around anterior maxillary single-tooth implants. Clin Oral Implants Res 2010;21(6):662-70. [Abstract](#)
548. Noelken R, Donati M, Fiorellini J, et al. Soft and hard tissue alterations around implants placed in an alveolar ridge with a sloped configuration. Clin Oral Implants Res 2014;25(1):3-9. [Abstract](#)
549. Noelken R, Neffe BA, Kunkel M, et al. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. Clin Oral Implants Res 2014;25(2):214-20. [Abstract](#)
550. Noelken R, Oberhansl F, Kunkel M, et al. Immediately provisionalized OsseoSpeed() Profile implants inserted into extraction sockets: 3-year results. Clin Oral Implants Res 2016;27(6):744-9. [Abstract](#)
551. Nordin T, Jonsson G, Nelvig P, et al. The use of a conical fixture design for fixed partial prostheses. A preliminary report. Clin Oral Implants Res 1998;9(5):343-7. [Abstract](#)
552. Norton MR. An in vitro evaluation of the strength of an internal conical interface compared to a butt joint interface in implant design. Clin Oral Implants Res 1997;8(4):290-8. [Abstract](#)
553. Norton MR. The Astra Tech single-tooth implant system: a report on 27 consecutively placed and restored implants. Int J Periodontics Restorative Dent 1997;17(6):574-83. [Abstract](#)
554. Norton MR. Marginal bone levels at single tooth implants with a conical fixture design. The influence of surface macro- and microstructure. Clin Oral Implants Res 1998;9(2):91-9. [Abstract](#)
555. Norton MR. Assessment of cold welding properties of the internal conical interface of two commercially available implant systems. J Prosthet Dent 1999;81(2):159-66. [Abstract](#)
556. Norton MR, Ferber C. The nonresilient hybrid removable prosthesis: treatment of choice for the atrophic maxilla. Int J Periodontics Restorative Dent 1999;19(2):189-97. [Abstract](#)
557. Norton MR. An in vitro evaluation of the strength of a 1-piece and 2-piece conical abutment joint in implant design. Clin Oral Implants Res 2000;11(5):458-64. [Abstract](#)
558. Norton MR. In vitro evaluation of the strength of the conical implant-to-abutment joint in two commercially available implant systems. J Prosthet Dent 2000;83(5):567-71. [Abstract](#)
559. Norton MR. Biologic and mechanical stability of single-tooth implants: 4- to 7-year follow-up. Clin Implant Dent Relat Res 2001;3(4):214-20. [Abstract](#)
560. Norton MR, Wilson J. Dental implants placed in extraction sites implanted with bioactive glass: human histology and clinical outcome. Int J Oral Maxillofac Implants 2002;17(2):249-57. [Abstract](#)

561. Norton MR. A short-term clinical evaluation of immediately restored maxillary TiOblast single-tooth implants. *Int J Oral Maxillofac Implants* 2004;19(2):274-81. [Abstract](#)
562. Norton MR. Multiple single-tooth implant restorations in the posterior jaws: maintenance of marginal bone levels with reference to the implant-abutment microgap. *Int J Oral Maxillofac Implants* 2006;21(5):777-84. [Abstract](#)
563. Norton MR. The influence of insertion torque on the survival of immediately placed and restored single-tooth implants. *Int J Oral Maxillofac Implants* 2011;26(6):1333-43. [Abstract](#)
564. Nothdurft FP, Doppler KE, Erdelt KJ, et al. Influence of artificial aging on the load-bearing capability of straight or angulated zirconia abutments in implant/tooth-supported fixed partial dentures. *Int J Oral Maxillofac Implants* 2010;25(5):991-8. [Abstract](#)
565. Nothdurft FP, Doppler KE, Erdelt KJ, et al. Fracture behavior of straight or angulated zirconia implant abutments supporting anterior single crowns. *Clin Oral Investig* 2011;15(2):157-63. [Abstract](#)
566. Nyberg J, Hertzman S, Svensson B, et al. Osseointegration of implants in irradiated bone with and without hyperbaric oxygen treatment: an experimental study in rat Tibiae. *Int J Oral Maxillofac Implants* 2013;28(3):739-46. [Abstract](#)
567. Offermanns V. Comparing SLActive™, Osseospeed™ and a novel strontium releasing surface (Ti–Sr–O) in early osseointegration stages in a rabbit femur model. *Int J Oral Maxillofac Implants* 2015;44(Supplement):e118.
568. Oguz Y, Cinar D, Bayram B. Removal of fractured implants and replacement with new ones. *J Oral Implantol* 2015;41(1):85-7. [Abstract](#)
569. Olefjord I, Hansson S. Surface analysis of four dental implant systems. *Int J Oral Maxillofac Implants* 1993;8(1):32-40. [Abstract](#)
570. Onur MA, Cehreli MC, Tas Z, et al. Effects of machined/turned, TiO₂-blasted and sandblasted/acid-etched titanium oral implant surfaces on nerve conduction: a study on isolated rat sciatic nerves. *J Biomed Mater Res B* 2003;67(2):772-8. [Abstract](#)
571. Orentlicher G, Horowitz A, Goldsmith D, et al. Cumulative survival rate of implants placed "fully guided" using CT-guided surgery: A 7-year retrospective study. *Compend Contin Educ Dent* 2014;35(8):590-7. [Abstract](#)
572. Orsini G, Stacchi C, Visintini E, et al. Clinical and histologic evaluation of fresh frozen human bone grafts for horizontal reconstruction of maxillary alveolar ridges. *Int J Periodontics Restorative Dent* 2011;31(5):535-44. [Abstract](#)
573. Ortegon SM, Thompson GA, Agar JR, et al. Retention forces of spherical attachments as a function of implant and matrix angulation in mandibular overdentures: an in vitro study. *J Prosthet Dent* 2009;101(4):231-8. [Abstract](#)
574. Örtorp A. Three tumor patients with total maxillectomy rehabilitated with implant-supported frameworks and maxillary obturators: a follow-up report. *Clin Implant Dent Relat Res* 2009;12(4):315-23. [Abstract](#)
575. O'Sullivan D, Sennerby L, Meredith N. Measurements comparing the initial stability of five designs of dental implants: a human cadaver study. *Clin Implant Dent Relat Res* 2000;2(2):85-92. [Abstract](#)
576. Oxby G, Oxby F, Oxby J, et al. Early loading of fluoridated implants placed in fresh extraction sockets and healed bone: A 3- to 5-year clinical and radiographic follow-up study of 39 consecutive patients. *Clin Implant Dent Relat Res* 2015;17(5):898-907. [Abstract](#)

577. Ozan O, Ramoglu S. Effect of implant height differences on different attachment types and peri-implant bone in mandibular two-implant overdentures: 3D finite element study. *J Oral Implantol* 2015;41(3):e50-9. [Abstract](#)
578. Ozdemir E, Lin WS, Erkut S. Management of interproximal soft tissue with a resin-bonded prosthesis after immediate implant placement: a clinical report. *J Prosthet Dent* 2012;107(1):7-10. [Abstract](#)
579. Ozkir SE, Terzioglu H. Macro design effects on stress distribution around implants: A photoelastic stress analysis. *Indian J Dent Res* 2012;23(5):603-7. [Abstract](#)
580. Özkurt Z, Duygu G, Canpolat C, et al. Reconstruction of edentulous maxillary and mandibular arches with implant-supported fixed restorations using a digital treatment planning technique: a clinical report. *J Oral Implantol* 2008;34(3):161-8. [Abstract](#)
581. Pabst AM, Walter C, Ehbauer S, et al. Analysis of implant-failure predictors in the posterior maxilla: A retrospective study of 1395 implants. *J Craniomaxillofac Surg* 2015;43(3):414-20. [Abstract](#)
582. Packer M, Nikitin V, Coward T, et al. The potential benefits of dental implants on the oral health quality of life of people with Parkinson's disease. *Gerodontology* 2009;26(1):11-8. [Abstract](#)
583. Palaska I, Tsousoglou P, Vouros I, et al. Influence of placement depth and abutment connection pattern on bone remodeling around 1-stage implants: a prospective randomized controlled clinical trial. *Clin Oral Implants Res* 2016;27(2):e47-56. [Abstract](#)
584. Palmer RM, Smith BJ, Palmer PJ, et al. A prospective study of Astra single tooth implants. *Clin Oral Implants Res* 1997;8(3):173-9. [Abstract](#)
585. Palmer RM, Palmer PJ, Smith BJ. A 5-year prospective study of Astra single tooth implants. *Clin Oral Implants Res* 2000;11(2):179-82. [Abstract](#)
586. Palmer RM, Howe LC, Palmer PJ. A prospective 3-year study of fixed bridges linking Astra Tech ST implants to natural teeth. *Clin Oral Implants Res* 2005;16(3):302-7. [Abstract](#)
587. Palmer RM, Farkondeh N, Palmer PJ, et al. Astra Tech single-tooth implants: an audit of patient satisfaction and soft tissue form. *J Clin Periodontol* 2007;34(7):633-8. [Abstract](#)
588. Palmer RM, Howe LC, Palmer PJ, et al. A prospective clinical trial of single Astra Tech 4.0 or 5.0 diameter implants used to support two-unit cantilever bridges: results after 3 years. *Clin Oral Implants Res* 2012;23(1):35-40. [Abstract](#)
589. Pan MC, Zhuang HB, Chen CS, et al. A noncontact resonance frequency detection technique for the assessment of the interfacial bone defect around a dental implant. *Med Eng Phys* 2013;35(12):1825-30. [Abstract](#)
590. Paniz G, Bressan E, Stellini E, et al. Correlation between subjective and objective evaluation of peri-implant soft tissue color. *Clin Oral Implants Res* 2014;25(8):992-6. [Abstract](#)
591. Paraque AR, Steve M, Vazquez L, et al. Esthetic and functional reconstruction of the post-tumoral interrupted mandible with double-barrel fibular free flap graft: rationale for a prosthodontic approach. *J Oral Implantol* 2011;37(5):571-77. [Abstract](#)
592. Parbo N, Murra NT, Andersen K, et al. Outcome of partial mandibular reconstruction with fibula grafts and implant-supported prostheses. *Int J Oral Maxillofac Surg* 2013;42(11):1403-8. [Abstract](#)
593. Park C, Raigrodski AJ, Rosen J, et al. Accuracy of implant placement using precision surgical guides with varying occlusogingival heights: an in vitro study. *J Prosthet Dent* 2009;101(6):372-81. [Abstract](#)
594. Park JC, Kim JC, Kim YT, et al. Acquisition of human alveolar bone-derived stromal cells using minimally irrigated implant osteotomy: in vitro and in vivo evaluations. *J Clin Periodontol* 2012;39(5):495-505. [Abstract](#)

595. Parpaiola A, Norton MR, Cecchinato D, et al. Virtual abutment design: a concept for delivery of CAD/CAM customized abutments-- report of a retrospective cohort. *Int J Periodontics Restorative Dent* 2013;33(1):51-8. [Abstract](#)
596. Parpaiola A, Cecchinato D, Toia M, et al. Dimensions of the healthy gingiva and peri-implant mucosa. *Clin Oral Implants Res* 2015;26(6):657-62. [Abstract](#)
597. Passos SP, Linke B, Larjava H, et al. Performance of zirconia abutments for implant-supported single-tooth crowns in esthetic areas: a retrospective study up to 12-year follow-up. *Clin Oral Implants Res* 2016;27(1):47-54. [Abstract](#)
598. Patel RD, Kan JY, Jonsson LB, et al. The use of a dental surgical microscope to aid retrieval of a fractured implant abutment screw: a clinical report. *J Prosthodont* 2010;19(8):630-3. [Abstract](#)
599. Patel S, Lee D, Shiffler K, et al. Resonance frequency analysis of sinus augmentation by osteotome sinus floor elevation and lateral window technique. *J Oral Maxillofac Surg* 2015;73(10):1920-5. [Abstract](#)
600. Peng M, Fei W, Hosseini M, et al. Influence of implant position on clinical crown length and peri-implant soft tissue dimensions at implant-supported single crowns replacing maxillary central incisors. *Int J Periodontics Restorative Dent* 2013;33(6):785-93. [Abstract](#)
601. Petersson IU, Löberg JE, Fredriksson AS, et al. Semi-conducting properties of titanium dioxide surfaces on titanium implants. *Biomaterials* 2009;30(27):4471-79. [Abstract](#)
602. Pieri F, Aldini NN, Fini M, et al. Immediate fixed implant rehabilitation of the atrophic edentulous maxilla after bilateral sinus floor augmentation: a 12-month pilot study. *Clin Implant Dent Relat Res* 2012;14 (Suppl 1):e67-82. [Abstract](#)
603. Pieri F, Aldini NN, Fini M, et al. Preliminary 2-year report on treatment outcomes for 6-mm-long implants in posterior atrophic mandibles. *Int J Prosthodont* 2012;25(3):279-89. [Abstract](#)
604. Pieri F, Aldini NN, Marchetti C, et al. Esthetic outcome and tissue stability of maxillary anterior single-tooth implants following reconstruction with mandibular block grafts: a 5-year prospective study. *Int J Oral Maxillofac Implants* 2013;28(1):270-80. [Abstract](#)
605. Pieri F, Siroli L, Forlivesi C, et al. Clinical, esthetic, and radiographic evaluation of small-diameter (3.0-mm) implants supporting single crowns in the anterior region: a 3-year prospective study. *Int J Periodontics Restorative Dent* 2014;34(6):825-32. [Abstract](#)
606. Piermatti J, Yousef H, Luke A, et al. An in vitro analysis of implant screw torque loss with external hex and internal connection implant systems. *Implant Dent* 2006;15(4):427-35. [Abstract](#)
607. Piero B, Mario V, Niccolo N, et al. Implant placement in combination with sinus membrane elevation without biomaterials: A 1-year study on 15 patients. *Clin Implant Dent Relat Res* 2012;14(5):682-9. [Abstract](#)
608. Ponsi J, Lahti S, Rissanen H, et al. Change in subjective oral health after single dental implant treatment. *Int J Oral Maxillofac Implants* 2011;26(3):571-7. [Abstract](#)
609. Possamai V, Scott A, Neil W. Bone pate collection: a simple solution. *Clin Otolaryngol* 2008;33(2):199. [Abstract](#)
610. Pourhashemi SJ, Ghoncheh Z. Diagnostic accuracy of inverted and unprocessed digitized periapical radiographs for detection of peri-implant defects. *J Dent (Tehran)* 2015;12(8):571-76.
611. Prasad R, Al-Kheraif AA. Three-dimensional accuracy of CAD/CAM titanium and ceramic superstructures for implant abutments using spiral scan microtomography. *Int J Prosthodont* 2013;26(5):451-7. [Abstract](#)

612. Puchades-Roman L, Palmer RM, Palmer PJ, et al. A clinical, radiographic, and microbiologic comparison of Astra Tech and Brånemark single tooth implants. *Clin Implant Dent Relat Res* 2000;2(2):78-84. [Abstract](#)
613. Quirynen M, Bollen CM, Willems G, et al. Comparison of surface characteristics of six commercially pure titanium abutments. *Int J Oral Maxillofac Implants* 1994;9(1):71-6. [Abstract](#)
614. Rabbani S, Juszczak AS, Clark RK, et al. Investigation of retentive force reduction and wear of the locator attachment system with different implant angulations. *Int J Oral Maxillofac Implants* 2015;30(3):556-63. [Abstract](#)
615. Raes F, Cosyn J, Crommelinck E, et al. Immediate and conventional single implant treatment in the anterior maxilla: 1-year results of a case series on hard and soft tissue response and aesthetics. *J Clin Periodontol* 2011;38(4):385-94. [Abstract](#)
616. Raes F, Cooper LF, Tarrida LG, et al. A case-control study assessing oral-health-related quality of life after immediately loaded single implants in healed alveolar ridges or extraction sockets. *Clin Oral Implants Res* 2012;23(5):602-8. [Abstract](#)
617. Raes F, Cosyn J, De Bruyn H. Clinical, aesthetic, and patient-related outcome of immediately loaded single implants in the anterior maxilla: A prospective study in extraction sockets, healed ridges, and grafted sites. *Clin Implant Dent Relat Res* 2013;15(6):819-35. [Abstract](#)
618. Raes F, Renckens L, Aps J, et al. Reliability of circumferential bone level assessment around single implants in healed ridges and extraction sockets using cone beam CT. *Clin Implant Dent Relat Res* 2013;15(5):661-72. [Abstract](#)
619. Raes S, Rocci A, Raes F, et al. A prospective cohort study on the impact of smoking on soft tissue alterations around single implants. *Clin Oral Implants Res* 2015;26(9):1086-90. [Abstract](#)
620. Rashedi B, Cooper L. Immediate loading of implants in edentulous mandible maintaining vertical dimension: A clinical report. *J Prosthet Dent* 2004;91(2):114-8. [Abstract](#)
621. Rasmusson L, Kahnberg KE, Tan A. Effects of implant design and surface on bone regeneration and implant stability: an experimental study in the dog mandible. *Clin Implant Dent Relat Res* 2001;3(1):2-8. [Abstract](#)
622. Rasmusson L, Roos J, Bystedt H. A 10-year follow-up study of titanium dioxide-blasted implants. *Clin Implant Dent Relat Res* 2005;7(1):36-42. [Abstract](#)
623. Rasmusson L, Thor A, Sennerby L. Stability evaluation of implants integrated in grafted and nongrafted maxillary bone: a clinical study from implant placement to abutment connection. *Clin Implant Dent Relat Res* 2012;14(1):61-6. [Abstract](#)
624. Raval N, Dahlgren S, Teiwik A, et al. Long-term evaluation of Astra Tech and Branemark implants in patients treated with full-arch bridges. Results after 12-15 years. *Clin Oral Implants Res* 2013;24(10):1144-51. [Abstract](#)
625. Razavi T, Palmer RM, Davies J, et al. Accuracy of measuring the cortical bone thickness adjacent to dental implants using cone beam computed tomography. *Clin Oral Implants Res* 2010;21(7):718-25. [Abstract](#)
626. Real-Osuna J, Almendros-Marques N, Gay-Escoda C. Prevalence of complications after the oral rehabilitation with implant-supported hybrid prostheses. *Med Oral Patol Oral Cir Bucal* 2012;17(1):e116-21. [Abstract](#)
627. Renvert S, Lindahl C, Renvert H, et al. Clinical and microbiological analysis of subjects treated with Brånemark or AstraTech implants: a 7-year follow-up study. *Clin Oral Implants Res* 2008;19(4):342-7. [Abstract](#)

628. Renvert S, Lindahl C, Persson RG. The incidence of peri-implantitis for two different implant systems over a period of thirteen years. *J Clin Periodontol* 2012;39(12):1191-7. [Abstract](#)
629. Renvert S, Aghazadeh A, Hallstrom H, et al. Factors related to peri-implantitis - a retrospective study. *Clin Oral Implants Res* 2014;25(4):522-9. [Abstract](#)
630. Riben C, Thor A. Follow-up of the sinus membrane elevation technique for maxillary sinus implants without the use of graft material. *Clin Implant Dent Relat Res* 2015;E-pub Oct 20, doi:10.1111/cid.12360. [Abstract](#)
631. Ricciardi MT, Pizzi P. High-risk esthetically driven restoration: begin with the end in mind. *Compend Contin Educ Dent* 2013;34(3):206-10. [Abstract](#)
632. Ringeling J, Parvini P, Weinbach C, et al. Discomfort/pain due to pocket probing at teeth and endosseous implants: a cross-sectional study. *Clin Oral Implants Res* 2015;E-pub Jul 15, doi: 10.1111/clr.12669. [Abstract](#)
633. Rismanchian M, Fazel A, Rakhshan V, et al. One-year clinical and radiographic assessment of fluoride-enhanced implants on immediate non-functional loading in posterior maxilla and mandible: a pilot prospective clinical series study. *Clin Oral Implants Res* 2011;22(12):1440-5. [Abstract](#)
634. Rocci M, Rocci A, Martignoni M, et al. Comparing the TiOblast and Osseospeed surfaces. Histomorphometric and histological analysis in humans. *Oral Implantol (Rome)* 2008;1(1):34-42. [Abstract](#)
635. Rodriguez-Argueta OF, Figueiredo R, Valmaseda-Castellon E, et al. Postoperative complications in smoking patients treated with implants: A retrospective study. *J Oral Maxillofac Surg* 2011;69(8):2152-7. [Abstract](#)
636. Roe P, Kan JY, Rungcharassaeng K, et al. Immediate loading of unsplinted implants in the anterior mandible for overdentures: a case series. *Int J Oral Maxillofac Implants* 2010;25(5):1028-35. [Abstract](#)
637. Roe P, Kan JY, Rungcharassaeng K, et al. Immediate loading of unsplinted implants in the anterior mandible for overdentures: 3-year results. *Int J Oral Maxillofac Implants* 2011;26(6):1296-302. [Abstract](#)
638. Roe P, Kan JY, Rungcharassaeng K, et al. Horizontal and vertical dimensional changes of peri-implant facial bone following immediate placement and provisionalization of maxillary anterior single implants: A 1-Year cone beam computed tomography study. *Int J Oral Maxillofac Implants* 2012;27(2):393-400. [Abstract](#)
639. Rojas-Vizcaya F. Full zirconia fixed detachable implant-retained restorations manufactured from monolithic zirconia: clinical report after two years in service. *J Prosthodont* 2011;20(7):570-6. [Abstract](#)
640. Rojas-Vizcaya F. Rehabilitation of the maxillary arch with implant-supported fixed restorations guided by the most apical buccal bone level in the esthetic zone: a clinical report. *J Prosthet Dent* 2012;107(4):213-20. [Abstract](#)
641. Rojas-Vizcaya F. Biological aspects as a rule for single implant placement. The 3A-2B rule: a clinical report. *J Prosthodont* 2013;22(7):575-80. [Abstract](#)
642. Rönöld HJ, Ellingsen JE. Effect of micro-roughness produced by TiO₂ blasting--tensile testing of bone attachment by using coin-shaped implants. *Biomaterials* 2002;23(21):4211-9. [Abstract](#)
643. Rönöld HJ, Ellingsen JE. The use of a coin shaped implant for direct in situ measurement of attachment strength for osseointegrating biomaterial surfaces. *Biomaterials* 2002;23(10):2201-9. [Abstract](#)

644. Roos-Jansåker AM, Renvert H, Lindahl C, et al. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a prospective cohort study. *J Clin Periodontol* 2007;34(7):625-32. [Abstract](#)
645. Roos-Jansåker AM, Persson GR, Lindahl C, et al. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a 5-year follow-up. *J Clin Periodontol* 2014;41(11):1108-14. [Abstract](#)
646. Rotenberg SA, Tatakis DN. Recombinant human bone morphogenetic protein-2 for peri-implant bone regeneration: a case report. *J Periodontol* 2011;82(8):1212-8. [Abstract](#)
647. Rupp F, Scheideler L, Eichler M, et al. Wetting behavior of dental implants. *Int J Oral Maxillofac Implants* 2011;26(6):1256-66. [Abstract](#)
648. Saab XE, Griggs JA, Powers JM, et al. Effect of abutment angulation on the strain on the bone around an implant in the anterior maxilla: a finite element study. *J Prosthet Dent* 2007;97(2):85-92. [Abstract](#)
649. Saaby M, Karring E, Schou S, et al. Factors influencing severity of peri-implantitis. *Clin Oral Implants Res* 2016;27(1):7-12. [Abstract](#)
650. Saboury A, Sadr SJ, Fayaz A, et al. The effect of aging on the accuracy of new friction-style mechanical torque limiting devices for dental implants. *J Dent (Tehran)* 2013;10(1):41-50. [Abstract](#)
651. Sagheb K, Kumar VV, Azaripour A, et al. Comparison of conventional twist drill protocol and piezosurgery for implant insertion: an ex vivo study on different bone types. *Clin Oral Implants Res* 2016;E-pub Jan 22, doi:10.1111/clr.12783. [Abstract](#)
652. Saghiri MA, Ghasemi M, Moayer AR, et al. A novel method to evaluate the neurocompatibility of dental implants. *Int J Oral Maxillofac Implants* 2014;29(1):41-50. [Abstract](#)
653. Sakka S, Al-ani Z, Kasioumis T, et al. Inter-examiner and intra-examiner reliability of the measurement of marginal bone loss around oral implants. *Implant Dent* 2005;14(4):386-8. [Abstract](#)
654. Sakkas A, Schramm A, Karsten W, et al. A clinical study of the outcomes and complications associated with zygomatic buttress block bone graft for limited preimplant augmentation procedures. *J Craniomaxillofac Surg* 2016;44(3):249-56. [Abstract](#)
655. Sambrook RJ, Judge RB. The cross-pin retained implant supported restoration: a study of gasket placement and leakage. *Aust Dent J* 2012;57(4):415-20. [Abstract](#)
656. Sani E, Veltri M, Cagidiaco MC, et al. Sinus membrane elevation in combination with placement of blasted implants: A 3-year case report of sinus augmentation without grafting material. *Int J Oral Maxillofac Surg* 2008;37(10):966-69. [Abstract](#)
657. Sanz M, Cecchinato D, Ferrus J, et al. A prospective, randomized-controlled clinical trial to evaluate bone preservation using implants with different geometry placed into extraction sockets in the maxilla. *Clin Oral Implants Res* 2010;21(1):13-21. [Abstract](#)
658. Sanz M, Cecchinato D, Ferrus J, et al. Implants placed in fresh extraction sockets in the maxilla: clinical and radiographic outcomes from a 3-year follow-up examination. *Clin Oral Implants Res* 2014;25(3):321-7. [Abstract](#)
659. Sanz M, Lindhe J, Alcaraz J, et al. The effect of placing a bone replacement graft in the gap at immediately placed implants: a randomized clinical trial. *Clin Oral Implants Res* 2016;E-pub May 11, doi:10.1111/clr.12896.
660. Sawase T, Wennerberg A, Hallgren C, et al. Atomic force microscopic study of commercially available implant abutments. *Clin Implant Dent Relat Res* 1999;1(2):92-7. [Abstract](#)
661. Sawase T, Wennerberg A, Hallgren C, et al. Chemical and topographical surface analysis of five different implant abutments. *Clin Oral Implants Res* 2000;11(1):44-50. [Abstract](#)

662. Schepke U, Meijer HJ, Vermeulen KM, et al. Clinical bonding of resin nano ceramic restorations to zirconia abutments: a case series within a randomized clinical trial. *Clin Implant Dent Relat Res* 2015;E-pub Oct 12, doi:10.1111/cid.12382. [Abstract](#)
663. Schepke U, Meijer HJ, Kerdijk W, et al. Digital versus analog complete-arch impressions for single-unit premolar implant crowns: Operating time and patient preference. *J Prosthet Dent* 2015;114(3):403-6 e1. [Abstract](#)
664. Schiegnitz E, Noelken R, Moergel M, et al. Survival and tissue maintenance of an implant with a sloped configured shoulder in the posterior mandible-a prospective multicenter study. *Clin Oral Implants Res* 2016;E-pub May 13, doi:10.1111/clr.12869. [Abstract](#)
665. Schincaglia GP, Thoma DS, Haas R, et al. Randomized controlled multicenter study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures. Part 2: clinical and radiographic outcomes at 1 year of loading. *J Clin Periodontol* 2015;42(11):1042-51. [Abstract](#)
666. Schincaglia GP, Rubin S, Thacker S, et al. Marginal bone response around immediate- and delayed-loading implants supporting a locator-retained mandibular overdenture: a randomized controlled study. *Int J Oral Maxillofac Implants* 2016;31(2):448-58. [Abstract](#)
667. Schliephake H, Rodiger M, Phillips K, et al. Early loading of surface modified implants in the posterior mandible - 5 year results of an open prospective non-controlled study. *J Clin Periodontol* 2012;39(2):188-95. [Abstract](#)
668. Schou S, Holmstrup P, Stoltze K, et al. Probing around implants and teeth with healthy or inflamed peri-implant mucosa/gingiva. A histologic comparison in cynomolgus monkeys (*Macaca fascicularis*). *Clin Oral Implants Res* 2002;13(2):113-26. [Abstract](#)
669. Schrotenboer J, Tsao YP, Kinariwala V, et al. Effect of microthreads and platform switching on crestal bone stress levels: a finite element analysis. *J Periodontol* 2008;79(11):2166-72. [Abstract](#)
670. Schultze-Mosgau S, Keweloh M, Wiltfang J, et al. Histomorphometric and densitometric changes in bone volume and structure after avascular bone grafting in the extremely atrophic maxilla. *Br J Oral Maxillofac Surg* 2001;39(6):439-47. [Abstract](#)
671. Schwarz F, Sahm N, Iglhaut G, et al. Impact of the method of surface debridement and decontamination on the clinical outcome following combined surgical therapy of peri-implantitis: a randomized controlled clinical study. *J Clin Periodontol* 2011;38(3):276-84. [Abstract](#)
672. Schwarz F, John G, Mainusch S, et al. Combined surgical therapy of peri-implantitis evaluating two methods of surface debridement and decontamination. A two-year clinical follow up report. *J Clin Periodontol* 2012;39(8):789-97. [Abstract](#)
673. Schwarz F, Hegewald A, John G, et al. Four-year follow-up of combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination. *J Clin Periodontol* 2013;40(10):962-7. [Abstract](#)
674. Semper W, Kraft S, Kruger T, et al. Theoretical optimum of implant positional index design. *J Dent Res* 2009;88(8):731-5. [Abstract](#)
675. Semper W, Kraft S, Kruger T, et al. Theoretical considerations: implant positional index design. *J Dent Res* 2009;88(8):725-30. [Abstract](#)
676. Semper W, Heberer S, Mehrhof J, et al. Effects of repeated manual disassembly and reassembly on the positional stability of various implant-abutment complexes: an experimental study. *Int J Oral Maxillofac Implants* 2010;25(1):86-94. [Abstract](#)
677. Semper W, Kraft S, Mehrhof J, et al. Impact of abutment rotation and angulation on marginal fit: theoretical considerations. *Int J Oral Maxillofac Implants* 2010;25(4):752-8. [Abstract](#)

678. Senna P, Antoninha Del Bel Cury A, Kates S, et al. Surface damage on dental implants with release of loose particles after insertion into bone. *Clin Implant Dent Relat Res* 2015;17(4):681-92. [Abstract](#)
679. Serino G, Turri A. Outcome of surgical treatment of peri-implantitis: results from a 2-year prospective clinical study in humans. *Clin Oral Implants Res* 2011;22(11):1214-20. [Abstract](#)
680. Serino G, Turri A, Lang NP. Probing at implants with peri-implantitis and its relation to clinical peri-implant bone loss. *Clin Oral Implants Res* 2013;24(1):91-5. [Abstract](#)
681. Sewerin IP, Gotfredsen K, Stoltze K. Accuracy of radiographic diagnosis of peri-implant radiolucencies-an in vitro experiment. *Clin Oral Implants Res* 1997;8(4):299-304. [Abstract](#)
682. Shin SI, Lee EK, Kim JH, et al. The effect of Er:YAG laser irradiation on hydroxyapatite-coated implants and fluoride-modified TiO₂-blasted implant surfaces: a microstructural analysis. *Lasers Med Sci* 2013;28(3):823-31. [Abstract](#)
683. Simonpieri A, Del Corso M, Sammartino G, et al. The relevance of Choukroun's platelet-rich fibrin and metronidazole during complex maxillary rehabilitations using bone allograft. Part II: implant surgery, prosthodontics, and survival. *Implant Dent* 2009;18(3):220-9. [Abstract](#)
684. Simonpieri A, Choukroun J, Del Corso M, et al. Simultaneous sinus-lift and implantation using microthreaded implants and leukocyte- and platelet-rich fibrin as sole grafting material: a six-year experience. *Implant Dent* 2011;20(1):2-12. [Abstract](#)
685. Simonpieri A, Del Corso M, Vervelle A, et al. Current knowledge and perspectives for the use of platelet-rich plasma (PRP) and platelet-rich fibrin (PRF) in oral and maxillofacial surgery part 2: Bone graft, implant and reconstructive surgery. *Curr Pharm Biotechnol* 2012;13(7):1231-56. [Abstract](#)
686. Singer LD. The importance of immediate bone block autograft to successfully restore function and aesthetics of the anterior alveolar process and teeth. *J Oral Implantol* 2015;41(6):684-91. [Abstract](#)
687. Sirin Y, Horasan S, Yaman D, et al. Detection of crestal radiolucencies around dental implants: an in vitro experimental study. *J Oral Maxillofac Surg* 2012;70(7):1540-50. [Abstract](#)
688. Sivolella S, Bressan E, Gnocco E, et al. Maxillary sinus augmentation with bovine bone and simultaneous dental implant placement in conditions of severe alveolar atrophy: a retrospective analysis of a consecutively treated case series. *Quintessence Int* 2011;42(10):851-62. [Abstract](#)
689. Slot W, Raghoobar GM, Vissink A, et al. Maxillary overdentures supported by four or six implants in the anterior region; 1-year results from a randomized controlled trial. *J Clin Periodontol* 2013;40(3):303-10. [Abstract](#)
690. Slot W, Raghoobar GM, Vissink A, et al. Maxillary overdentures supported by anteriorly or posteriorly placed implants opposed by a natural dentition in the mandible: a 1-year prospective case series study. *Clin Implant Dent Relat Res* 2014;16(1):51-61. [Abstract](#)
691. Smolka W, Smolka K. Tertiary bone grafting using calvarial bone transplants in patients with cleft lip and alveolus. *Oral Surgery* 2011;4 (3):135-9. [Abstract](#)
692. Snyder MB. Treatment of a large postextraction buccal wall defect with mineralized allograft, beta-TCP, and rhPDGF-BB: a growth factor-mediated bone regenerative approach. *Int J Periodontics Restorative Dent* 2012;32(6):705-11. [Abstract](#)
693. Solow RA. Channel retention for fixed implant superstructures: A clinical report. *J Prosthet Dent* 2015;114(3):323-7. [Abstract](#)
694. Soncini M, Rodriguez y Baena R, Pietrabissa R, et al. Experimental procedure for the evaluation of the mechanical properties of the bone surrounding dental implants. *Biomaterials* 2002;23(1):9-17. [Abstract](#)

695. Spyrou P, Papaioannou S, Hampson G, et al. Cytokine release by osteoblast-like cells cultured on implant discs of varying alloy compositions. *Clin Oral Implants Res* 2002;13(6):623-30. [Abstract](#)
696. Stanford CM, Wagner W, Rodriguez YBR, et al. Evaluation of the effectiveness of dental implant therapy in a practice-based network (FOCUS). *Int J Oral Maxillofac Implants* 2010;25(2):367-73. [Abstract](#)
697. Stavroullakis A, Brito C, Chen HY, et al. Dental implant surface treatments may modulate cytokine secretion in *Porphyromonas gingivalis*-stimulated human gingival fibroblasts: a comparative study. *J Biomed Mater Res A* 2015;103(3):1131-40. [Abstract](#)
698. Steveling H, Roos J, Rasmusson L. Maxillary implants loaded at 3 months after insertion: results with Astra Tech implants after up to 5 years. *Clin Implant Dent Relat Res* 2001;3(3):120-4. [Abstract](#)
699. Störe G, Heyden A, Walaas L. Osseointegration surgery and implant stability in irradiated mandibles. *Oral Surgery* 2011;4:65-72. [Abstract](#)
700. Streckbein P, Streckbein RG, Wilbrand JF, et al. Non-linear 3D evaluation of different oral implant-abutment connections. *J Dent Res* 2012;91(12):1184-9. [Abstract](#)
701. Stubinger S, Buitrago-Tellez C, Cantelmi G. Deviations between placed and planned implant positions: an accuracy pilot study of skeletally supported stereolithographic surgical templates. *Clin Implant Dent Relat Res* 2014;16(4):540-51. [Abstract](#)
702. Sul YT, Jonsson J, Yoon GS, et al. Resonance frequency measurements in vivo and related surface properties of magnesium-incorporated, micropatterned and magnesium-incorporated TiUnite, Osseotite, SLA and TiOblast implants. *Clin Oral Implants Res* 2009;20(10):1146-55. [Abstract](#)
703. Sumi T, Braian M, Shimada N, et al. Characteristics of implant-CAD/CAM abutment connections of two different internal connection systems. *J Oral Rehabil* 2012;39(5):391-8. [Abstract](#)
704. Sun SP, Moon IS, Park KH, et al. Effect of crown to implant ratio and anatomical crown length on clinical conditions in a single implant: A retrospective cohort study. *Clin Implant Dent Relat Res* 2015;17(4):724-31. [Abstract](#)
705. Svanborg LM, Andersson M, Wennerberg A. Surface characterization of commercial oral implants on the nanometer level. *J Biomed Mater Res B* 2010;92(2):462-9. [Abstract](#)
706. Tabrizi R, Pourdanesh F, Zare S, et al. Do angulated implants increase the amount of bone loss around implants in the anterior maxilla? *J Oral Maxillofac Surg* 2013;71(2):272-7. [Abstract](#)
707. Tabrizi R, Arabion H, Aliabadi E, et al. Does increasing the number of short implants reduce marginal bone loss in the posterior mandible? A prospective study. *Br J Oral Maxillofac Surg* 2016;E-pub Apr 27, doi: 10.1016/j.bjoms.2016.04.010. [Abstract](#)
708. Takahashi T, Fukuda M, Aiba T, et al. Distraction osteogenesis for reconstruction after mandibular segmental resection. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2002;93(1):21-6. [Abstract](#)
709. Takahashi T, Funaki K, Shintani H, et al. Use of horizontal alveolar distraction osteogenesis for implant placement in a narrow alveolar ridge: a case report. *Int J Oral Maxillofac Implants* 2004;19(2):291-4. [Abstract](#)
710. Tanimura R. Widened implant indications. *EDI* 2010;1:90-2.
711. Tarica DY, Alvarado VM, Truong ST. Survey of United States dental schools on cementation protocols for implant crown restorations. *J Prosthet Dent* 2010;103(2):68-79. [Abstract](#)
712. Tarnow DP, Emtiaz S, Classi A. Immediate loading of threaded implants at stage 1 surgery in edentulous arches: ten consecutive case reports with 1- to 5-year data. *Int J Oral Maxillofac Implants* 1997;12(3):319-24. [Abstract](#)

713. Taylor TD, Klotz MW, Lawton RA. Titanium tattooing associated with zirconia implant abutments: a clinical report of two cases. *Int J Oral Maxillofac Implants* 2014;29(4):958-60. [Abstract](#)
714. Teigen K, Jokstad A. Dental implant suprastructures using cobalt-chromium alloy compared with gold alloy framework veneered with ceramic or acrylic resin: a retrospective cohort study up to 18 years. *Clin Oral Implants Res* 2012;23(7):853-60. [Abstract](#)
715. Temmerman A, Keestra JA, Coucke W, et al. The outcome of oral implants placed in bone with limited bucco-oral dimensions: a 3-year follow-up study. *J Clin Periodontol* 2015;42(3):311-8. [Abstract](#)
716. Temmerman A, Rasmusson L, Kubler A, et al. An open, prospective, non-randomized, controlled, multicentre study to evaluate the clinical outcome of implant treatment in women over 60 years of age with osteoporosis/osteopenia: 1-year results. *Clin Oral Implants Res* 2016;E-pub jan 7, doi:10.1111/clr.12766. [Abstract](#)
717. Tezulas E, Dilek OC, Topcuoglu N, et al. Decontamination of autogenous bone grafts collected during dental implant site preparation: a pilot study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(5):656-60. [Abstract](#)
718. Thalji G, Gretzer C, Cooper LF. Comparative molecular assessment of early osseointegration in implant-adherent cells. *Bone* 2013;52(1):444-53. [Abstract](#)
719. Thalji GN, Nares S, Cooper LF. Early molecular assessment of osseointegration in humans. *Clin Oral Implants Res* 2014;25(11):1273-85. [Abstract](#)
720. Thalji G, Cooper LF, Nares S. Gene expression profiles of early implant adherent cells in smokers and non-smokers. *J Oral Implantol* 2015;41(6):640-5. [Abstract](#)
721. Thoma DS, Haas R, Tutak M, et al. Randomized controlled multicentre study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures. Part 1: demographics and patient-reported outcomes at 1 year of loading. *J Clin Periodontol* 2015;42(1):72-80. [Abstract](#)
722. Thoma DS, Brandenburg F, Fehmer V, et al. The esthetic effect of veneered zirconia abutments for single-tooth implant reconstructions: a randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2015;E-pub Dec 16, doi: 10.1111/cid.12388. [Abstract](#)
723. Thoma DS, Brandenburg F, Fehmer V, et al. Randomized controlled clinical trial of all-ceramic single tooth implant reconstructions using modified zirconia abutments: Radiographic and prosthetic results at 1 year of loading. *Clin Implant Dent Relat Res* 2016;18(3):462-72. [Abstract](#)
724. Thor A. Reconstruction of the anterior maxilla with platelet gel, autogenous bone, and titanium mesh: a case report. *Clin Implant Dent Relat Res* 2002;4(3):150-5. [Abstract](#)
725. Thor A, Wannfors K, Sennerby L, et al. Reconstruction of the severely resorbed maxilla with autogenous bone, platelet-rich plasma, and implants: 1-year results of a controlled prospective 5-year study. *Clin Implant Dent Relat Res* 2005;7(4):209-20. [Abstract](#)
726. Thor A, Warfvinge G, Fernandes R. The course of a long-standing glandular odontogenic cyst: marginal resection and reconstruction with particulated bone graft, platelet-rich plasma, and additional vertical alveolar distraction. *J Oral Maxillofac Surg* 2006;64(7):1121-8. [Abstract](#)
727. Thor A, Rasmusson L, Wennerberg A, et al. The role of whole blood in thrombin generation in contact with various titanium surfaces. *Biomaterials* 2007;28(6):966-74. [Abstract](#)
728. Thor A, Franke-Stenport V, Johansson CB, et al. Early bone formation in human bone grafts treated with platelet-rich plasma: preliminary histomorphometric results. *Int J Oral Maxillofac Surg* 2007;36(12):1164-71. [Abstract](#)

729. Thor A, Sennerby L, Hirsch JM, et al. Bone formation at the maxillary sinus floor following simultaneous elevation of the mucosal lining and implant installation without graft material: an evaluation of 20 patients treated with 44 Astra Tech implants. *J Oral Maxillofac Surg* 2007;65(7 Suppl 1):64-72. [Abstract](#)
730. Thor AL, Hong J, Kjeller G, et al. Correlation of platelet growth factor release in jawbone defect repair—a study in the dog mandible. *Clin Implant Dent Relat Res* 2013;15(5):759-68. [Abstract](#)
731. Thor A, Ekstrand K, Baer RA, et al. Three-year follow-up of immediately loaded implants in the edentulous atrophic maxilla: A study in patients with poor bone quantity and quality. *Int J Oral Maxillofac Implants* 2014;29(3):642-9. [Abstract](#)
732. Toffler M, Toscano N, Holtzclaw D. Osteotome-mediated sinus floor elevation using only platelet-rich fibrin: an early report on 110 patients. *Implant Dent* 2010;19(5):447-56. [Abstract](#)
733. Toljanic JA, Thor A, Baer R, et al. Immediate fixed restoration of implants in the atrophic edentulous maxilla. *Dent Today* 2008;27(6):56, 58, 60 passim; quiz 63. [Abstract](#)
734. Toljanic JA, Baer RA, Ekstrand K, et al. Implant rehabilitation of the atrophic edentulous maxilla including immediate fixed provisional restoration without the use of bone grafting: a review of 1-year outcome data from a long-term prospective clinical trial. *Int J Oral Maxillofac Implants* 2009;24(3):518-26. [Abstract](#)
735. Tomasi C, Sanz M, Cecchinato D, et al. Bone dimensional variations at implants placed in fresh extraction sockets: a multilevel multivariate analysis. *Clin Oral Implants Res* 2010;21(1):30-6. [Abstract](#)
736. Tomasi C, Tessarolo F, Caola I, et al. Morphogenesis of peri-implant mucosa revisited: an experimental study in humans. *Clin Oral Implants Res* 2014;25(9):997-1003. [Abstract](#)
737. Tomson PL, Butterworth CJ, Walmsley AD. Management of peri-implant bone loss using guided bone regeneration: a clinical report. *J Prosthet Dent* 2004;92(1):12-6. [Abstract](#)
738. Torrecillas-Martinez L, Galindo-Moreno P, Avila-Ortiz G, et al. Significance of the immunohistochemical expression of bone morphogenetic protein-4 in bone maturation after maxillary sinus grafting in humans. *Clin Implant Dent Relat Res* 2015;E-pub May 12, doi:10.1111/cid.12354. [Abstract](#)
739. Troeltzsch M, Troeltzsch V, Brodine AH, et al. Clinical performance and peri-implant parameters of 132 implants supporting Locator-retained overdentures: A case series of 33 patients. *Int J Oral Maxillofac Implants* 2013;28(4):1132-9. [Abstract](#)
740. Trombelli L, Minenna P, Franceschetti G, et al. Transcrestal sinus floor elevation with a minimally invasive technique. *J Periodontol* 2010;81(1):158-66. [Abstract](#)
741. Tsoukaki M, Kalpidis CD, Sakellari D, et al. Clinical, radiographic, microbiological, and immunological outcomes of flapped vs. flapless dental implants: a prospective randomized controlled clinical trial. *Clin Oral Implants Res* 2013;24(9):969-76. [Abstract](#)
742. Tsuda H, Rungcharassaeng K, Kan JY, et al. Peri-implant tissue response following connective tissue and bone grafting in conjunction with immediate single-tooth replacement in the esthetic zone: A case series. *Int J Oral Maxillofac Implants* 2011;26(2):427-36. [Abstract](#)
743. Turkyilmaz I, Patel NS, McGlumphy EA. Oral rehabilitation of a severely resorbed edentulous maxilla with screwed-retained hybrid denture using Cresco system: a case report. *Eur J Dent* 2008;2(3):220-3. [Abstract](#)
744. Turkyilmaz I, Suarez JC. An alternative method for flapless implant placement and an immediate provisional crown: a case report. *J Contemp Dent Pract* 2009;10(3):89-95. [Abstract](#)

745. Turkyilmaz I. One-year clinical outcome of dental implants placed in patients with type 2 diabetes mellitus: a case series. *Implant Dent* 2010;19(4):323-9. [Abstract](#)
746. Turunen T, Peltola J, Makkonen T, et al. Bioactive glass granules and polytetrafluoroethylene membrane in the repair of bone defects adjacent to titanium and bioactive glass implants. *J Mater Sci Mater Med* 1998;9(7):403-7. [Abstract](#)
747. Ueda M, Yamada Y, Ozawa R, et al. Clinical case reports of injectable tissue-engineered bone for alveolar augmentation with simultaneous implant placement. *Int J Periodontics Restorative Dent* 2005;25(2):129-37. [Abstract](#)
748. Umanjec-Korac S, Wu G, Hassan B, et al. A retrospective analysis of the resorption rate of deproteinized bovine bone as maxillary sinus graft material on cone beam computed tomography. *Clin Oral Implants Res* 2014;25(7):781-5. [Abstract](#)
749. Urban T, Wenzel A. Discomfort experienced after immediate implant placement associated with three different regenerative techniques. *Clin Oral Implants Res* 2010;21(11):1271-7. [Abstract](#)
750. Valencia S, Gretzer C, Cooper LF. Surface nanofeature effects on titanium-adherent human mesenchymal stem cells. *Int J Oral Maxillofac Implants* 2009;24(1):38-46. [Abstract](#)
751. Valentini P, Abensur D, Albertini JF, et al. Immediate provisionalization of single extraction-site implants in the esthetic zone: a clinical evaluation. *Int J Periodontics Restorative Dent* 2010;30(1):41-51. [Abstract](#)
752. Vallee MC, Conrad HJ, Basu S, et al. Accuracy of friction-style and spring-style mechanical torque limiting devices for dental implants. *J Prosthet Dent* 2008;100(2):86-92. [Abstract](#)
753. Van Assche N, Collaert B, Coucke W, et al. Correlation between early perforation of cover screws and marginal bone loss: a retrospective study. *J Clin Periodontol* 2008;35(1):76-9. [Abstract](#)
754. Van Assche N, Pittayapat P, Jacobs R, et al. Microbiological outcome of two screw-shaped titanium implant systems placed following a split-mouth randomised protocol, at the 12th year of follow-up after loading. *Eur J Oral Implantol* 2011;4(2):103-16. [Abstract](#)
755. van Brakel R, Cune MS, Van Winkelhoff AJ, et al. Early bacterial colonization and soft tissue health around zirconia and titanium abutments: an in vivo study in man. *Clin Oral Implants Res* 2011;22(6):571-7. [Abstract](#)
756. van Brakel R, Noordmans HJ, Frenken J, et al. The effect of zirconia and titanium implant abutments on light reflection of the supporting soft tissues. *Clin Oral Implants Res* 2011;22(10):1172-8. [Abstract](#)
757. van Brakel R, Meijer GJ, Verhoeven JW, et al. Soft tissue response to zirconia and titanium implant abutments: an in vivo within-subject comparison. *J Clin Periodontol* 2012;39(10):995-1001. [Abstract](#)
758. Van de Velde T, Collaert B, Sennerby L, et al. Effect of implant design on preservation of marginal bone in the mandible. *Clin Implant Dent Relat Res* 2010;12(2):134-41. [Abstract](#)
759. Van de Wiele G, Teughels W, Vercruyssen M, et al. The accuracy of guided surgery via mucosa-supported stereolithographic surgical templates in the hands of surgeons with little experience. *Clin Oral Implants Res* 2015;26(12):1489-94. [Abstract](#)
760. van der Mark EL, Bierenbroodspot F, Baas EM, et al. Reconstruction of an atrophic maxilla: comparison of two methods. *Br J Oral Maxillofac Surg* 2011;49(3):198-202. [Abstract](#)
761. Van Lierde KM, Corthals P, Browaeys H, et al. Impact of anterior single-tooth implants on quality of life, articulation and oromyofunctional behaviour: a pilot study. *J Oral Rehabil* 2011;38(3):170-5. [Abstract](#)

762. Van Lierde K, Browaeys H, Corthals P, et al. Comparison of speech intelligibility, articulation and oromyofunctional behaviour in subjects with single-tooth implants, fixed implant prosthetics or conventional removable prostheses. *J Oral Rehabil* 2012;39(4):285-93. [Abstract](#)
763. van Steenberghe D, De Mars G, Quirynen M, et al. A prospective split-mouth comparative study of two screw-shaped self-tapping pure titanium implant systems. *Clin Oral Implants Res* 2000;11(3):202-9. [Abstract](#)
764. Vanlioglu BA, Ozkan Y, Evren B, et al. Experimental custom-made zirconia abutments for narrow implants in esthetically demanding regions: A 5-year follow-up. *Int J Oral Maxillofac Implants* 2012;27(5):1239-42. [Abstract](#)
765. Vazquez Alvarez R, Perez Sayans M, Gayoso Diz P, et al. Factors affecting peri-implant bone loss: a post-five-year retrospective study. *Clin Oral Implants Res* 2015;26(9):1006-14. [Abstract](#)
766. Veltri M, Ferrari M, Balleri P. One-year outcome of narrow diameter blasted implants for rehabilitation of maxillas with knife-edge resorption. *Clin Oral Implants Res* 2008;19(10):1069-73. [Abstract](#)
767. Veltri M, Ferrari M, Balleri P. Stability values of titanium dioxide-blasted dental implants in edentulous maxillas: a 3-year pilot study. *J Oral Rehabil* 2010;37(1):63-8. [Abstract](#)
768. Veltri M, Ekestubbe A, Abrahamsson I, et al. Three-Dimensional buccal bone anatomy and aesthetic outcome of single dental implants replacing maxillary incisors. *Clin Oral Implants Res* 2015;E-pub July 14, doi:10.1111/clr.12664. [Abstract](#)
769. Vera C, De Kok IJ, Chen W, et al. Evaluation of post-implant buccal bone resorption using cone beam computed tomography: a clinical pilot study. *Int J Oral Maxillofac Implants* 2012;27(5):1249-57. [Abstract](#)
770. Vercaigne S, Wolke JG, Naert I, et al. A histological evaluation of TiO₂-gritblasted and Ca-P magnetron sputter coated implants placed into the trabecular bone of the goat: Part 2. *Clin Oral Implants Res* 2000;11(4):314-24. [Abstract](#)
771. Vercaigne S, Wolke JG, Naert I, et al. A mechanical evaluation of TiO₂-gritblasted and Ca-P magnetron sputter coated implants placed into the trabecular bone of the goat: Part 1. *Clin Oral Implants Res* 2000;11(4):305-13. [Abstract](#)
772. Vercellotti T, Stacchi C, Russo C, et al. Ultrasonic implant site preparation using piezosurgery: a multicenter case series study analyzing 3,579 implants with a 1- to 3-year follow-up. *Int J Periodontics Restorative Dent* 2014;34(1):11-8. [Abstract](#)
773. Vercruyssen M, Cox C, Coucke W, et al. A randomized clinical trial comparing guided implant surgery (bone- or mucosa-supported) with mental navigation or the use of a pilot-drill template. *J Clin Periodontol* 2014;41(7):717-23. [Abstract](#)
774. Vercruyssen M, van de Wiele G, Teughels W, et al. Implant- and patient-centred outcomes of guided surgery, a 1-year follow-up: An RCT comparing guided surgery with conventional implant placement. *J Clin Periodontol* 2014;41(12):1154-60. [Abstract](#)
775. Vercruyssen M, Coucke W, Naert I, et al. Depth and lateral deviations in guided implant surgery: an RCT comparing guided surgery with mental navigation or the use of a pilot-drill template. *Clin Oral Implants Res* 2015;26(11):1315-20. [Abstract](#)
776. Verket A, Lyngstadaas SP, Rasmusson L, et al. Maxillary sinus augmentation with porous titanium granules: a microcomputed tomography and histologic evaluation of human biopsy specimens. *Int J Oral Maxillofac Implants* 2013;28(3):721-8. [Abstract](#)

777. Vervaeke S, Collaert B, Vandeweghe S, et al. The effect of smoking on survival and bone loss of implants with a fluoride-modified surface: a 2-year retrospective analysis of 1106 implants placed in daily practice. *Clin Oral Implants Res* 2012;23(6):758-66. [Abstract](#)
778. Vervaeke S, Collaert B, De Bruyn H. Immediate loading of implants in the maxilla: survival and bone loss after at least 2 years in function. *Int J Oral Maxillofac Implants* 2013;28(1):216-21. [Abstract](#)
779. Vervaeke S, Collaert B, De Bruyn H. The effect of implant surface modifications on survival and bone loss of immediately loaded implants in the edentulous mandible. *Int J Oral Maxillofac Implants* 2013;28(5):1352-7. [Abstract](#)
780. Vervaeke S, Dierens M, Besseler J, et al. The influence of initial soft tissue thickness on peri-implant bone remodeling. *Clin Implant Dent Relat Res* 2014;16(2):238-47. [Abstract](#)
781. Vervaeke S, Collaert B, Cosyn J, et al. A multifactorial analysis to identify predictors of implant failure and peri-implant bone loss. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e298-307. [Abstract](#)
782. Vervaeke S, Collaert B, Cosyn J, et al. A 9-year prospective case series using multivariate analyses to identify predictors of early and late peri-implant bone loss. *Clin Implant Dent Relat Res* 2016;18(1):30-9. [Abstract](#)
783. Vignoletti F, Discepoli N, Muller A, et al. Bone modelling at fresh extraction sockets: immediate implant placement versus spontaneous healing. An experimental study in the beagle dog. *J Clin Periodontol* 2012;39(1):91-7. [Abstract](#)
784. Vilhjálmsson VH, Klock KS, Storksen K, et al. Aesthetics of implant-supported single anterior maxillary crowns evaluated by objective indices and participants' perceptions. *Clin Oral Implants Res* 2011;22(12):1399-403. [Abstract](#)
785. Vilhjálmsson VH, Klock KS, Storksen K, et al. Radiological evaluation of single implants in maxillary anterior sites with special emphasis on their relation to adjacent teeth - a 3-year follow-up study. *Dent Traumatol* 2013;29(1):66-72. [Abstract](#)
786. Viscioni A, Franco M, Rigo L, et al. Implants inserted into homografts bearing fixed restorations. *Int J Prosthodont* 2009;22(2):148-54. [Abstract](#)
787. Vivan Cardoso M, Vandamme K, Chaudhari A, et al. Dental implant macro-design features can impact the dynamics of osseointegration. *Clin Implant Dent Relat Res* 2015;17(4):639-45. [Abstract](#)
788. von Wowern N, Gotfredsen K. Implant-supported overdentures, a prevention of bone loss in edentulous mandibles? A 5-year follow-up study. *Clin Oral Implants Res* 2001;12(1):19-25. [Abstract](#)
789. Vroom MG, Sipos P, de Lange GL, et al. Effect of surface topography of screw-shaped titanium implants in humans on clinical and radiographic parameters: a 12-year prospective study. *Clin Oral Implants Res* 2009;20(11):1231-39. [Abstract](#)
790. Wahlstrom M, Sagulin GB, Jansson LE. Clinical follow-up of unilateral, fixed dental prosthesis on maxillary implants. *Clin Oral Implants Res* 2010;21(11):1294-300. [Abstract](#)
791. Walmsley AD, Brady CL, Smith PL, et al. Magnet retained overdentures using the Astra dental implant system. *Br Dent J* 1993;174(11):399-404. [Abstract](#)
792. Walmsley AD, Frame JW. Implant supported overdentures - the Birmingham experience. *J Dent* 1997;25 Suppl 1:43-7. [Abstract](#)
793. Wannfors K, Johansson C, Donath K. Augmentation of the mandible via a "tent-pole" procedure and implant treatment in a patient with type III osteogenesis imperfecta: clinical and histologic considerations. *Int J Oral Maxillofac Implants* 2009;24(6):1144-8. [Abstract](#)

794. Warren P, Chaffee N, Felton DA, et al. A retrospective radiographic analysis of bone loss following placement of TiO₂ grit-blasted implants in the posterior maxilla and mandible. *Int J Oral Maxillofac Implants* 2002;17(3):399-404. [Abstract](#)
795. Warrer L, Gotfredsen K, Hjorting-Hansen E, et al. Guided tissue regeneration ensures osseointegration of dental implants placed into extraction sockets. An experimental study in monkeys. *Clin Oral Implants Res* 1991;2(4):166-71. [Abstract](#)
796. Wasiluk G, Chomik E, Gehrke P, et al. Incidence of undetected cement on CAD/CAM monolithic zirconia crowns and customized CAD/CAM implant abutments. A prospective case series. *Clin Oral Implants Res* 2016;E-pub May 17, doi:10.1111/clr.12879. [Abstract](#)
797. Weibrich G, Buch RS, Wegener J, et al. Five-year prospective follow-up report of the Astra Tech standard dental implant in clinical treatment. *Int J Oral Maxillofac Implants* 2001;16(4):557-62. [Abstract](#)
798. Welander M, Abrahamsson I, Berglundh T. The mucosal barrier at implant abutments of different materials. *Clin Oral Implants Res* 2008;19(7):635-41. [Abstract](#)
799. Welander M, Abrahamsson I, Berglundh T. Placement of two-part implants in sites with different buccal and lingual bone heights. *J Periodontol* 2009;80(2):324-9. [Abstract](#)
800. Welander M, Abrahamsson I, Berglundh T. Subcrestal placement of two-part implants. *Clin Oral Implants Res* 2009;20(3):226-31. [Abstract](#)
801. Wennström J, Zurdo J, Karlsson S, et al. Bone level change at implant-supported fixed partial dentures with and without cantilever extension after 5 years in function. *J Clin Periodontol* 2004;31(12):1077-83. [Abstract](#)
802. Wennström JL, Ekestubbe A, Gröndahl K, et al. Oral rehabilitation with implant-supported fixed partial dentures in periodontitis-susceptible subjects. A 5-year prospective study. *J Clin Periodontol* 2004;31(9):713-24. [Abstract](#)
803. Wennström JL, Ekestubbe A, Gröndahl K, et al. Implant-supported single-tooth restorations: a 5-year prospective study. *J Clin Periodontol* 2005;32(6):567-74. [Abstract](#)
804. Wetzels JW, Koole R, Meijer GJ, et al. Functional benefits of implants placed during ablative surgery: A 5-year prospective study on the prosthodontic rehabilitation of 56 edentulous oral cancer patients. *Head Neck* 2016;38 Suppl 1:E2103-11. [Abstract](#)
805. Widmark G, Ivanoff CJ. Augmentation of exposed implant threads with autogenous bone chips: prospective clinical study. *Clin Implant Dent Relat Res* 2000;2(4):178-83. [Abstract](#)
806. Wiest W, Zabler S, Rack A, et al. In situ microradiography and microtomography of fatigue-loaded dental two-piece implants. *J Synchrotron Rad* 2015;22:1492-97.
807. Wilhelm R, Hasan I, Keilig L, et al. Biomechanical investigations of the secondary stability of commercial short dental implants in porcine ribs. *Biomed Tech (Berl)* 2014;59(6):507-13. [Abstract](#)
808. Wilk BL. Intraoral digital impressing for dental implant restorations versus traditional implant impression techniques. *Compend Contin Educ Dent* 2015;36(7):529-33. [Abstract](#)
809. Wiltfang J, Jatschmann N, Hedderich J, et al. Effect of deproteinized bovine bone matrix coverage on the resorption of iliac cortico-spongy bone grafts - a prospective study of two cohorts. *Clin Oral Implants Res* 2014;25(2):e127-32. [Abstract](#)
810. Wolff J, Narra, Antalainen AK, et al. Finite element analysis of bone loss around failing implants *Materials & Design* 2014;61:177-84. [Abstract](#)
811. Wong HH, Pow EH, Choi WW. Management of mandibular rotation after a mandibulectomy: a clinical report. *J Prosthet Dent* 2013;110(6):532-7. [Abstract](#)

812. Worsaae N, Jensen BN, Holm B, et al. Treatment of severe hypodontia-oligodontia--an interdisciplinary concept. *Int J Oral Maxillofac Surg* 2007;36(6):473-80. [Abstract](#)
813. Yalcin S, Aktas I, Emes Y, et al. A technique for atraumatic extraction of teeth before immediate implant placement using implant drills. *Implant Dent* 2009;18(6):464-72. [Abstract](#)
814. Yamada Y, Nakamura S, Ueda M, et al. Osteotome technique with injectable tissue-engineered bone and simultaneous implant placement by cell therapy. *Clin Oral Implants Res* 2013;24(4):468-74. [Abstract](#)
815. Yamauchi K, Takahashi T, Funaki K, et al. Implant placement for periosteal expansion osteogenesis using beta-tricalcium phosphate block: an experimental study in dogs. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;108(6):861-6. [Abstract](#)
816. Yamauchi K, Takahashi T, Nogami S, et al. Horizontal alveolar distraction osteogenesis for dental implant: long-term results. *Clin Oral Implants Res* 2013;24(5):563-8. [Abstract](#)
817. Yamazaki M, Kanzaki S, Tominaga K, et al. Evaluation of secondary bone grafting of the alveolar cleft in adult cleft lip and palate patients. *J Oral Maxillofac Surg Med Path* 2012;24:86-89. [Abstract](#)
818. Yi SW, Ericsson I, Kim CK, et al. Implant-supported fixed prostheses for the rehabilitation of periodontally compromised dentitions: a 3-year prospective clinical study. *Clin Implant Dent Relat Res* 2001;3(3):125-34. [Abstract](#)
819. Yilmaz B, McGlumphy E, Turkyilmaz I. A technique to modify the length of an implant healing abutment. *J Oral Implantol* 2009;35(4):201-3. [Abstract](#)
820. Yilmaz B, Seidt JD, McGlumphy EA, et al. Comparison of strains for splinted and nonsplinted screw-retained prostheses on short implants. *Int J Oral Maxillofac Implants* 2011;26(6):1176-82. [Abstract](#)
821. Yilmaz B, McGlumphy E, Purcell B. An alternative direct technique for the fabrication of an implant-supported, screw-retained fixed interim restoration. *J Prosthet Dent* 2012;107(2):137-9. [Abstract](#)
822. Yilmaz B, Seidt JD, McGlumphy EA, et al. Displacement of screw-retained single crowns into implants with conical internal connections. *Int J Oral Maxillofac Implants* 2013;28(3):803-6. [Abstract](#)
823. Yilmaz B, Mess J, Seidt J, et al. Strain comparisons for splinted and nonsplinted cement-retained implant crowns. *Int J Prosthodont* 2013;26(3):235-8. [Abstract](#)
824. Yilmaz B, Seidt JD, Clelland NL. Displacement of screw-retained splinted and nonsplinted restorations into implants with conical internal connections. *Int J Oral Maxillofac Implants* 2014;29(6):1289-92. [Abstract](#)
825. Yilmaz B, L'Homme-Langlois E, Beck FM, et al. Accuracy of mechanical torque-limiting devices for dental implants after clinical service. *J Prosthet Dent* 2015;114(3):378-82. [Abstract](#)
826. Yilmaz B, L'Homme-Langlois E, Beck FM, et al. Effect of long-term steam autoclaving on changes in torque delivery of spring- and friction-type torque wrenches. *J Prosthet Dent* 2016;115(6):718-21. [Abstract](#)
827. Yoon WJ, Jeong KI, You JS, et al. Survival rate of Astra Tech implants with maxillary sinus lift. *J Korean Assoc Oral Maxillofac Surg* 2014;40(1):17-20. [Abstract](#)
828. Yusuf H, Ratra N. Observations on 25 patients treated with ball-retained overdentures using the Astra Tech implant system. *Eur J Prosth Rest Dent* 1996;4(4):181-3. [Abstract](#)
829. Zabler S, Rack T, Rack A, et al. Fatigue induced deformation of taper connections in dental implants. *Int J Mater Res* 2012;103(2):207-16.
830. Zaffe D, Rodriguez Y, Baena R, et al. Behavior of the bone-titanium interface after push-in testing: a morphological study. *J Biomed Mater Res A* 2003;64(2):365-71. [Abstract](#)

831. Zhou J, Huang Q, Wang X, et al. Early loading of splinted implants in the posterior mandible: a prospective multicentre case series. *J Clin Periodontol* 2016;43(3):298-304. [Abstract](#)
832. Zhuang H-B, Tu W-S, Pan M-C, et al. Non-contact vibro-acoustic detection technique for dental osseointegration examination. *Journal of Medical and Biological Engineering* 2013;33(1):35-44.
833. Zipprich H, Weigl P, Lauer H-C, et al. Micro-movements at the implant-abutment interface: measurements, causes and consequences. *Implantologie* 2007;15:31-45.
834. Zipprich H, Miatke S, Hmaidouch R, et al. A new experimental design for bacterial microleakage investigation at the implant-abutment interface: an in vitro study. *Int J Oral Maxillofac Implants* 2016;31(1):37-44. [Abstract](#)

XiVE

1. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: a clinical report. *J Oral Implantol* 2010;36(3):209-17. [Abstract](#)
2. Arisan V, Bolukbasi N, Ersanli S, et al. Evaluation of 316 narrow diameter implants followed for 5-10 years: a clinical and radiographic retrospective study. *Clin Oral Implants Res* 2010;21(3):296-307. [Abstract](#)
3. Arisan V, Karabuda CZ, Ozdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res* 2010;21(9):980-8. [Abstract](#)
4. Arisan V, Bolukbasi N, Oksuz L. Computer-assisted flapless implant placement reduces the incidence of surgery-related bacteremia. *Clin Oral Investig* 2013;17(9):1985-93. [Abstract](#)
5. Arisan V, Karabuda CZ, Mumcu E, et al. Implant positioning errors in freehand and computer-aided placement methods: a single-blind clinical comparative study. *Int J Oral Maxillofac Implants* 2013;28(1):190-204. [Abstract](#)
6. Arisan V, Karabuda CZ, Özdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res* 2010;21(9):980-88. [Abstract](#)
7. Arnetzl GV, Payer M, Falkensammer F, et al. Effect of double conical abutment screw on implant preload. *Clin Oral Implants Res* 2016;27(5):553-7. [Abstract](#)
8. Arvidsson A, Sater BA, Wennerberg A. The role of functional parameters for topographical characterization of bone-anchored implants. *Clin Implant Dent Relat Res* 2006;8(2):70-6. [Abstract](#)
9. Arisan V, Bölükbaşı N, Ersanlı S, et al. Evaluation of 316 narrow diameter implants followed for 5–10 years: a clinical and radiographic retrospective study. *Clin Oral Implants Res* 2010;21(3):296-307. [Abstract](#)
10. Baggi L, Di Girolamo M, Mirisola C, et al. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. *Implant Dent* 2013;22(4):344-50. [Abstract](#)
11. Baqain ZH, Moqbel WY, Sawair FA. Early dental implant failure: risk factors. *Br J Oral Maxillofac Surg* 2012;50(3):239-43. [Abstract](#)
12. Bateli M, Woerner W, Att W. Tilted implants to support a maxillary removable dental prosthesis: a case report. *Quintessence Int* 2012;43(3):191-5. [Abstract](#)
13. Baumgarten S. Sinus grafting with mineralized allograft and staged implant placement. *Quintessence Int* 2010;41(3):197-202. [Abstract](#)

14. Bhandari S, Aggarwal N, Bakshi S. Ultrasonic oscillations for conservative retrieval of a rare fracture of implant healing abutment. *J Oral Implantol* 2013;39(4):475-8. [Abstract](#)
15. Bilhan H, Mumcu E, Geckili O, et al. The evaluation of the success of immediately placed single implants: a retrospective clinical study. *Implant Dent* 2011;20(3):215-25. [Abstract](#)
16. Brandtner C, Borumandi F, Krenkel C, et al. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. *Int J Oral Maxillofac Implants* 2014;29(5):1164-9. [Abstract](#)
17. Burtscher D, Norer B, Dalla Torre D, et al. A 7-year prospective radiographic evaluation of marginal bone level around two different implant systems: a randomized clinical trial. *Clin Oral Implants Res* 2015;26(11):1244-9. [Abstract](#)
18. Cano J, Campo J, Ewers R. Expansion of the alveolar bone crest in two stages: two clinical cases. *Oral Surgery* 2011;4(1):30-34. [Abstract](#)
19. Canullo L, Penarrocha-Oltra D, Covani U, et al. Clinical and microbiological findings in patients with peri-implantitis: a cross-sectional study. *Clin Oral Implants Res* 2016;27(3):376-82. [Abstract](#)
20. Chang H-S, Hsieh Y-D, M-L H. Long-term survival rate of implant-supported overdentures with various attachment systems: A 20-year retrospective study. *J Dental Science* 2015;10(1):55-60.
21. Chen L, Cha J. An 8-year retrospective study: 1,100 patients receiving 1,557 implants using the minimally invasive hydraulic sinus condensing technique. *J Periodontol* 2005;76(3):482-91. [Abstract](#)
22. Chiapasco M, Colletti G, Coggiola A, et al. Clinical outcome of the use of fresh frozen allogeneic bone grafts for the reconstruction of severely resorbed alveolar ridges: preliminary results of a prospective study. *Int J Oral Maxillofac Implants* 2015;30(2):450-60. [Abstract](#)
23. Cicciu M, Beretta M, Risitano G, et al. Cemented-retained vs screw-retained implant restorations: an investigation on 1939 dental implants. *Minerva Stomatol* 2008;57(4):167-79. [Abstract](#)
24. Conserva E, Lanuti A, Menini M. Cell behavior related to implant surfaces with different microstructure and chemical composition: an in vitro analysis. *Int J Oral Maxillofac Implants* 2010;25(6):1099-107. [Abstract](#)
25. Cortes AR, Cortes DN. Nontraumatic bone expansion for immediate dental implant placement: an analysis of 21 cases. *Implant Dent* 2010;19(2):92-7. [Abstract](#)
26. Cortes AR, Cortes DN, Arita ES. Correction of buccal dehiscence at the time of implant placement without barrier membranes: a retrospective cone beam computed tomographic study. *Int J Oral Maxillofac Implants* 2013;28(6):1564-9. [Abstract](#)
27. Cortes AR, Pinheiro LR, Umetsubo OS, et al. Assessment of implant-related treatment with edited three-dimensional reconstructed images from cone-beam computerized tomography: a technical note. *J Oral Implantol* 2014;40(6):729-32. [Abstract](#)
28. Cortes AR, Cortes DN, No-Cortes J, et al. Transition from failing dentition to full-arch fixed implant-supported prosthesis with a staged approach using removable partial dentures: A case series. *J Prosthodont* 2014;23(4):328-32. [Abstract](#)
29. Cortes AR, Pinheiro LR, Cavalcanti MG, et al. Sinus floor bone failures in maxillary sinus floor augmentation: a case-control study. *Clin Implant Dent Relat Res* 2015;17(2):335-42. [Abstract](#)
30. Cosyn J, Vandebulcke E, Browaeys H, et al. Factors associated with failure of surface-modified implants up to four years of function. *Clin Implant Dent Relat Res* 2012;14(3):347-58. [Abstract](#)
31. Créton M, Cune M, Verhoeven W, et al. Implant treatment in patients with severe hypodontia: A retrospective evaluation. *J Oral Maxillofac Surg* 2010;68(3):530-38. [Abstract](#)

32. de Barros RR, Novaes AB, Jr., Korn P, et al. Bone formation in a local defect around dental implants coated with extracellular matrix components. *Clin Implant Dent Relat Res* 2015;17(4):742-57. [Abstract](#)
33. de Oliveira RR, Novaes AB, Jr., Taba M, Jr., et al. The effect of bone condensation and crestal preparation on the bone response to implants designed for immediate loading: a histomorphometric study in dogs. *Int J Oral Maxillofac Implants* 2007;22(1):63-71. [Abstract](#)
34. De Stavola L, Tunkel J. A new approach to maintenance of regenerated autogenous bone volume: delayed relining with xenograft and resorbable membrane. *Int J Oral Maxillofac Implants* 2013;28(4):1062-7. [Abstract](#)
35. De Stavola L, Tunkel J. Results of vertical bone augmentation with autogenous bone block grafts and the tunnel technique: a clinical prospective study of 10 consecutively treated patients. *Int J Periodontics Restorative Dent* 2013;33(5):651-9. [Abstract](#)
36. De Stavola L, Fincato A, Albiero AM. A computer-guided bone block harvesting procedure: a proof-of-principle case report and technical notes. *Int J Oral Maxillofac Implants* 2015;30(6):1409-13. [Abstract](#)
37. Degidi M, Petrone G, Lezzi G, et al. Histologic evaluation of 2 human immediately loaded and 1 titanium implants inserted in the posterior mandible and submerged retrieved after 6 months. *J Oral Implantol* 2003;29(5):223-9. [Abstract](#)
38. Degidi M, Piattelli M, Scarano A, et al. Maxillary sinus augmentation with a synthetic cell-binding peptide: histological and histomorphometrical results in humans. *J Oral Implantol* 2004;30(6):376-83. [Abstract](#)
39. Degidi M, Scarano A, lezzi G, et al. Histologic analysis of an immediately loaded implant retrieved after 2 months. *J Oral Implantol* 2005;31(5):247-54. [Abstract](#)
40. Degidi M, Piattelli A, Felice P, et al. Immediate functional loading of edentulous maxilla: a 5-year retrospective study of 388 titanium implants. *J Periodontol* 2005;76(6):1016-24. [Abstract](#)
41. Degidi M, Piattelli A. Comparative analysis study of 702 dental implants subjected to immediate functional loading and immediate nonfunctional loading to traditional healing periods with a follow-up of up to 24 months. *Int J Oral Maxillofac Implants* 2005;20(1):99-107. [Abstract](#)
42. Degidi M, Scarano A, lezzi G, et al. Histologic and histomorphometric analysis of an immediately loaded implant retrieved from man after 14 months of loading. *J Long Term Eff Med Implants* 2005;15(5):489-98. [Abstract](#)
43. Degidi M, Scarano A, Piattelli M, et al. Bone remodeling in immediately loaded and unloaded titanium dental implants: a histologic and histomorphometric study in humans. *J Oral Implantol* 2005;31(1):18-24. [Abstract](#)
44. Degidi M, Piattelli A, Gehrke P, et al. Five-year outcome of 111 immediate nonfunctional single restorations. *J Oral Implantol* 2006;32(6):277-85. [Abstract](#)
45. Degidi M, Piattelli A, Gehrke P, et al. Clinical outcome of 802 immediately loaded 2-stage submerged implants with a new grit-blasted and acid-etched surface: 12-month follow-up. *Int J Oral Maxillofac Implants* 2006;21(5):763-8. [Abstract](#)
46. Degidi M, Piattelli A, Carinci F. Parallel screw cylinder implants: comparative analysis between immediate loading and two-stage healing of 1,005 dental implants with a 2-year follow up. *Clin Implant Dent Relat Res* 2006;8(3):151-60. [Abstract](#)
47. Degidi M, Gehrke P, Spanel A, et al. Syncrystallization: a technique for temporization of immediately loaded implants with metal-reinforced acrylic resin restorations. *Clin Implant Dent Relat Res* 2006;8(3):123-34. [Abstract](#)

48. Degidi M, Artese L, Scarano A, et al. Inflammatory infiltrate, microvessel density, nitric oxide synthase expression, vascular endothelial growth factor expression, and proliferative activity in peri-implant soft tissues around titanium and zirconium oxide healing caps. *J Periodontol* 2006;77(1):73-80. [Abstract](#)
49. Degidi M, Piattelli A, Iezzi G, et al. Retrospective study of 200 immediately loaded implants retaining 50 mandibular overdentures. *Quintessence Int* 2007;38(4):281-8. [Abstract](#)
50. Degidi M, Piattelli A, Iezzi G, et al. Immediately loaded short implants: analysis of a case series of 133 implants. *Quintessence Int* 2007;38(3):193-201. [Abstract](#)
51. Degidi M, Piattelli A, Iezzi G, et al. Wide-diameter implants: analysis of clinical outcome of 304 fixtures. *J Periodontol* 2007;78(1):52-8. [Abstract](#)
52. Degidi M, Piattelli A, Iezzi G, et al. Do longer implants improve clinical outcome in immediate loading? *Int J Oral Maxillofac Surg* 2007;36(12):1172-6. [Abstract](#)
53. Degidi M, Piattelli A, Carinci F. Immediate loaded dental implants: comparison between fixtures inserted in postextractive and healed bone sites. *J Craniofac Surg* 2007;18(4):965-71. [Abstract](#)
54. Degidi M, Daprile G, Piattelli A, et al. Evaluation of factors influencing resonance frequency analysis values, at insertion surgery, of implants placed in sinus-augmented and nongrafted sites. *Clin Implant Dent Relat Res* 2007;9(3):144-9. [Abstract](#)
55. Degidi M, Artese L, Rubini C, et al. Microvessel density in sinus augmentation procedures using anorganic bovine bone and autologous bone: 3 months results. *Implant Dent* 2007;16(3):317-25. [Abstract](#)
56. Degidi M, Piattelli A, Carinci F. Clinical outcome of narrow diameter implants: a retrospective study of 510 implants. *J Periodontol* 2008;79(1):49-54. [Abstract](#)
57. Degidi M, Novaes AB, Jr., Nardi D, et al. Outcome analysis of immediately placed, immediately restored implants in the esthetic area: the clinical relevance of different interimplant distances. *J Periodontol* 2008;79(6):1056-61. [Abstract](#)
58. Degidi M, Nardi D, Piattelli A. Immediate loading of the edentulous maxilla with a final restoration supported by an intraoral welded titanium bar: a case series of 20 consecutive cases. *J Periodontol* 2008;79(11):2207-13. [Abstract](#)
59. Degidi M, Nardi D, Piattelli A. Peri-implant tissue and radiographic bone levels in the immediately restored single-tooth implant: a retrospective analysis. *J Periodontol* 2008;79(2):252-9. [Abstract](#)
60. Degidi M, Iezzi G, Scarano A, et al. Immediately loaded titanium implant with a tissue-stabilizing/maintaining design ('beyond platform switch') retrieved from man after 4 weeks: a histological and histomorphometrical evaluation. A case report. *Clin Oral Implants Res* 2008;19(3):276-82. [Abstract](#)
61. Degidi M, Piattelli A, Shibli JA, et al. Early bone formation around immediately restored implants with and without occlusal contact: a human histologic and histomorphometric evaluation. Case report. *Int J Oral Maxillofac Implants* 2009;24(4):734-9. [Abstract](#)
62. Degidi M, Perrotti V, Strocchi R, et al. Is insertion torque correlated to bone-implant contact percentage in the early healing period? A histological and histomorphometrical evaluation of 17 human-retrieved dental implants. *Clin Oral Implants Res* 2009;20(8):778-81. [Abstract](#)
63. Degidi M, Nardi D, Piattelli A. Immediate versus one-stage restoration of small-diameter implants for a single missing maxillary lateral incisor: a 3-year randomized clinical trial. *J Periodontol* 2009;80(9):1393-8. [Abstract](#)

64. Degidi M, Nardi D, Piattelli A. Immediate rehabilitation of the edentulous mandible with a definitive prosthesis supported by an intraorally welded titanium bar. *Int J Oral Maxillofac Implants* 2009;24(2):342-7. [Abstract](#)
65. Degidi M, Nardi D, Piattelli A. Immediate restoration of small-diameter implants in cases of partial posterior edentulism: a 4-year case series. *J Periodontol* 2009;80(6):1006-12. [Abstract](#)
66. Degidi M, Daprile G, Piattelli A. RFA values of implants placed in sinus grafted and nongrafted sites after 6 and 12 months. *Clin Implant Dent Relat Res* 2009;11(3):178-82. [Abstract](#)
67. Degidi M, Perrotti V, Piattelli A, et al. Mineralized bone-implant contact and implant stability quotient in 16 human implants retrieved after early healing periods: a histologic and histomorphometric evaluation. *Int J Oral Maxillofac Implants* 2010;25(1):45-8. [Abstract](#)
68. Degidi M, Nardi D, Piattelli A. A comparison between immediate loading and immediate restoration in cases of partial posterior mandibular edentulism: a 3-year randomized clinical trial. *Clin Oral Implants Res* 2010;21(7):682-87. [Abstract](#)
69. Degidi M, Nardi D, Piattelli A. Immediate definitive rehabilitation of the edentulous patient using an intraorally welded titanium framework: a 3-year prospective study. *Quintessence Int* 2010;41(8):651-9. [Abstract](#)
70. Degidi M, Daprile G, Piattelli A. Determination of primary stability: a comparison of the surgeon's perception and objective measurements. *Int J Oral Maxillofac Implants* 2010;25(3):558-61. [Abstract](#)
71. Degidi M, Nardi D, Piattelli A. Immediate loading of the edentulous maxilla with a definitive restoration supported by an intraorally welded titanium bar and tilted implants. *Int J Oral Maxillofac Implants* 2010;25(6):1175-82. [Abstract](#)
72. Degidi M, Daprile G, Piattelli A. Implants inserted with low insertion torque values for intraoral welded full-arch prosthesis: 1-year follow-up. *Clin Implant Dent Relat Res* 2012;14(Supplement 1):e39-45. [Abstract](#)
73. Degidi M, Daprile G, Piattelli A. Primary stability determination by means of insertion torque and RFA in a sample of 4,135 implants. *Clin Implant Dent Relat Res* 2012;14(4):501-07. [Abstract](#)
74. Degidi M, Nardi D, Sighinolfi G, et al. In vitro infrared thermography assessment of temperature peaks during the intra-oral welding of titanium abutments. *Infrared Physics & Technology* 2012;55:279-83.
75. Degidi M, Nardi D, Piattelli A, et al. Immediate loading of zygomatic implants using the intraoral welding technique: a 12-month case series. *Int J Periodontics Restorative Dent* 2012;32(5):e154-61. [Abstract](#)
76. Degidi M, Artese L, Piattelli A, et al. Histological and immunohistochemical evaluation of the peri-implant soft tissues around machined and acid-etched titanium healing abutments: a prospective randomised study. *Clin Oral Investig* 2012;16(3):857-66. [Abstract](#)
77. Degidi M, Nardi D, Piattelli A. Prospective five-year follow-up of immediate definitive rehabilitation of the edentulous patient using an intraoral welded titanium framework. *Z Zahnärztl Impl* 2012;28(4):326-37.
78. Degidi M, Daprile G, Piattelli A, et al. Development of a new implant primary stability parameter: insertion torque revisited. *Clin Implant Dent Relat Res* 2013;15(5):637-44. [Abstract](#)
79. Degidi M, Nardi D, Piattelli A. A six-year follow-up of full-arch immediate restorations fabricated with an intraoral welding technique. *Implant Dent* 2013;22(3):224-31. [Abstract](#)
80. Degidi M, Daprile G, Piattelli A. Primary stability determination of implants inserted in sinus augmented sites: 1-step versus 2-step procedure. *Implant Dent* 2013;22(5):530-3. [Abstract](#)

81. Degidi M, Artese L, Franceschini N, et al. Matrix metalloproteinases 2, 3, 8, 9, and 13 in the peri-implant soft tissues around titanium and zirconium oxide healing caps. *Int J Oral Maxillofac Implants* 2013;28(6):1546-51. [Abstract](#)
82. Degidi M, Daprile G, Piattelli A. Influence of underpreparation on primary stability of implants inserted in poor quality bone sites: an in vitro study. *J Oral Maxillofac Surg* 2015;73(6):1084-8. [Abstract](#)
83. Degidi M, Nardi D, Piattelli A. 10-year prospective cohort follow-up of immediately restored XiVE implants. *Clin Oral Implants Res* 2016;27(6):694-700. [Abstract](#)
84. Di Stefano DA, Artese L, Iezzi G, et al. Alveolar ridge regeneration with equine spongy bone: a clinical, histological, and immunohistochemical case series. *Clin Implant Dent Relat Res* 2009;11(2):90-100. [Abstract](#)
85. Di Stefano DA, Bassi MA, Ludovichetti M, et al. Maxillary sinus lift with a collagenic equine heterologous bone substitute. Histomorphometric analysis. *Italian Oral Surgery* 2012;11(5):56-62. [Abstract](#)
86. Dinh A, Sheets CG, Earthman JC. Analysis of percussion response of dental implants: an in vitro study. *Mater Sci Eng C Mater Biol Appl* 2013;33(5):2657-63. [Abstract](#)
87. Enislidis G, Wittwer G, Ewers R. Preliminary report on a staged ridge splitting technique for implant placement in the mandible: a technical note. *Int J Oral Maxillofac Implants* 2006;21(3):445-9. [Abstract](#)
88. Evian CI, Al-Momani A, Rosenberg ES, et al. Therapeutic management for immediate implant placement in sites with periapical deficiencies where coronal bone is present: technique and case report. *Int J Oral Maxillofac Implants* 2006;21(3):476-80. [Abstract](#)
89. Ewers R. Maxilla sinus grafting with marine algae derived bone forming material: a clinical report of long-term results. *J Oral Maxillofac Surg* 2005;63(12):1712-23. [Abstract](#)
90. Fazel A, Aalai S, Rismanchian M, et al. Micromotion and stress distribution of immediate loaded implants: a finite element analysis. *Clin Implant Dent Relat Res* 2009;11(4):267-71. [Abstract](#)
91. Fazel A, Aalai S, Rismanchian M. Effect of macro-design of immediately loaded implants on micromotion and stress distribution in surrounding bone using finite element analysis. *Implant Dent* 2009;18(4):345-52. [Abstract](#)
92. Felice P, Marchetti C, Piattelli A, et al. Vertical ridge augmentation of the atrophic posterior mandible with interpositional block grafts: bone from the iliac crest versus bovine anorganic bone. *Eur J Oral Implantol* 2008;1(3):183-98. [Abstract](#)
93. Felice P, Marchetti C, Iezzi G, et al. Vertical ridge augmentation of the atrophic posterior mandible with interpositional bloc grafts: bone from the iliac crest vs. bovine anorganic bone. Clinical and histological results up to one year after loading from a randomized-controlled clinical trial. *Clin Oral Implants Res* 2009;20(12):1386-93. [Abstract](#)
94. Felice P, Corinaldesi G, Lizio G, et al. Implant prosthetic rehabilitation of posterior mandible after tumor ablation with inferior alveolar nerve mobilization and inlay bone grafting: a case report. *J Oral Maxillofac Surg* 2009;67(5):1104-12. [Abstract](#)
95. Feng SW, Chang WJ, Lin CT, et al. Modal damping factor detected with an impulse-forced vibration method provides additional information on osseointegration during dental implant healing. *Int J Oral Maxillofac Implants* 2015;30(6):1333-40. [Abstract](#)
96. Fenner M, Vairaktaris E, Stockmann P, et al. Influence of residual alveolar bone height on implant stability in the maxilla: an experimental animal study. *Clin Oral Implants Res* 2009;20(8):751-5. [Abstract](#)

97. Fenner M, Vairaktaris E, Fischer K, et al. Influence of residual alveolar bone height on osseointegration of implants in the maxilla: a pilot study. *Clin Oral Implants Res* 2009;20(6):555-9. [Abstract](#)
98. Galli S, Jimbo R, Andersson M, et al. Surface characterization and clinical review of two commercially available implants. *Implant Dent* 2013;22(5):507-18. [Abstract](#)
99. Garcia-Morales JM, Tortamano-Neto P, Todescan FF, et al. Stability of dental implants after irradiation with an 830-nm low-level laser: a double-blind randomized clinical study. *Lasers Med Sci* 2012;27(4):703-11. [Abstract](#)
100. Garlini G, Redemagni M, Donini M, et al. Maxillary sinus elevation with an alloplastic material and implants: 11 years of clinical and radiologic follow-up. *J Oral Maxillofac Surg* 2010;68(5):1152-7. [Abstract](#)
101. Garlini G, Redemagni M, Canciani E, et al. Maxillary sinus floor augmentation with vegetal hydroxyapatite versus demineralized bovine bone: A randomized clinical study with a split-mouth design. *J Dental Implants* 2014;4(2):118-25.
102. Geckili O, Mumcu E, Bilhan H. Radiographic evaluation of narrow diameter implants after 5 years of clinical function: a retrospective study. *J Oral Implantol* 2013;39(S1):273-79. [Abstract](#)
103. Geckili O, Bilhan H, Geckili E, et al. Evaluation of possible prognostic factors for the success, survival, and failure of dental implants. *Implant Dent* 2014;23(1):44-50. [Abstract](#)
104. Gehrke P, Jansen R, Euisenmann E, et al. A two-year follow-up. *EDI* 2005;1(4).
105. Gehrke P, Dhom G, Brunner J, et al. Zirconium implant abutments: fracture strength and influence of cyclic loading on retaining-screw loosening. *Quintessence Int* 2006;37(1):19-26. [Abstract](#)
106. Gehrke P, Lobert M, Dhom G. Reproducibility of the pink esthetic score--rating soft tissue esthetics around single-implant restorations with regard to dental observer specialization. *J Esthet Restor Dent* 2008;20(6):375-84; discussion 85. [Abstract](#)
107. Gehrke P, Degidi M, Lulay-Saad Z, et al. Reproducibility of the implant crown aesthetic index--rating aesthetics of single-implant crowns and adjacent soft tissues with regard to observer dental specialization. *Clin Implant Dent Relat Res* 2009;11(3):201-13. [Abstract](#)
108. Gehrke P, Alius J, Fischer C, et al. Retentive strength of two-piece CAD/CAM zirconia implant abutments. *Clin Implant Dent Relat Res* 2014;16(6):920-5. [Abstract](#)
109. Gehrke P, Johansson D, Fischer C, et al. In vitro fatigue and fracture resistance of one- and two-piece CAD/CAM zirconia implant abutments. *Int J Oral Maxillofac Implants* 2015;30(3):546-54. [Abstract](#)
110. Hanser T, Houry F. Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: a 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2014;34(3):305-12. [Abstract](#)
111. Happe A, Schulte-Mattler V, Fickl S, et al. Spectrophotometric assessment of peri-implant mucosa after restoration with zirconia abutments veneered with fluorescent ceramic: a controlled, retrospective clinical study. *Clin Oral Implants Res* 2013;24 Suppl A100:28-33. [Abstract](#)
112. Heschl A, Payer M, Platzer S, et al. Immediate rehabilitation of the edentulous mandible with screw type implants: results after up to 10 years of clinical function. *Clin Oral Implants Res* 2012;23(10):1217-23. [Abstract](#)
113. Heschl A, Payer M, Clar V, et al. Overdentures in the edentulous mandible supported by implants and retained by a Dolder bar: a 5-year prospective study. *Clin Implant Dent Relat Res* 2013;15(4):589-99. [Abstract](#)

114. Hessling SA, Wehrhan F, Schmitt CM, et al. Implant-based rehabilitation in oncology patients can be performed with high long-term success. *J Oral Maxillofac Surg* 2015;73(5):889-96. [Abstract](#)
115. Hjerpe J, Lassila LV, Rakkolainen T, et al. Load-bearing capacity of custom-made versus prefabricated commercially available zirconia abutments. *Int J Oral Maxillofac Implants* 2011;26(1):132-8. [Abstract](#)
116. Hua N, Xu Y, Tang X, et al. Effect of estrogen deficiency on implant osseointegration in dogs. *Int J Oral Maxillofac Implants* 2014;29(5):1204-7. [Abstract](#)
117. Ibrahim TO, Ibrahim RO. Evaluation of two treatment modalities for patients with combination syndrome suffering from narrow anterior maxilla. *Life Science Journal* 2013;10(2):2199-210.
118. Iezzi G, Degidi M, Scarano A, et al. Bone response to submerged, unloaded implants inserted in poor bone sites: a histological and histomorphometrical study of 8 titanium implants retrieved from man. *J Oral Implantol* 2005;31(5):225-33. [Abstract](#)
119. Ismaiel MD, Elhadry AA. Influence of platform switching concept on marginal bone alteration around dental implant. *J Am Sci* 2012;8(11):546-52.
120. Jayme SJ, Muglia VA, de Oliveira RR, et al. Optimization in multi-implant placement for immediate loading in edentulous arches using a modified surgical template and prototyping: a case report. *Int J Oral Maxillofac Implants* 2008;23(4):759-62. [Abstract](#)
121. Ji TJ, Kan JY, Rungcharassaeng K, et al. Immediate loading of maxillary and mandibular implant-supported fixed complete dentures: a 1- to 10-year retrospective study. *J Oral Implantol* 2012;38 Spec No:469-76. [Abstract](#)
122. Kalt G, Gehrke P. Transfer precision of three-dimensional implant planning with CT assisted offline navigation. *Int J Comput Dent* 2008;11(3-4):213-25. [Abstract](#)
123. Karabuda C, Arisan V, Ozyuvaci H. Effects of sinus membrane perforations on the success of dental implants placed in the augmented sinus. *J Periodontol* 2006;77(12):1991-7. [Abstract](#)
124. Karaky AE, Sawair FA, Al-Karadsheh OA, et al. Antibiotic prophylaxis and early dental implant failure: a quasi-random controlled clinical trial. *Eur J Oral Implantol* 2011;4(1):31-8. [Abstract](#)
125. Kazemi M, Geramipناه F, Negahdari R, et al. Active tactile sensibility of single-tooth implants versus natural dentition: a split-mouth double-blind randomized clinical trial. *Clin Implant Dent Relat Res* 2014;16(6):947-55. [Abstract](#)
126. Khojasteh A, Hassani A, Motamedian SR, et al. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: a retrospective study and review of literature. *Clin Implant Dent Relat Res* 2016;18(2):342-59. [Abstract](#)
127. Khoury F, Hidajat H. Extensive autogenous bone augmentation and implantation in patients under bisphosphonate treatment: A 15-case series. *Int J Periodontics Restorative Dent* 2016;36(1):9-18. [Abstract](#)
128. Kim YK, Yun PY, Kim SG, et al. In vitro scanning electron microscopic comparison of inner surface of exposed and unexposed nonresorbable membranes. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(6):e5-e11. [Abstract](#)
129. Kim S, Jung U-W, Lee Y-K, et al. The effect of calcium phosphate bone substitute on defect resolution around a rough-surfaced dental implants in dogs. *J Biomed Mater Res B* 2011;99B(1):21-26. [Abstract](#)
130. Kim S, Jung UW, Lee YK, et al. Effects of biphasic calcium phosphate bone substitute on circumferential bone defects around dental implants in dogs. *Int J Oral Maxillofac Implants* 2011;26(2):265-73. [Abstract](#)

131. Kim BC, Yoon JH, Choi B, et al. Mandibular reconstruction with autologous human bone marrow stem cells and autogenous bone graft in a patient with plexiform ameloblastoma. *J Craniofac Surg* 2013;24(4):e409-11. [Abstract](#)
132. Kirmeier R, Payer M, Wehrschoetz M, et al. Evaluation of three-dimensional changes after sinus floor augmentation with different grafting materials. *Clin Oral Implants Res* 2008;19(4):366-72. [Abstract](#)
133. Koike H, Kawahara D, Kawahara H. Clinical characterization of several bone grafting materials as a dental implant support tissue. *Adv Sci Techn* 2006;49:300-05.
134. Kolbeck C, Behr M, Rosentritt M, et al. Fracture force of tooth-tooth- and implant-tooth-supported all-ceramic fixed partial dentures using titanium vs. customised zirconia implant abutments. *Clin Oral Implants Res* 2008;19(10):1049-53. [Abstract](#)
135. Konstantinidis IK, Kotsakis GA, Gerdes S, et al. Cross-sectional study on the prevalence and risk indicators of peri-implant diseases. *Eur J Oral Implantol* 2015;8(1):75-88. [Abstract](#)
136. Korpi JT, Kainulainen VT, Sandor GK, et al. Long-term follow-up of severely resorbed mandibles reconstructed using tent pole technique without platelet-rich plasma. *J Oral Maxillofac Surg* 2012;70(11):2543-8. [Abstract](#)
137. Korpi JT, Kainulainen VT, Sandor GK, et al. Tent-pole approach to treat severely atrophic fractured mandibles using immediate or delayed protocols: preliminary case series. *J Oral Maxillofac Surg* 2013;71(1):83-9. [Abstract](#)
138. Kourtis S, Kokkinos K, Roussou V. Predicting the final result in implant-supported fixed restorations for completely edentulous patients. *J Esthet Restor Dent* 2014;26(1):40-7. [Abstract](#)
139. Krennmair G, Krainhofner M, Waldenberger O, et al. Dental implants as strategic supplementary abutments for implant-tooth-supported telescopic crown-retained maxillary dentures: a retrospective follow-up study for up to 9 years. *Int J Prosthodont* 2007;20(6):617-22. [Abstract](#)
140. Kunkel M, Wahlmann U, Reichert TE, et al. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. *Clin Oral Implants Res* 2005;16(1):89-97. [Abstract](#)
141. Kuoppala R, Kainulainen VT, Korpi JT, et al. Outcome of treatment of implant-retained overdenture in patients with extreme mandibular bone resorption treated with bone grafts using a modified tent pole technique. *J Oral Maxillofac Surg* 2013;71(11):1843-51. [Abstract](#)
142. Kwon JH, Han CH, Kim SJ, et al. The change of rotational freedom following different insertion torques in three implant systems with implant driver. *J Adv Prosthodont* 2009;1(1):37-40. [Abstract](#)
143. Lee JS, Kim HM, Kim CS, et al. Long-term retrospective study of narrow implants for fixed dental prostheses. *Clin Oral Implants Res* 2013;24(8):847-52. [Abstract](#)
144. Lee HW, Lin WS, Morton D. A retrospective study of complications associated with 100 consecutive maxillary sinus augmentations via the lateral window approach. *Int J Oral Maxillofac Implants* 2013;28(3):860-8. [Abstract](#)
145. Lizio G, Corinaldesi G, Pieri F, et al. Problems with dental implants that were placed on vertically distracted fibular free flaps after resection: a report of six cases. *Br J Oral Maxillofac Surg* 2009;47(6):455-60. [Abstract](#)
146. Lu SY, Huang CC. Resolution of an active peri-implantitis in a chronic steroid user by bone augmentation with PepGen P-15 and a barrier membrane. *J Oral Implantol* 2007;33(5):280-7. [Abstract](#)

147. Luo Z, Zeng R, Chen Z. Single implants in the esthetic zone: analysis of recent peri-implant soft tissue alterations and patient satisfaction. A photographic study. *Int J Oral Maxillofac Implants* 2011;26(3):578-86. [Abstract](#)
148. Marchetti C, Trasarti S, Corinaldesi G, et al. Interpositional bone grafts in the posterior mandibular region: a report on six patients. *Int J Periodontics Restorative Dent* 2007;27(6):547-55. [Abstract](#)
149. Maridati PC, Cremonesi S, Fontana F, et al. Management of d-PTFE membrane exposure for having final clinical success. *J Oral Implantol* 2016;42(3):289-91. [Abstract](#)
150. Merli M, Migani M, Esposito M. Vertical ridge augmentation with autogenous bone grafts: resorbable barriers supported by osteosynthesis plates versus titanium-reinforced barriers. A preliminary report of a blinded, randomized controlled clinical trial. *Int J Oral Maxillofac Implants* 2007;22(3):373-82. [Abstract](#)
151. Merli M, Lombardini F, Esposito M. Vertical ridge augmentation with autogenous bone grafts 3 years after loading: resorbable barriers versus titanium-reinforced barriers. A randomized controlled clinical trial. *Int J Oral Maxillofac Implants* 2010;25(4):801-7. [Abstract](#)
152. Merli M, Moscatelli M, Mariotti G, et al. Bone level variation after vertical ridge augmentation: resorbable barriers versus titanium-reinforced barriers. A 6-year double-blind randomized clinical trial. *Int J Oral Maxillofac Implants* 2014;29(4):905-13. [Abstract](#)
153. Moeintaghavi A, Radvar M, Arab H, et al. Evaluation of 3- to 8-year treatment outcomes and success rates with six implant brands in partially edentulous patients. *J Oral Implantol* 2012;38(s1):441-48. [Abstract](#)
154. Naumann M, Hohmann C, Happe A, et al. Are implants more reliable than severely compromised endodontically treated teeth as abutments for zirconia-based FPDs? : In vitro results of long-term preclinical load simulation. *Clin Oral Investig* 2013;17(7):1685-92. [Abstract](#)
155. Neugebauer J. Modified technique for stage 1 indexing using the XiVE system. *Dent Implantol Update* 2003;14(10):73-9. [Abstract](#)
156. Neugebauer J, Traini T, Thams U, et al. Peri-implant bone organization under immediate loading state. Circularly polarized light analyses: a minipig study. *J Periodontol* 2006;77(2):152-60. [Abstract](#)
157. Neugebauer J, Weinlander M, Lekovic V, et al. Mechanical stability of immediately loaded implants with various surfaces and designs: a pilot study in dogs. *Int J Oral Maxillofac Implants* 2009;24(6):1083-92. [Abstract](#)
158. Neugebauer J, Iezzi G, Perrotti V, et al. Experimental immediate loading of dental implants in conjunction with grafting procedures. *J Biomed Mater Res B* 2009;91(2):604-12. [Abstract](#)
159. Neugebauer J, Kistler F, Kistler S, et al. CAD/CAM-produced surgical guides: Optimizing the treatment workflow. *Int J Comput Dent* 2011;14(2):93-103. [Abstract](#)
160. Nkenke E, Lehner B, Weinzierl K, et al. Bone contact, growth, and density around immediately loaded implants in the mandible of mini pigs. *Clin Oral Implants Res* 2003;14(3):312-21. [Abstract](#)
161. Nkenke E, Lehner B, Fenner M, et al. Immediate versus delayed loading of dental implants in the maxillae of minipigs: follow-up of implant stability and implant failures. *Int J Oral Maxillofac Implants* 2005;20(1):39-47. [Abstract](#)
162. Nkenke E, Fenner M, Vairaktaris EG, et al. Immediate versus delayed loading of dental implants in the maxillae of minipigs. Part II: histomorphometric analysis. *Int J Oral Maxillofac Implants* 2005;20(4):540-6. [Abstract](#)
163. Nothdurft FP, Pospiech PR. Zirconium dioxide implant abutments for posterior single-tooth replacement: first results. *J Periodontol* 2009;80(12):2065-72. [Abstract](#)

164. Nothdurft F, Pospiech P. Prefabricated zirconium dioxide implant abutments for single-tooth replacement in the posterior region: evaluation of peri-implant tissues and superstructures after 12 months of function. *Clin Oral Implants Res* 2010;21(8):857-65. [Abstract](#)
165. Nothdurft FP, Merker S, Pospiech PR. Fracture behaviour of implant-implant- and implant-tooth-supported all-ceramic fixed dental prostheses utilising zirconium dioxide implant abutments. *Clin Oral Investig* 2011;15(1):89-97. [Abstract](#)
166. Nothdurft FP, Nonhoff J, Pospiech PR. Pre-fabricated zirconium dioxide implant abutments for single-tooth replacement in the posterior region: success and failure after 3 years of function. *Acta Odontol Scand* 2014;72(5):392-400. [Abstract](#)
167. Novaes AB, Jr., de Oliveira RR, Taba Junior M, et al. Crestal bone loss minimized when following the crestal preparation protocol: a histomorphometric study in dogs. *J Oral Implantol* 2005;31(6):276-82. [Abstract](#)
168. Oyama K, Kan JY, Rungcharassaeng K, et al. Immediate provisionalization of 3.0-mm-diameter implants replacing single missing maxillary and mandibular incisors: 1-year prospective study. *Int J Oral Maxillofac Implants* 2012;27(1):173-80. [Abstract](#)
169. Papadopoulos I, Pozidi G, Goussias H, et al. Transferring the emergence profile from the provisional to the final restoration. *J Esthet Restor Dent* 2014;26(3):154-61. [Abstract](#)
170. Papavassiliou H, Kourtis S, Katerelou J, et al. Radiographical evaluation of the gap at the implant-abutment interface. *J Esthet Restor Dent* 2010;22(4):235-50. [Abstract](#)
171. Park JW, Kim HK, Kim YJ, et al. Enhanced osteoconductivity of micro-structured titanium implants (XiVE S CELLplus) by addition of surface calcium chemistry: a histomorphometric study in the rabbit femur. *Clin Oral Implants Res* 2009;20(7):684-90. [Abstract](#)
172. Payer M, Kirmeier R, Jakse N, et al. Immediate provisional restoration of XiVE screw-type implants in the posterior mandible. *Clin Oral Implants Res* 2008;19(2):160-5. [Abstract](#)
173. Payer M, Kirmeier R, Jakse N, et al. Surgical factors influencing mesiodistal implant angulation. *Clin Oral Implants Res* 2008;19(3):265-70. [Abstract](#)
174. Payer M, Heschl A, Wimmer G, et al. Immediate provisional restoration of screw-type implants in the posterior mandible: results after 5 years of clinical function. *Clin Oral Implants Res* 2010;21(8):815-21. [Abstract](#)
175. Payer M, Lohberger B, Strunk D, et al. Effects of directly autotransplanted tibial bone marrow aspirates on bone regeneration and osseointegration of dental implants. *Clin Oral Implants Res* 2014;25(4):468-74. [Abstract](#)
176. Philippart P, Daubie V, Pochet R. Sinus grafting using recombinant human tissue factor, platelet-rich plasma gel, autologous bone, and anorganic bovine bone mineral xenograft: histologic analysis and case reports. *Int J Oral Maxillofac Implants* 2005;20(2):274-81. [Abstract](#)
177. Pieri F, Lucarelli E, Corinaldesi G, et al. Mesenchymal stem cells and platelet-rich plasma enhance bone formation in sinus grafting: a histomorphometric study in minipigs. *J Clin Periodontol* 2008;35(6):539-46. [Abstract](#)
178. Pieri F, Aldini NN, Marchetti C, et al. Esthetic outcome and tissue stability of maxillary anterior single-tooth implants following reconstruction with mandibular block grafts: a 5-year prospective study. *Int J Oral Maxillofac Implants* 2013;28(1):270-80. [Abstract](#)
179. Podhorsky A, Biscopio S, Rehmann P, et al. Transfer of bacteria into the internal cavity of dental implants after application of disinfectant or sealant agents in vitro. *Int J Oral Maxillofac Implants* 2016;31(3):563-70. [Abstract](#)

180. Redemagni M, Cremonesi S, Garlini G, et al. Soft tissue stability with immediate implants and concave abutments. *Eur J Esthet Dent* 2009;4(4):328-37. [Abstract](#)
181. Restoy-Lozano A, Dominguez-Mompell JL, Infante-Cossio P, et al. Calvarial bone grafting for three-dimensional reconstruction of severe maxillary defects: a case series. *Int J Oral Maxillofac Implants* 2015;30(4):880-90. [Abstract](#)
182. Rinke S, Ziebolz D. Fabrication of an implant-supported overdenture using CAD/CAM technology: A clinical report. *Quintessence Int* 2013;44(2):127-34. [Abstract](#)
183. Rismanchian M, Movahedian B, Khalighinejad N, et al. Comparative evaluation of two types of immediately loaded implants using biomechanical and histomorphometric tests: an animal case study. *ISRN Dent* 2012;2012:328945. [Abstract](#)
184. Romanos GE, Testori T, Degidi M, et al. Histologic and histomorphometric findings from retrieved, immediately occlusally loaded implants in humans. *J Periodontol* 2005;76(11):1823-32. [Abstract](#)
185. Rugani P, Kirnbauer B, Acham S, et al. Implant placement adjacent to successfully treated bisphosphonate-related osteonecrosis of the jaw (BRONJ). *J Oral Implantol* 2015;41 Suppl 1:377-81. [Abstract](#)
186. Rupp F, Scheideler L, Rehbein D, et al. Roughness induced dynamic changes of wettability of acid etched titanium implant modifications. *Biomaterials* 2004;25(7-8):1429-38. [Abstract](#)
187. Rupp F, Scheideler L, Eichler M, et al. Wetting behavior of dental implants. *Int J Oral Maxillofac Implants* 2011;26(6):1256-66. [Abstract](#)
188. Saboury A, Neshandar Asli H, Vaziri S. The effect of repeated torque in small diameter implants with machined and premachined abutments. *Clin Implant Dent Relat Res* 2012;14 Suppl 1:e224-30. [Abstract](#)
189. Saboury A, Hadi A. A new, simple implant-level impression technique for dental implants in limited interproximal space. *J Prosthodont* 2012;21(4):328-30. [Abstract](#)
190. Sahabi M, Adibrad M, Mirhashemi FS, et al. Biomechanical effects of platform switching in two different implant systems: a three-dimensional finite element analysis. *J Dent (Tehran)* 2013;10(4):338-50. [Abstract](#)
191. Scarano A, Degidi M, Iezzi G, et al. Correlation between implant stability quotient and bone-implant contact: a retrospective histological and histomorphometrical study of seven titanium implants retrieved from humans. *Clin Implant Dent Relat Res* 2006;8(4):218-22. [Abstract](#)
192. Scarano A, Degidi M, Perrotti V, et al. Sinus augmentation with phycogene hydroxyapatite: histological and histomorphometrical results after 6 months in humans. A case series. *Oral Maxillofac Surg* 2012;16(1):41-5. [Abstract](#)
193. Schicho K, Kastner J, Klingsberger R, et al. Surface area analysis of dental implants using micro-computed tomography. *Clin Oral Implants Res* 2007;18(4):459-64. [Abstract](#)
194. Schmage P, Thielemann J, Nergiz I, et al. Effects of 10 cleaning instruments on four different implant surfaces. *Int J Oral Maxillofac Implants* 2012;27(2):308-17. [Abstract](#)
195. Schwarz F, Sahm N, Iglhaut G, et al. Impact of the method of surface debridement and decontamination on the clinical outcome following combined surgical therapy of peri-implantitis: a randomized controlled clinical study. *J Clin Periodontol* 2011;38(3):276-84. [Abstract](#)
196. Schwarz F, John G, Mainusch S, et al. Combined surgical therapy of peri-implantitis evaluating two methods of surface debridement and decontamination. A two-year clinical follow up report. *J Clin Periodontol* 2012;39(8):789-97. [Abstract](#)

197. Schwarz F, Hegewald A, John G, et al. Four-year follow-up of combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination. *J Clin Periodontol* 2013;40(10):962-7. [Abstract](#)
198. Shabanpour R, Mousavi N, Ghodsi S, et al. Comparative evaluation of fracture resistance and mode of failure of zirconia and titanium abutments with different diameters. *J Contemp Dent Pract* 2015;16(8):613-8. [Abstract](#)
199. Sivoilella S, Brunello G, Berengo M, et al. Rehabilitation with implants after bone lid surgery in the posterior mandible. *J Oral Maxillofac Surg* 2015;73(8):1485-92. [Abstract](#)
200. Stadlinger B, Pilling E, Mai R, et al. Effect of biological implant surface coatings on bone formation, applying collagen, proteoglycans, glycosaminoglycans and growth factors. *J Mater Sci Mater Med* 2008;19(3):1043-9. [Abstract](#)
201. Stadlinger B, Bierbaum S, Grimmer S, et al. Increased bone formation around coated implants. *J Clin Periodontol* 2009;36(8):698-704. [Abstract](#)
202. Stadlinger B, Hintze V, Bierbaum S, et al. Biological functionalization of dental implants with collagen and glycosaminoglycans—A comparative study. *J Biomed Mater Res B* 2012;100B(2):331-41. [Abstract](#)
203. Starr CB, Maksoud MA. Implant treatment in an urban general dentistry residency program: a 7-year retrospective study. *J Oral Implantol* 2006;32(3):142-7. [Abstract](#)
204. Stern JK, Hansen T, Frankel J, et al. Implant-supported fixed prosthesis in a hypohidrotic ectodermal dysplasia patient: a case report with 3 years follow-up and review of the literature. *Implant Dent* 2014;23(4):394-400. [Abstract](#)
205. Streckbein P, Streckbein RG, Wilbrand JF, et al. Non-linear 3D evaluation of different oral implant-abutment connections. *J Dent Res* 2012;91(12):1184-9. [Abstract](#)
206. Streckbein P, Kleis W, Buch RS, et al. Bone healing with or without platelet-rich plasma around four different dental implant surfaces in beagle dogs. *Clin Implant Dent Relat Res* 2014;16(4):479-86. [Abstract](#)
207. Traini T, Degidi M, Caputi S, et al. Collagen fiber orientation in human peri-implant bone around immediately loaded and unloaded titanium dental implants. *J Periodontol* 2005;76(1):83-9. [Abstract](#)
208. Traini T, Degidi M, Strocchi R, et al. Collagen fiber orientation near dental implants in human bone: do their organization reflect differences in loading? *J Biomed Mater Res B* 2005;74(1):538-46. [Abstract](#)
209. Traini T, Degidi M, Iezzi G, et al. Comparative evaluation of the peri-implant bone tissue mineral density around unloaded titanium dental implants. *J Dent* 2007;35(1):84-92. [Abstract](#)
210. Traini T, Neugebauer J, Thams U, et al. Peri-implant bone organization under immediate loading conditions: collagen fiber orientation and mineral density analyses in the minipig model. *Clin Implant Dent Relat Res* 2009;11(1):41-51. [Abstract](#)
211. Traini T, Caputi S, Gherlone E, et al. Fibrin clot extension on zirconia surface for dental implants: a quantitative in vitro study. *Clin Implant Dent Relat Res* 2014;16(5):718-27. [Abstract](#)
212. Tunkel J, de Stavola L, Khoury F. Changes in soft tissue dimensions following three different techniques of stage-two surgery: a case series report. *Int J Periodontics Restorative Dent* 2013;33(4):411-8. [Abstract](#)
213. Turk AG, Ulusoy M, Toksavul S, et al. Marginal bone loss of two implant systems with three different superstructure materials: a randomised clinical trial. *J Oral Rehabil* 2013;40(6):457-63. [Abstract](#)
214. Ugurel CS, Steiner M, Isik-Ozkol G, et al. Mechanical resistance of screwless Morse taper and screw-retained implant-abutment connections. *Clin Oral Implants Res* 2015;26(2):137-42. [Abstract](#)

215. Viswambaran M, Arora V, Tripathi RC, et al. Clinical evaluation of immediate implants using different types of bone augmentation materials. *Med J Armed Forces India* 2014;70(2):154-62. [Abstract](#)
216. Viswambaran M, Thiruvalluvan N. Prosthodontic rehabilitation protocols for immediate implants. *Med J Armed Forces India* 2015;71(Suppl 2):S440-3. [Abstract](#)
217. Vogl S, Stopper M, Hof M, et al. Immediate occlusal versus non-occlusal loading of implants: A randomized clinical pilot study. *Clin Implant Dent Relat Res* 2015;17(3):589-97. [Abstract](#)
218. Weibrich G, Kleis W, Buch RS, et al. Bone remodeling around dental implant surfaces. *Z Zahnärztl Impl* 2009;25(3):238-49.
219. Wildburger A, Payer M, Jakse N, et al. Impact of autogenous concentrated bone marrow aspirate on bone regeneration after sinus floor augmentation with a bovine bone substitute--a split-mouth pilot study. *Clin Oral Implants Res* 2014;25(10):1175-81. [Abstract](#)
220. Wostmann B, Rehmann P, Balkenhol M. Influence of impression technique and material on the accuracy of multiple implant impressions. *Int J Prosthodont* 2008;21(4):299-301. [Abstract](#)
221. Yerit KC, Posch M, Seemann M, et al. Implant survival in mandibles of irradiated oral cancer patients. *Clin Oral Implants Res* 2006;17(3):337-44. [Abstract](#)
222. Yeung R. Surgical management of the partially edentulous atrophic mandibular ridge using a modified sandwich osteotomy: a case report. *Int J Oral Maxillofac Implants* 2005;20(5):799-803. [Abstract](#)
223. Zaghoul HH, Younis JF. Marginal fit of implant-supported all-ceramic zirconia frameworks. *J Oral Implantol* 2013;39(4):417-24. [Abstract](#)
224. Zeytinoglu M, Ilhan B, Dundar N, et al. Fractal analysis for the assessment of trabecular peri-implant alveolar bone using panoramic radiographs. *Clin Oral Investig* 2015;19(2):519-24. [Abstract](#)
225. Zipprich H, Weigl P, Lauer H-C, et al. Micro-movements at the implant-abutment interface: measurements, causes and consequences. *Implantologie* 2007;15:31-45.
226. Zipprich H, Miatke S, Hmaidouch R, et al. A new experimental design for bacterial microleakage investigation at the implant-abutment interface: an in vitro study. *Int J Oral Maxillofac Implants* 2016;31(1):37-44. [Abstract](#)

Frialit

1. Abels N, Schiel HJ, Hery-Langer G, et al. Bone condensing in the placement of endosteal palatal implants: a case report. *Int J Oral Maxillofac Implants* 1999;14(6):849-52. [Abstract](#)
2. Alcan T, Basa S, KargÜL B. Growth analysis of a patient with ectodermal dysplasia treated with endosseous implants: 6-year follow-up. *J Oral Rehabil* 2006;33(3):175-82. [Abstract](#)
3. Al-Ghafli SA, Michalakis KX, Hirayama H, et al. The in vitro effect of different implant angulations and cyclic dislodgement on the retentive properties of an overdenture attachment system. *J Prosthet Dent* 2009;102(3):140-7. [Abstract](#)
4. Anneroth G, Ericsson AR, Zetterqvist L. Tissue integration of A12O3-ceramic dental implants (Frialit)--a case report. *Swed Dent J* 1990;14(2):63-70. [Abstract](#)
5. Antalainen AK, Helminen M, Forss H, et al. Assessment of removed dental implants in Finland from 1994 to 2012. *Int J Oral Maxillofac Implants* 2013;28(6):1612-8. [Abstract](#)
6. Aral A, Yalcin S, Karabuda ZC, et al. Injectable calcium phosphate cement as a graft material for maxillary sinus augmentation: an experimental pilot study. *Clin Oral Implants Res* 2008;19(6):612-7. [Abstract](#)

7. Arisan V, Ozdemir T, Anil A, et al. Injectable calcium phosphate cement as a bone-graft material around peri-implant dehiscence defects: a dog study. *Int J Oral Maxillofac Implants* 2008;23(6):1053-62. [Abstract](#)
8. Arisan V, Anil A, Wolke JG, et al. The effect of injectable calcium phosphate cement on bone anchorage of titanium implants: an experimental feasibility study in dogs. *Int J Oral Maxillofac Surg* 2010;39(5):463-8. [Abstract](#)
9. Blum IR, McCord JF. A clinical investigation of the morphological changes in the posterior mandible when implant-retained overdentures are used. *Clin Oral Implants Res* 2004;15(6):700-08. [Abstract](#)
10. Bruschi GB, Scipioni A, Calesini G, et al. Localized management of sinus floor with simultaneous implant placement: a clinical report. *Int J Oral Maxillofac Implants* 1998;13(2):219-26. [Abstract](#)
11. Bruschi GB, Crespi R, Cappare P, et al. Transcrestal sinus floor elevation: a retrospective study of 46 patients up to 16 years. *Clin Implant Dent Relat Res* 2012;14(5):759-67. [Abstract](#)
12. Bruschi GB, Crespi R, Cappare P, et al. Localized management of sinus floor technique for implant placement in fresh molar sockets. *Clin Implant Dent Relat Res* 2013;15(2):243-50. [Abstract](#)
13. Bruschi GB, Crespi R, Cappare P, et al. Radiographic evaluation of crestal bone levels of delayed implants at medium-term follow-up. *Int J Oral Maxillofac Implants* 2014;29(2):441-7. [Abstract](#)
14. Buchmann R, Khoury F, Faust C, et al. Peri-implant conditions in periodontally compromised patients following maxillary sinus augmentation. A long-term post-therapy trial. *Clin Oral Implants Res* 1999;10(2):103-10. [Abstract](#)
15. Buchmann R, Khoury F, Pingel D, et al. The microflora recovered from the outer-surfaces of the Frialit-2 implanto-prosthetic connector. *Clin Oral Implants Res* 2003;14(1):28-34. [Abstract](#)
16. Carinci F, Brunelli G, Franco M, et al. A retrospective study on 287 implants installed in resorbed maxillae grafted with fresh frozen allogeneous bone. *Clin Implant Dent Relat Res* 2010;12(2):91-98. [Abstract](#)
17. Chiapasco M, Brusati R, Ronchi P. Le Fort I osteotomy with interpositional bone grafts and delayed oral implants for the rehabilitation of extremely atrophied maxillae: a 1–9-year clinical follow-up study on humans. *Clin Oral Implants Res* 2007;18(1):74-85. [Abstract](#)
18. Créton M, Cune M, Verhoeven W, et al. Implant treatment in patients with severe hypodontia: A retrospective evaluation. *J Oral Maxillofac Surg* 2010;68(3):530-38. [Abstract](#)
19. Cune MS, Meijer GJ, Koole R. Anterior tooth replacement with implants in grafted alveolar cleft sites: a case series (Zahnersatz im Frontzahnbereich mit Implantaten in regenerierten alveolären Spaltregionen: eine Serie von Fallberichten). *Clin Oral Implants Res* 2004;15(5):616-24. [Abstract](#)
20. Cune M, Burgers M, van Kampen F, et al. Mandibular overdentures retained by two implants: 10-year results from a crossover clinical trial comparing ball-socket and bar-clip attachments. *Int J Prosthodont* 2010;23(4):310-7. [Abstract](#)
21. de Almeida FD, Carvalho AC, Fontes M, et al. Radiographic evaluation of marginal bone level around internal-hex implants with switched platform: a clinical case report series. *Int J Oral Maxillofac Implants* 2011;26(3):587-92. [Abstract](#)
22. De Wijs FL, Van Dongen RC, De Lange GL, et al. Front tooth replacement with Tubingen (Frialit) implants. *J Oral Rehabil* 1994;21(1):11-26. [Abstract](#)
23. De Wijs FL, De Putter C, Cune MS. Front tooth replacement with Tubingen (Frialit) implants: a radiographical evaluation. *J Oral Rehabil* 1996;23(2):97-100. [Abstract](#)

24. de Wijs FL, Cune MS. Immediate labial contour restoration for improved esthetics: a radiographic study on bone splitting in anterior single-tooth replacement. *Int J Oral Maxillofac Implants* 1997;12(5):686-96. [Abstract](#)
25. Degidi M, Piattelli A. Immediate functional and non-functional loading of dental implants: a 2- to 60-month follow-up study of 646 titanium implants. *J Periodontol* 2003;74(2):225-41. [Abstract](#)
26. Degidi M, Scarano A, Petrone G, et al. Histologic analysis of clinically retrieved immediately loaded titanium implants: a report of 11 cases. *Clin Implant Dent Relat Res* 2003;5(2):89-93. [Abstract](#)
27. Degidi M, Pieri F, Marchetti C, et al. Immediate loading of dental implants placed in distracted bone: a case report. *Int J Oral Maxillofac Implants* 2004;19(3):448-54. [Abstract](#)
28. Degidi M, Piattelli A, Felice P, et al. Immediate functional loading of edentulous maxilla: a 5-year retrospective study of 388 titanium implants. *J Periodontol* 2005;76(6):1016-24. [Abstract](#)
29. Degidi M, Piattelli A. 7-year follow-up of 93 immediately loaded titanium dental implants. *J Oral Implantol* 2005;31(1):25-31. [Abstract](#)
30. Degidi M, Piattelli A, Gehrke P, et al. Five-year outcome of 111 immediate nonfunctional single restorations. *J Oral Implantol* 2006;32(6):277-85. [Abstract](#)
31. Degidi M, Piattelli A, Gehrke P, et al. Clinical outcome of 802 immediately loaded 2-stage submerged implants with a new grit-blasted and acid-etched surface: 12-month follow-up. *Int J Oral Maxillofac Implants* 2006;21(5):763-8. [Abstract](#)
32. Degidi M, Gehrke P, Spanel A, et al. Syncrystallization: a technique for temporization of immediately loaded implants with metal-reinforced acrylic resin restorations. *Clin Implant Dent Relat Res* 2006;8(3):123-34. [Abstract](#)
33. Degidi M, Piattelli A, Iezzi G, et al. Retrospective study of 200 immediately loaded implants retaining 50 mandibular overdentures. *Quintessence Int* 2007;38(4):281-8. [Abstract](#)
34. Degidi M, Piattelli A, Iezzi G, et al. Immediately loaded short implants: analysis of a case series of 133 implants. *Quintessence Int* 2007;38(3):193-201. [Abstract](#)
35. Degidi M, Piattelli A, Iezzi G, et al. Wide-diameter implants: analysis of clinical outcome of 304 fixtures. *J Periodontol* 2007;78(1):52-8. [Abstract](#)
36. Degidi M, Piattelli A, Iezzi G, et al. Do longer implants improve clinical outcome in immediate loading? *Int J Oral Maxillofac Surg* 2007;36(12):1172-6. [Abstract](#)
37. Degidi M, Piattelli A, Carinci F. Immediate loaded dental implants: comparison between fixtures inserted in postextractive and healed bone sites. *J Craniofac Surg* 2007;18(4):965-71. [Abstract](#)
38. Degidi M, Piattelli A, Carinci F. Clinical outcome of narrow diameter implants: a retrospective study of 510 implants. *J Periodontol* 2008;79(1):49-54. [Abstract](#)
39. Deppe H, Horch HH, Henke J, et al. Per-implant care of ailing implants with the carbon dioxide laser. *Int J Oral Maxillofac Implants* 2001;16(5):659-67. [Abstract](#)
40. Deppe H, Wagenpfeil S, Donath K. Comparative value of attachment measurements in implant dentistry. *Int J Oral Maxillofac Implants* 2004;19(2):208-15. [Abstract](#)
41. Deppe H, Warmuth S, Heinrich A, et al. Laser-assisted three-dimensional surface modifications of titanium implants: preliminary data. *Lasers Med Sci* 2005;19(4):229-33. [Abstract](#)
42. d'Hoedt B, Schulte W. A comparative study of results with various endosseous implant systems. *Int J Oral Maxillofac Implants* 1989;4(2):95-105. [Abstract](#)
43. Dinh A, Sheets CG, Earthman JC. Analysis of percussion response of dental implants: an in vitro study. *Mater Sci Eng C Mater Biol Appl* 2013;33(5):2657-63. [Abstract](#)

44. Dortbudak O, Haas R, Mailath-Pokorny G. Effect of low-power laser irradiation on bony implant sites. *Clin Oral Implants Res* 2002;13(3):288-92. [Abstract](#)
45. Eickholz P, Grotkamp FL, Steveling H, et al. Reproducibility of peri-implant probing using a force-controlled probe. *Clin Oral Implants Res* 2001;12(2):153-8. [Abstract](#)
46. Engel E, Gomez-Roman G, Axmann-Krcmar D. Effect of occlusal wear on bone loss and Periotest value of dental implants. *Int J Prosthodont* 2001;14(5):444-50. [Abstract](#)
47. Engelke W, Schwarzwallner W, Behnsen A, et al. Subantrosopic laterobasal sinus floor augmentation (SALSA): an up-to-5-year clinical study. *Int J Oral Maxillofac Implants* 2003;18(1):135-43. [Abstract](#)
48. Frisch E, Ziebolz D, Rinke S. Long-term results of implant-supported over-dentures retained by double crowns: a practice-based retrospective study after minimally 10 years follow-up. *Clin Oral Implants Res* 2013;24(12):1281-7. [Abstract](#)
49. Froum SJ, Froum SH, Rosen PS. Successful management of peri-implantitis with a regenerative approach: a consecutive series of 51 treated implants with 3- to 7.5-year follow-up. *Int J Periodontics Restorative Dent* 2012;32(1):11-20. [Abstract](#)
50. Fu PS, Wu YM, Wang JC, et al. Surgical management of severe peri-implantitis in the esthetic zone: A case report with a 6-year follow-up. *J Oral Implantol* 2016;42(1):86-92. [Abstract](#)
51. Ganeles J, Rosenberg MM, Holt RL, et al. Immediate loading of implants with fixed restorations in the completely edentulous mandible: report of 27 patients from a private practice. *Int J Oral Maxillofac Implants* 2001;16(3):418-26. [Abstract](#)
52. Garber DA, Salama MA, Salama H. Immediate total tooth replacement. *Compend Contin Educ Dent* 2001;22(3):210-6, 18. [Abstract](#)
53. Garlini G, Redemagni M, Donini M, et al. Maxillary sinus elevation with an alloplastic material and implants: 11 years of clinical and radiologic follow-up. *J Oral Maxillofac Surg* 2010;68(5):1152-7. [Abstract](#)
54. Gehrke P, Jansen R, Dhom G, et al. Prospective study of the Friadent plus implant surface: two-year clinical experience. *Z Zahnärztl Impl* 2006;22(1):29-34.
55. Gomez-Roman G, Schulte W, d'Hoedt B, et al. The Frialit-2 implant system: five-year clinical experience in single-tooth and immediately postextraction applications. *Int J Oral Maxillofac Implants* 1997;12(3):299-309. [Abstract](#)
56. Gomez-Roman G, Lukas D, Beniashvili R, et al. Area-dependent enlargement ratios of panoramic tomography on orthograde patient positioning and its significance for implant dentistry. *Int J Oral Maxillofac Implants* 1999;14(2):248-57. [Abstract](#)
57. Gomez-Roman G, Kruppenbacher M, Weber H, et al. Immediate postextraction implant placement with root-analog stepped implants: surgical procedure and statistical outcome after 6 years. *Int J Oral Maxillofac Implants* 2001;16(4):503-13. [Abstract](#)
58. Gomez-Roman G, Lukas D. Influence of the implant abutment on the periotest value: an in vivo study. *Quintessence Int* 2001;32(10):797-9. [Abstract](#)
59. Heitz-Mayfield LJA, Salvi GE, Mombelli A, et al. Anti-infective surgical therapy of peri-implantitis. A 12-month prospective clinical study. *Clin Oral Implants Res* 2012;23(2):205-10. [Abstract](#)
60. Herr G, Wahl D, Kusswetter W. Osteogenic activity of bone morphogenetic protein and hydroxyapatite composite implants. *Ann Chir Gynaecol Suppl* 1993;207:99-107. [Abstract](#)
61. Iezzi G, Degidi M, Scarano A, et al. Bone response to submerged, unloaded implants inserted in poor bone sites: a histological and histomorphometrical study of 8 titanium implants retrieved from man. *J Oral Implantol* 2005;31(5):225-33. [Abstract](#)

62. Jakse N, Payer M, Tangl S, et al. Influence of low-level laser treatment on bone regeneration and osseointegration of dental implants following sinus augmentation: An experimental study on sheep. *Clin Oral Implants Res* 2007;18(4):517-24. [Abstract](#)
63. Janda R, Roulet JF, Wulf M, et al. A new adhesive technology for all-ceramics. *Dent Mater* 2003;19(6):567-73. [Abstract](#)
64. Jansen VK, Conrads G, Richter EJ. Microbial leakage and marginal fit of the implant-abutment interface. *Int J Oral Maxillofac Implants* 1997;12(4):527-40. [Abstract](#)
65. Kamburoglu K, Gulsahi A, Genc Y, et al. A comparison of peripheral marginal bone loss at dental implants measured with conventional intraoral film and digitized radiographs. *J Oral Implantol* 2012;38(3):211-9. [Abstract](#)
66. Karabuda C, Yaltirik M, Bayraktar M. A clinical comparison of prosthetic complications of implant-supported overdentures with different attachment systems. *Implant Dent* 2008;17(1):74-81. [Abstract](#)
67. Khoury F. Augmentation of the sinus floor with mandibular bone block and simultaneous implantation: a 6-year clinical investigation. *Int J Oral Maxillofac Implants* 1999;14(4):557-64. [Abstract](#)
68. Kirmeier R, Payer M, Wehrschuetz M, et al. Evaluation of three-dimensional changes after sinus floor augmentation with different grafting materials. *Clin Oral Implants Res* 2008;19(4):366-72. [Abstract](#)
69. Koike H, Kawahara D, Kawahara H. Clinical characterization of several bone grafting materials as a dental implant supporting tissue. *Adv Sci Techn* 2006;49:300-05.
70. Koke U, Wolf A, Lenz P, et al. In vitro investigation of marginal accuracy of implant-supported screw-retained partial dentures. *J Oral Rehabil* 2004;31(5):477-82. [Abstract](#)
71. Kondell PA, Soder PO, Landt H, et al. Gingival fluid and tissues around successful titanium and ceramic implants. A comparative clinical, laboratory, and morphologic study. *Acta Odontol Scand* 1991;49(3):169-73. [Abstract](#)
72. Kosinski T. Single tooth-by-tooth crowns over Frialit-2 implants. *J Oral Implantol* 2000;26(1):20-7; discussion 28. [Abstract](#)
73. Kourtis S, Psarri C, Andritsakis P, et al. Provisional restorations for optimizing esthetics in anterior maxillary implants: A case report. *J Esthet Restor Dent* 2007;19(1):6-17. [Abstract](#)
74. Kreisler M, Al Haj H, Gotz H, et al. Effect of simulated CO₂ and GaAlAs laser surface decontamination on temperature changes in Ti-plasma sprayed dental implants. *Lasers Surg Med* 2002;30(3):233-9. [Abstract](#)
75. Kreisler M, Al Haj H, D'Hoedt B. Temperature changes induced by 809-nm GaAlAs laser at the implant-bone interface during simulated surface decontamination. *Clin Oral Implants Res* 2003;14(1):91-96. [Abstract](#)
76. Kreisler M, Kohnen W, Christoffers A-B, et al. In vitro evaluation of the biocompatibility of contaminated implant surfaces treated with an Er : YAG laser and an air powder system. *Clin Oral Implants Res* 2005;16(1):36-43. [Abstract](#)
77. Krennmair G, Ulm C. The symphyseal single-tooth implant for anchorage of a mandibular complete denture in geriatric patients: a clinical report. *Int J Oral Maxillofac Implants* 2001;16(1):98-104. [Abstract](#)
78. Krennmair G, Schmidinger S, Waldenberger O. Single-tooth replacement with the Frialit-2 system: a retrospective clinical analysis of 146 implants. *Int J Oral Maxillofac Implants* 2002;17(1):78-85. [Abstract](#)

79. Krennmair G, Piehslinger E, Wagner H. Status of teeth adjacent to single-tooth implants. *Int J Prosthodont* 2003;16(5):524-8. [Abstract](#)
80. Krennmair G, Waldenberger O. Clinical analysis of wide-diameter frialit-2 implants. *Int J Oral Maxillofac Implants* 2004;19(5):710-5. [Abstract](#)
81. Krennmair G, Krainhofner M, Waldenberger O, et al. Dental implants as strategic supplementary abutments for implant-tooth-supported telescopic crown-retained maxillary dentures: a retrospective follow-up study for up to 9 years. *Int J Prosthodont* 2007;20(6):617-22. [Abstract](#)
82. Krennmair G, Krainhofner M, Piehslinger E. Implant-supported maxillary overdentures retained with milled bars: maxillary anterior versus maxillary posterior concept--a retrospective study. *Int J Oral Maxillofac Implants* 2008;23(2):343-52. [Abstract](#)
83. Kunkel M, Wahlmann U, Reichert TE, et al. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. *Clin Oral Implants Res* 2005;16(1):89-97. [Abstract](#)
84. Lachmann S, Jager B, Axmann D, et al. Resonance frequency analysis and damping capacity assessment. Part I: an in vitro study on measurement reliability and a method of comparison in the determination of primary dental implant stability. *Clin Oral Implants Res* 2006;17(1):75-9. [Abstract](#)
85. Lachmann S, Laval JY, Jager B, et al. Resonance frequency analysis and damping capacity assessment. Part 2: peri-implant bone loss follow-up. An in vitro study with the Periotest and Osstell instruments. *Clin Oral Implants Res* 2006;17(1):80-4. [Abstract](#)
86. Lachmann S, Kimmerle-Muller E, Axmann D, et al. Reliability of findings around healthy implants in association with oral hygiene measures: a clinical, microbiological, and immunological follow-up in edentulous patients. *Clin Oral Implants Res* 2007;18(6):686-98. [Abstract](#)
87. Lachmann S, Kimmerle-Muller E, Gehring K, et al. A comparison of implant-supported, bar- or ball-retained mandibular overdentures: a retrospective clinical, microbiologic, and immunologic study of 10 edentulous patients attending a recall visit. *Int J Prosthodont* 2007;20(1):37-42. [Abstract](#)
88. Lachmann S, Kimmerle-Müller E, Axmann D, et al. Associations between peri-implant crevicular fluid volume, concentrations of crevicular inflammatory mediators, and composite IL-1A –889 and IL-1B +3954 genotype: A cross-sectional study on implant recall patients with and without clinical signs of peri-implantitis. *Clin Oral Implants Res* 2007;18(2):212-23. [Abstract](#)
89. Lachmann S, Stehberger A, Axmann D, et al. The peri-implant health in patients attending an annual recall program. A clinical and microbiological study in 74 patients from the Tübingen Implant Registry. *Clin Oral Implants Res* 2013;24(12):1300-9. [Abstract](#)
90. Lambrecht JT, Cardone E, Kuhl S. Status report on dental implantology in Switzerland in 2006. A cross-sectional survey. *Eur J Oral Implantol* 2010;3(1):71-4. [Abstract](#)
91. Lee YJ, Heo SJ, Koak JY, et al. Accuracy of different impression techniques for internal-connection implants. *Int J Oral Maxillofac Implants* 2009;24(5):823-30. [Abstract](#)
92. Lin CL, Wang JC. Nonlinear finite element analysis of a splinted implant with various connectors and occlusal forces. *Int J Oral Maxillofac Implants* 2003;18(3):331-40. [Abstract](#)
93. Lin CL, Chang SH, Wang JC. Finite element analysis of biomechanical interactions of a tooth-implant splinting system for various bone qualities. *Chang Gung Med J* 2006;29(2):143-53. [Abstract](#)
94. Lin CL, Chang SH, Wang JC, et al. Mechanical interactions of an implant/tooth-supported system under different periodontal supports and number of splinted teeth with rigid and non-rigid connections. *J Dent* 2006;34(9):682-91. [Abstract](#)

95. Lin CL, Wang JC, Kuo YC. Numerical simulation on the biomechanical interactions of tooth/implant-supported system under various occlusal forces with rigid/non-rigid connections. *J Biomech* 2006;39(3):453-63. [Abstract](#)
96. Lin C-L, Chang S-H, Chang W-J, et al. Factorial analysis of variables influencing mechanical characteristics of a single tooth implant placed in the maxilla using finite element analysis and the statistics-based Taguchi method. *European Journal of Oral Sciences* 2007;115(5):408-16. [Abstract](#)
97. Lin CL, Wang JC, Chang WJ. Biomechanical interactions in tooth-implant-supported fixed partial dentures with variations in the number of splinted teeth and connector type: a finite element analysis. *Clin Oral Implants Res* 2008;19(1):107-17. [Abstract](#)
98. Lin CL, Wang JC, Ramp LC, et al. Biomechanical response of implant systems placed in the maxillary posterior region under various conditions of angulation, bone density, and loading. *Int J Oral Maxillofac Implants* 2008;23(1):57-64. [Abstract](#)
99. Lindeboom JA, Tjiook Y, Kroon FH. Immediate placement of implants in periapical infected sites: a prospective randomized study in 50 patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2006;101(6):705-10. [Abstract](#)
100. Lorenzoni M, Pertl C, Polansky R, et al. Guided bone regeneration with barrier membranes--a clinical and radiographic follow-up study after 24 months. *Clin Oral Implants Res* 1999;10(1):16-23. [Abstract](#)
101. Lorenzoni M, Pertl C, Penkner K, et al. Comparison of the transfer precision of three different impression materials in combination with transfer caps for the Frialit-2 system. *J Oral Rehabil* 2000;27(7):629-38. [Abstract](#)
102. Lorenzoni M, Pertl C, Wegscheider W, et al. Retrospective analysis of Frialit-2 implants in the augmented sinus. *Int J Periodontics Restorative Dent* 2000;20(3):255-67. [Abstract](#)
103. Lorenzoni M, Pertl C, Polansky RA, et al. Evaluation of implants placed with barrier membranes. *Clin Oral Implants Res* 2002;13(3):274-80. [Abstract](#)
104. Lorenzoni M, Pertl C, Zhang K, et al. In-patient comparison of immediately loaded and non-loaded implants within 6 months. *Clin Oral Implants Res* 2003;14(3):273-9. [Abstract](#)
105. Lorenzoni M, Pertl C, Zhang K, et al. Immediate loading of single-tooth implants in the anterior maxilla. Preliminary results after one year. *Clin Oral Implants Res* 2003;14(2):180-7. [Abstract](#)
106. Maiorana C, Redemagni M, Rabagliati M, et al. Treatment of maxillary ridge resorption by sinus augmentation with iliac cancellous bone, anorganic bovine bone, and endosseous implants: a clinical and histologic report. *Int J Oral Maxillofac Implants* 2000;15(6):873-8. [Abstract](#)
107. Maiorana C, Santoro F. Maxillary and mandibular bone reconstruction with hip grafts and implants using Frialit-2 implants. *Int J Periodontics Restorative Dent* 2002;22(3):221-9. [Abstract](#)
108. Maiorana C, Sigurta D, Mirandola A, et al. Sinus elevation with alloplasts or xenogenic materials and implants: an up-to-4-year clinical and radiologic follow-up. *Int J Oral Maxillofac Implants* 2006;21(3):426-32. [Abstract](#)
109. Marcaccini AM, Novaes AB, Jr., Souza SL, et al. Immediate placement of implants into periodontally infected sites in dogs. Part 2: A fluorescence microscopy study. *Int J Oral Maxillofac Implants* 2003;18(6):812-9. [Abstract](#)
110. Marchetti C, Pieri F, Corinaldesi G, et al. A long-term retrospective study of two different implant surfaces placed after reconstruction of the severely resorbed maxilla using Le Fort I osteotomy and interpositional bone grafting. *Int J Oral Maxillofac Implants* 2008;23(5):911-8. [Abstract](#)
111. Marrone A, Lasserre J, Bercy P, et al. Prevalence and risk factors for peri-implant disease in Belgian adults. *Clin Oral Implants Res* 2013;24(8):934-40. [Abstract](#)

112. Meyle J, Gersok G, Boedeker RH, et al. Long-term analysis of osseointegrated implants in non-smoker patients with a previous history of periodontitis. *J Clin Periodontol* 2014;41(5):504-12. [Abstract](#)
113. Moheng P, Feryn JM. Clinical and biologic factors related to oral implant failure: a 2-year follow-up study. *Implant Dent* 2005;14(3):281-8. [Abstract](#)
114. Nergiz I, Arpak N, Bostanci H, et al. Stability of loaded and unloaded implants with different surfaces. *Int J Oral Maxillofac Implants* 2009;24(2):289-98. [Abstract](#)
115. Nisapakultorn K, Suphanantachat S, Silkosessak O, et al. Factors affecting soft tissue level around anterior maxillary single-tooth implants. *Clin Oral Implants Res* 2010;21(6):662-70. [Abstract](#)
116. Nkenke E, Kloss F, Wiltfang J, et al. Histomorphometric and fluorescence microscopic analysis of bone remodelling after installation of implants using an osteotome technique. *Clin Oral Implants Res* 2002;13(6):595-602. [Abstract](#)
117. Nkenke E, Schlegel A, Schultze-Mosgau S, et al. The endoscopically controlled osteotome sinus floor elevation: a preliminary prospective study. *Int J Oral Maxillofac Implants* 2002;17(4):557-66. [Abstract](#)
118. Nkenke E, Hahn M, Weinzierl K, et al. Implant stability and histomorphometry: a correlation study in human cadavers using stepped cylinder implants. *Clin Oral Implants Res* 2003;14(5):601-9. [Abstract](#)
119. Nkenke E, Fenner M. Indications for immediate loading of implants and implant success. *Clin Oral Implants Res* 2006;17 Suppl 2:19-34. [Abstract](#)
120. Noack N, Willer J, Hoffmann J. Long-term results after placement of dental implants: longitudinal study of 1,964 implants over 16 years. *Int J Oral Maxillofac Implants* 1999;14(5):748-55. [Abstract](#)
121. Nocini PF, Massimo A, Editta BdP, et al. Vertical distraction osteogenesis of the mandible applied to an iliac crest graft: report of a case. *Clin Oral Implants Res* 2004;15(3):366-70. [Abstract](#)
122. Novaes AB, Jr., Papalexiou V, Luczyszyn SM, et al. Immediate implant in extraction socket with acellular dermal matrix graft and bioactive glass: a case report. *Implant Dent* 2002;11(4):343-8. [Abstract](#)
123. Novaes AB, Jr., Marcaccini AM, Souza SL, et al. Immediate placement of implants into periodontally infected sites in dogs: a histomorphometric study of bone-implant contact. *Int J Oral Maxillofac Implants* 2003;18(3):391-8. [Abstract](#)
124. Novaes AB, Jr., Papalexiou V, Grisi MF, et al. Influence of implant microstructure on the osseointegration of immediate implants placed in periodontally infected sites. A histomorphometric study in dogs. *Clin Oral Implants Res* 2004;15(1):34-43. [Abstract](#)
125. Novaes AB, Jr., Papalexiou V, Muglia V, et al. Influence of interimplant distance on gingival papilla formation and bone resorption: clinical-radiographic study in dogs. *Int J Oral Maxillofac Implants* 2006;21(1):45-51. [Abstract](#)
126. Ostman PO. Immediate/early loading of dental implants. Clinical documentation and presentation of a treatment concept. *Periodontol* 2000 2008;47:90-112. [Abstract](#)
127. Ottoni JM, Oliveira ZF, Mansini R, et al. Correlation between placement torque and survival of single-tooth implants. *Int J Oral Maxillofac Implants* 2005;20(5):769-76. [Abstract](#)
128. Özcelik T, Ersoy E, Yilmaz B. Biomechanical evaluation of tooth- and implant-supported fixed dental prostheses with various nonrigid connector positions: A finite element analysis. *J Prosthodont* 2011;20(1):16-28. [Abstract](#)
129. Ozkan Y, Ozcan M, Akoglu B, et al. Three-year treatment outcomes with three brands of implants placed in the posterior maxilla and mandible of partially edentulous patients. *J Prosthet Dent* 2007;97(2):78-84. [Abstract](#)

130. Ozkan Y, Akoglu B, Kulak-Ozkan Y. Five-year treatment outcomes with four types of implants in the posterior maxilla and mandible in partially edentulous patients: A retrospective study. *Int J Oral Maxillofac Implants* 2011;26(3):639-47. [Abstract](#)
131. Ozkir SE, Terzioglu H. Macro design effects on stress distribution around implants: A photoelastic stress analysis. *Indian J Dent Res* 2012;23(5):603-7. [Abstract](#)
132. Papalexiou V, Novaes AB, Jr., Grisi MF, et al. Influence of implant microstructure on the dynamics of bone healing around immediate implants placed into periodontally infected sites. A confocal laser scanning microscopic study. *Clin Oral Implants Res* 2004;15(1):44-53. [Abstract](#)
133. Papalexiou V, Novaes AB, Jr., Ribeiro RF, et al. Influence of the interimplant distance on crestal bone resorption and bone density: a histomorphometric study in dogs. *J Periodontol* 2006;77(4):614-21. [Abstract](#)
134. Patil RC, Kanchan S, Ramanathan K. Immediate implant placement in conjunction with a DFDBA graft and resorbable membrane: A 1-10 year retrospective clinical study. *J Indian Prosthodont Soc* 2005;5(4):203-07. [Abstract](#)
135. Payer M, Kirmeier R, Jakse N, et al. Surgical factors influencing mesiodistal implant angulation. *Clin Oral Implants Res* 2008;19(3):265-70. [Abstract](#)
136. Perry J, Lenchewski E. Clinical performance and 5-year retrospective evaluation of Frialit-2 implants. *Int J Oral Maxillofac Implants* 2004;19(6):887-91. [Abstract](#)
137. Pertl C, Ebeleseder K, Lorenzoni M, et al. Contemporary treatment of the resorbed avulsed tooth: a case report. *International Endodontic Journal* 1999;32(4):332-36. [Abstract](#)
138. Petsos H, Trimpou G, Eickholz P, et al. The influence of professional competence on the inter- and intra-individual esthetic evaluation of implant-supported crowns in the anterior maxilla. *Clin Oral Implants Res* 2016;E-pub Mar 23, doi:10.1111/clr.12819. [Abstract](#)
139. Proff P, Bayerlein T, Rottner K, et al. Effect of bone conditioning on primary stability of FRIALIT-2 implants. *Clin Oral Implants Res* 2008;19(1):42-7. [Abstract](#)
140. Quayle AA, Cawood J, Howell RA, et al. The immediate or delayed replacement of teeth by permucosal intra-osseous implants: the Tübingen implant system. Part 1. Implant design, rationale for use and pre-operative assessment. *Br Dent J* 1989;166(10):365-70. [Abstract](#)
141. Ricci G, Aimetti M, Stablum W, et al. Crestal bone resorption 5 years after implant loading: clinical and radiologic results with a 2-stage implant system. *Int J Oral Maxillofac Implants* 2004;19(4):597-602. [Abstract](#)
142. Rimondini L, Bruschi GB, Scipioni A, et al. Tissue healing in implants immediately placed into postextraction sockets: a pilot study in a mini-pig model. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2005;100(3):e43-50. [Abstract](#)
143. Romanos GE, Testori T, Degidi M, et al. Histologic and histomorphometric findings from retrieved, immediately occlusally loaded implants in humans. *J Periodontol* 2005;76(11):1823-32. [Abstract](#)
144. Rupp F, Scheideler L, Rehbein D, et al. Roughness induced dynamic changes of wettability of acid etched titanium implant modifications. *Biomaterials* 2004;25(7-8):1429-38. [Abstract](#)
145. Sahm N, Becker J, Santel T, et al. Non-surgical treatment of peri-implantitis using an air-abrasive device or mechanical debridement and local application of chlorhexidine: a prospective, randomized, controlled clinical study. *J Clin Periodontol* 2011;38(9):872-78. [Abstract](#)
146. Schicho K, Kastner J, Klingsberger R, et al. Surface area analysis of dental implants using micro-computed tomography. *Clin Oral Implants Res* 2007;18(4):459-64. [Abstract](#)

147. Schlegel KA, Fichtner G, Schultze-Mosgau S, et al. Histologic findings in sinus augmentation with autogenous bone chips versus a bovine bone substitute. *Int J Oral Maxillofac Implants* 2003;18(1):53-8. [Abstract](#)
148. Schmage P, Kahili F, Nergiz I, et al. Cleaning effectiveness of implant prophylaxis instruments. *Int J Oral Maxillofac Implants* 2014;29(2):331-7. [Abstract](#)
149. Schuler R. A relatively low cumulative survival rate (CSR) over 5 years when endosseous tapered dental implants are placed either immediately after tooth removal or according to a delayed-placement protocol. *J Evid Based Dent Pract* 2005;5(3):149-50. [Abstract](#)
150. Schulte W. The intra-osseous Al₂O₃ (Frialit) Tuebingen implant. Developmental status after eight years (I). *Quintessence Int* 1984;15(1):9-26. [Abstract](#)
151. Schulte W. The intra-osseous Al₂O₃ (Frialit) Tuebingen implant. Developmental status after eight years (II). *Quintessence Int* 1984;15(2):147-63. [Abstract](#)
152. Schulte W. The intra-osseous Al₂O₃ (Frialit) Tuebingen implant. Developmental status after eight years (III). *Quintessence Int* 1984;15(3):297-300. [Abstract](#)
153. Schulze RK, d'Hoedt B. Mathematical analysis of projection errors in "paralleling technique" with respect to implant geometry. *Clin Oral Implants Res* 2001;12(4):364-71. [Abstract](#)
154. Schwarz F, Herten M, Sager M, et al. Comparison of naturally occurring and ligature-induced peri-implantitis bone defects in humans and dogs. *Clin Oral Implants Res* 2007;18(2):161-70. [Abstract](#)
155. Shaw RJ, Sutton AF, Cawood JJ, et al. Oral rehabilitation after treatment for head and neck malignancy. *Head Neck* 2005;27(6):459-70. [Abstract](#)
156. Simon RL. Single implant-supported molar and premolar crowns: a ten-year retrospective clinical report. *J Prosthet Dent* 2003;90(6):517-21. [Abstract](#)
157. Simunek A, Cierny M, Kopecka D, et al. The sinus lift with phylogenetic bone substitute. *Clin Oral Implants Res* 2005;16(3):342-48. [Abstract](#)
158. Sonoyama W, Kuboki T, Okamoto S, et al. Quality of life assessment in patients with implant-supported and resin-bonded fixed prosthesis for bounded edentulous spaces. *Clin Oral Implants Res* 2002;13(4):359-64. [Abstract](#)
159. Stadlinger B, Pilling E, Huhle M, et al. Influence of extracellular matrix coatings on implant stability and osseointegration: An animal study. *J Biomed Mater Res B* 2007;83B(1):222-31. [Abstract](#)
160. Stadlinger B, Pilling E, Huhle M, et al. Evaluation of osseointegration of dental implants coated with collagen, chondroitin sulphate and BMP-4: an animal study. *Int J Oral Maxillofac Surg* 2008;37(1):54-9. [Abstract](#)
161. Steinebrunner L, Wolfart S, Bossmann K, et al. In vitro evaluation of bacterial leakage along the implant-abutment interface of different implant systems. *Int J Oral Maxillofac Implants* 2005;20(6):875-81. [Abstract](#)
162. Steinebrunner L, Wolfart S, Ludwig K, et al. Implant-abutment interface design affects fatigue and fracture strength of implants. *Clin Oral Implants Res* 2008;19(12):1276-84. [Abstract](#)
163. Strietzel FP, Nowak M, Kuchler I, et al. Peri-implant alveolar bone loss with respect to bone quality after use of the osteotome technique. *Clin Oral Implants Res* 2002;13(5):508-13. [Abstract](#)
164. Strietzel FP, Lange KP, Svegar M, et al. Retrospective evaluation of the success of oral rehabilitation using the Frialit-2 implant system. Part 1: Influence of topographic and surgical parameters. *Int J Prosthodont* 2004;17(2):187-94. [Abstract](#)

165. Strietzel FP, Rothe S, Reichart PA, et al. Implant-prosthetic treatment in HIV-infected patients receiving highly active antiretroviral therapy: report of cases. *Int J Oral Maxillofac Implants* 2006;21(6):951-6. [Abstract](#)
166. Stuge U, Brodin P, Bjornland T. Masseter muscle reflex evoked by tapping on osseointegrated Frialit implants. *Int J Oral Maxillofac Implants* 1993;8(6):650-4. [Abstract](#)
167. Szmukler-Moncler S, Testori T, Bernard JP. Etched implants: A comparative surface analysis of four implant systems. *J Biomed Mater Res B* 2004;69B(1):46-57. [Abstract](#)
168. Tang Z, Sha Y, Lin Y, et al. Peri-implant mucosal inflammation and bone loss: clinical and radiographic evaluation of 108 dental implants after 1-year loading. *Chin J Dent Res* 2000;3(2):15-20. [Abstract](#)
169. Tetsch J, Tetsch P, Lysek DA. Long-term results after lateral and osteotome technique sinus floor elevation: a retrospective analysis of 2190 implants over a time period of 15 years. *Clin Oral Implants Res* 2010;21(5):497-503. [Abstract](#)
170. Tosun T, Keles A, Erverdi N. Method for the placement of palatal implants. *Int J Oral Maxillofac Implants* 2002;17(1):95-100. [Abstract](#)
171. Traini T, Degidi M, Iezzi G, et al. Comparative evaluation of the peri-implant bone tissue mineral density around unloaded titanium dental implants. *J Dent* 2007;35(1):84-92. [Abstract](#)
172. Traini T, Novaes AB, Jr., Papalexiou V, et al. Influence of interimplant distance on bone microstructure: a histomorphometric study in dogs. *Clin Implant Dent Relat Res* 2008;10(1):1-10. [Abstract](#)
173. Traini T, Novaes AB, Piattelli A, et al. The relationship between interimplant distances and vascularization of the interimplant bone. *Clin Oral Implants Res* 2010;21(8):822-9. [Abstract](#)
174. Van Der Bilt A, Van Kampen FMC, Cune MS. Masticatory function with mandibular implant-supported overdentures fitted with different attachment types. *European Journal of Oral Sciences* 2006;114(3):191-96. [Abstract](#)
175. Van Kampen F, Cune M, Van Der Bilt A, et al. Retention and postinsertion maintenance of bar-clip, ball and magnet attachments in mandibular implant overdenture treatment: an in vivo comparison after 3 months of function. *Clin Oral Implants Res* 2003;14(6):720-26. [Abstract](#)
176. Van Kampen F, Cune M, Van Der Bilt A, et al. The effect of maximum bite force on marginal bone loss in mandibular overdenture treatment: an in vivo study. *Clin Oral Implants Res* 2005;16(5):587-93. [Abstract](#)
177. Vergara JA, Caffesse RG. Preservation of esthetics with implant dentistry: a clinical report. *Clin Implant Dent Relat Res* 2002;4(4):200-11. [Abstract](#)
178. Vergara JA, Caffesse RG. Immediate replacement of single upper posterior teeth: a report of cases. *Clin Implant Dent Relat Res* 2003;5(2):130-6. [Abstract](#)
179. Viscioni A, Franco M, Rigo L, et al. Implants inserted into homografts bearing fixed restorations. *Int J Prosthodont* 2009;22(2):148-54. [Abstract](#)
180. Weber HP, Sukotjo C. Does the type of implant prosthesis affect outcomes in the partially edentulous patient? *Int J Oral Maxillofac Implants* 2007;22 Suppl:140-72. [Abstract](#)
181. Weibrich G, Streckbein P, Krummenauer F, et al. Clinical report with up to 4 years of follow-up on a cervically modified stepped screw-type implant. *Int J Oral Maxillofac Implants* 2006;21(5):795-800. [Abstract](#)
182. Wenz HJ, Hertrampf K. Accuracy of impressions and casts using different implant impression techniques in a multi-implant system with an internal hex connection. *Int J Oral Maxillofac Implants* 2008;23(1):39-47. [Abstract](#)

183. Wheeler S. Use of the Frialit-2 implant system in private practice: a clinical report. *Int J Oral Maxillofac Implants* 2003;18(4):552-5. [Abstract](#)
184. Yan C, Ye L, Zhen J, et al. Neuroplasticity of edentulous patients with implant-supported full dentures. *European Journal of Oral Sciences* 2008;116(5):387-93. [Abstract](#)
185. Yerit KC, Posch M, Hainich S, et al. Long-term implant survival in the grafted maxilla: results of a 12-year retrospective study
- Die Langzeitüberlebensrate von Implantaten in der augmentierten Maxilla: Resultate einer retrospektiven Studie über 12 Jahre. *Clin Oral Implants Res* 2004;15(6):693-99. [Abstract](#)
186. Yerit KC, Posch M, Seemann M, et al. Implant survival in mandibles of irradiated oral cancer patients. *Clin Oral Implants Res* 2006;17(3):337-44. [Abstract](#)
187. Young MPJ, Carter DH, Worthington H, et al. Microbial analysis of bone collected during implant surgery: a clinical and laboratory study. *Clin Oral Implants Res* 2001;12(2):95-103. [Abstract](#)
188. Young MPJ, Worthington HV, Lloyd RE, et al. Bone collected during dental implant surgery: a clinical and histological study. *Clin Oral Implants Res* 2002;13(3):298-303. [Abstract](#)
189. Zetterqvist L, Anneroth G, Nordenram A. Tissue integration of Al₂O₃-ceramic dental implants: an experimental study in monkeys. *Int J Oral Maxillofac Implants* 1991;6(3):285-93. [Abstract](#)
190. Zetterqvist L, Anneroth G, Nordenram A, et al. X-ray microanalytical and morphological observations of the interface region between ceramic implant and bone. *Clin Oral Implants Res* 1995;6(2):104-13. [Abstract](#)

DIGITAL SOLUTIONS

ATLANTIS

1. Adams MW. Computer-designed and milled patient-specific implant abutments. *Dent Today* 2005;24(6):80-3. [Abstract](#)
2. Al-Ardah AJ, Alqahtani F, Lozada JL. Three-year follow-up of a single immediate implant placed in an infected area: a new approach for harvesting autogenous symphysis graft. *J Oral Implantol* 2014;40(2):211-6. [Abstract](#)
3. Alhashim A, Kamel M, Brackett WW. Four-year follow-up of the rehabilitation of a mandibular arch with a cementable zirconia-reinforced fixed dental prosthesis: a clinical report. *J Prosthet Dent* 2012;108(3):138-42. [Abstract](#)
4. Alqahtani F. Full-mouth rehabilitation of severely worn dentition due to soda swishing: a clinical report. *J Prosthodont* 2014;23(1):50-7. [Abstract](#)
5. Aparicio T, D. L. Using Compartis ISUS in conjunction with ANKYLOS. CAD/CAM technology increases predictability in implant prosthetics. *Inside Dentistry* 2011;7(5).
6. Apicella D, Veltri M, Chieffi N, et al. Implant adaptation of stock abutments versus CAD/CAM abutments: A radiographic and scanning electron microscopy study. *Annali di Stomatologia* 2010;1(3-4):9-13. [Abstract](#)
7. Baldassarri M, Hjerpe J, Romeo D, et al. Marginal accuracy of three implant-ceramic abutment configurations. *Int J Oral Maxillofac Implants* 2012;27(3):537-43. [Abstract](#)

8. Barrero C, Bencharit S, Petrola F. Case report: Screw-retained zirconia implant restoration. *J Oral Implantol* 2015;E-pub Feb 2, doi:10.1563/aaid-joi-D-14-00027. [Abstract](#)
9. Barwacz C, Hernandez MM. Direct extrinsic characterization maximizing esthetics of fixed interim restorations. *J Cosmetic Dentistry* 2013;29(1):122-31.
10. Barwacz CA, Stanford CM, Diehl UA, et al. Electronic assessment of peri-implant mucosal esthetics around three implant-abutment configurations: a randomized clinical trial. *Clin Oral Implants Res* 2016;27(6):707-15. [Abstract](#)
11. Bencharit S, Border MB, Mack CR, et al. Full-mouth rehabilitation for a patient with dentinogenesis imperfecta: a clinical report. *J Oral Implantol* 2014;40(5):593-600. [Abstract](#)
12. Bergstresser J. Implant abutment tissue strategies. *Journal of Dental Technology* 2009;August/September:34-36.
13. Borges T, Lima T, Carvalho AC, et al. Clinical outcome of inter-proximal papilla between a tooth and a single implant treated with CAD/CAM abutments: a cross-sectional study. *J Oral Maxillofac Res* 2012;3(3). [Abstract](#)
14. Borges T, Lima T, Carvalho A, et al. The influence of customized abutments and custom metal abutments on the presence of the interproximal papilla at implants inserted in single-unit gaps: a 1-year prospective clinical study. *Clin Oral Implants Res* 2014;25(11):1222-7. [Abstract](#)
15. Brandenberg FD, Sailer I, Fehmer V, et al. Randomized controlled clinical pilot study of all-ceramic single-tooth implant reconstructions: clinical and microbiological outcomes at one year of loading. *Clin Oral Implants Res* 2016;E-pub Mar 3, doi:10.1111/clr.12813. [Abstract](#)
16. Büchi DL, Sailer I, Fehmer V, et al. All-ceramic single-tooth implant reconstructions using modified zirconia abutments: a prospective randomized controlled clinical trial of the effect of pink veneering ceramic on the esthetic outcomes. *Int J Periodontics Restorative Dent* 2014;34(1):29-37. [Abstract](#)
17. Cardo VA, Jr., Koschitzki E, Augenbaum N, et al. Replacement of an implant and prosthesis in the premaxilla due to a malposition and prosthetic failure: a clinical case letter. *J Oral Implantol* 2014;40(6):751-4. [Abstract](#)
18. Cash J, R. A. Implant suprastructures for the completely edentulous. *Journal of Dental Technology* 2011;May.
19. Cooper LF, Reside G, Stanford C, et al. A multicenter randomized comparative trial of implants with different abutment interfaces to replace anterior maxillary single teeth. *Int J Oral Maxillofac Implants* 2015;30(3):622-32. [Abstract](#)
20. Cooper LF, Stanford C, Feine J, et al. Prospective assessment of CAD/CAM zirconia abutment and lithium disilicate crown restorations:: 2.4 year results. *J Prosthet Dent* 2016;E-pub Jan 28, doi:10.1016/j.prosdent.2015.08.023. [Abstract](#)
21. Dhingra A, Weiner S, Luke AC, et al. Analysis of dimensional changes in the screw and the surface topography at the interface of a titanium screw and a zirconia abutment under cyclic loading: an in vitro study. *Int J Oral Maxillofac Implants* 2013;28(3):661-9. [Abstract](#)
22. Esquivel-Upshaw JF, Clark AE, Shuster JJ, et al. Randomized clinical trial of implant-supported ceramic-ceramic and metal-ceramic fixed dental prostheses: preliminary results. *J Prosthodont* 2014;23(2):73-82. [Abstract](#)
23. Esquivel-Upshaw JF, Mehler A, Clark AE, et al. Fracture analysis of randomized implant-supported fixed dental prostheses. *J Dent* 2014;42(10):1335-42. [Abstract](#)
24. Esquivel-Upshaw J, Mehler A, Clark A, et al. Peri-implant complications for posterior endosteal implants. *Clin Oral Implants Res* 2015;26(12):1390-6. [Abstract](#)

25. Farahani A, Zadeh HH. Adjunctive orthodontic applications in dental implantology. *J Oral Implantol* 2015;41(4):501-8. [Abstract](#)
26. Ferrari M, Tricarico MG, Cagidiaco MC, et al. 3-year randomized controlled prospective clinical trial on different CAD-CAM implant abutments. *Clin Implant Dent Relat Res* 2016;E-pub Mar 14, doi:10.1111/cid.12418. [Abstract](#)
27. Ganz SD. Use of stereolithographic models as diagnostic and restorative aids for predictable immediate loading of implants. *Pract Proced Aesthet Dent* 2003;15(10):763-71. [Abstract](#)
28. Ganz S. Computer-milled patient-specific abutments: incredibly quality with unprecedented simplicity. *Implantology* 2003 2003:37-44.
29. Ganz S. Finally, a 'win-win' solution: Increasing accuracy while saving time, money with computer-milled abutments. *Dental Economics* 2005;95:64-68.
30. Ganz SD, Desai N, Weiner S. Marginal integrity of direct and indirect castings for implant abutments. *Int J Oral Maxillofac Implants* 2006;21(4):593-9. [Abstract](#)
31. Ganz SD. CT-derived model-based surgery for immediate loading of maxillary anterior implants. *Pract Proced Aesthet Dent* 2007;19(5):311-8. [Abstract](#)
32. Ganz SD. Computer-aided design/computer-aided manufacturing applications using CT and cone beam CT scanning technology. *Dent Clin North Am* 2008;52(4):777-808, vii. [Abstract](#)
33. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Compend Contin Educ Dent* 2008;29(5):256-8, 60-2, 64-7. [Abstract](#)
34. Garg AK. The Atlantis components abutment: simplifying the tooth implant procedure. *Dent Implantol Update* 2002;13(9):65-70. [Abstract](#)
35. Gigandet M, Bigolin G, Faoro F, et al. Implants with original and non-original abutment connections. *Clin Implant Dent Relat Res* 2014;16(2):303-11. [Abstract](#)
36. Gilbert AB, Yilmaz B, Seidt JD, et al. Three-dimensional displacement of nine different abutments for an implant with an internal hexagon platform. *Int J Oral Maxillofac Implants* 2015;30(4):781-8. [Abstract](#)
37. Guljé FL, Raghoobar GM, Erkens WA, et al. Impact of crown-implant ratio of single restorations supported by 6-mm implants: A short-term case series study. *Int J Oral Maxillofac Implants* 2016;31(3):672-5. [Abstract](#)
38. Holt LR. A case study: A custom posterior abutment compared with a prefabricated stock abutment. *Inside Dentistry* 2008;Sept:2-3.
39. Hosseini B, Byrd WC, Preisser JS, et al. Effects of antibiotics on bone and soft-tissue healing following immediate single-tooth implant placement into sites with apical pathology. *J Oral Implantol* 2015;41(5):e202-11. [Abstract](#)
40. Jackson BJ, Slavin MR. Treatment of congenitally missing maxillary lateral incisors: An interdisciplinary approach. *J Oral Implantol* 2013;39(2):187-92. [Abstract](#)
41. Joda T, Burki A, Bethge S, et al. Stiffness, strength, and failure modes of implant-supported monolithic lithium disilicate crowns: influence of titanium and zirconia abutments. *Int J Oral Maxillofac Implants* 2015;30(6):1272-9. [Abstract](#)
42. Keith JD, Jr. Localized ridge augmentation with a block allograft followed by secondary implant placement: a case report. *Int J Periodontics Restorative Dent* 2004;24(1):11-7. [Abstract](#)

43. Kelly JR, Rungruanganunt P. Fatigue behavior of computer-aided design/computer-assisted manufacture ceramic abutments as a function of design and ceramics processing. *Int J Oral Maxillofac Implants* 2016;31(3):601-9. [Abstract](#)
44. Kerstein RB, Castellucci F, Osorio J. Ideal gingival form with computer-generated permanent healing abutments. *Compend Contin Educ Dent* 2000;21(10):793-7, 800-1. [Abstract](#)
45. Kerstein RB, Osorio J. Utilizing computer-generated duplicate titanium custom abutments to facilitate intraoral and laboratory implant prosthesis fabrication. *Pract Proced Aesthet Dent* 2003;15(4):311-4. [Abstract](#)
46. Kim A, Campbell SD, Viana MA, et al. Abutment material effect on peri-implant soft tissue color and perceived esthetics. *J Prosthodont* 2015;E-pub Sep 23, doi:10.1111/jopr.12360. [Abstract](#)
47. Koch FP, Gotze E, Kumar VV, et al. A bar-retained overdenture as an external fixator device in a three-dimensional CAD/CAM-based surgical reconstruction of the mandible. *J Craniomaxillofac Surg* 2015;43(8):1447-51. [Abstract](#)
48. Kois JC, Kan JY. Predictable peri-implant gingival aesthetics: surgical and prosthodontic rationales. *Pract Proced Aesthet Dent* 2001;13(9):691-8. [Abstract](#)
49. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: a prospective case series evaluating implant survival, esthetics, and bone maintenance. *Compend Contin Educ Dent* 2013;34(5):352-61. [Abstract](#)
50. Levin BP. The dual function of a dermal allograft in immediate implant therapy. *Int J Periodontics Restorative Dent* 2015;35(4):507-13. [Abstract](#)
51. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. *Compend Contin Educ Dent* 2015;36(9):682-8. [Abstract](#)
52. Mandelaris GA, Vlk SD. Guided implant surgery with placement of a presurgical CAD/CAM patient-specific abutment and provisional in the esthetic zone. *Compend Contin Educ Dent* 2014;35(7):494-504. [Abstract](#)
53. Maridati PC, Cremonesi S, Fontana F, et al. Management of d-PTFE membrane exposure for having final clinical success. *J Oral Implantol* 2016;42(3):289-91. [Abstract](#)
54. Martin R. Astra Tech OsseoSpeed™ 3.0S implant. *Inside Dentistry* 2010;6(4):2-4.
55. McGuire MK, Scheyer T, Ho DK, et al. Esthetic outcomes in relation to implant-abutment interface design following a standardized treatment protocol in a multicenter randomized controlled trial- A cohort of 12 cases at 1-year follow-up. *Int J Periodontics Restorative Dent* 2015;35(2):149-59. [Abstract](#)
56. Millen CS, Reuben RL, Ibbetson RJ. The effect of coping/veneer thickness on the fracture toughness and residual stress of implant supported, cement retained zirconia and metal-ceramic crowns. *Dent Mater* 2012;28(10):e250-8. [Abstract](#)
57. Muhlemann S, Truninger TC, Stawarczyk B, et al. Bending moments of zirconia and titanium implant abutments supporting all-ceramic crowns after aging. *Clin Oral Implants Res* 2014;25(1):74-81. [Abstract](#)
58. Nazarian A. Easier implant restoration: CAD/CAM generated implant abutments. *Contemporary Esthetics* 2007;5:44-48.
59. Noelken R, Neffe BA, Kunkel M, et al. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. *Clin Oral Implants Res* 2014;25(2):214-20. [Abstract](#)

60. Osorio J. Use of the Atlantis Abutment in restorative practice speeds time to function and aesthetics. [Interview]. Dent Implantol Update 2000;11(8):57-62. [Abstract](#)
61. Paniz G, Stellini E, Meneghello R, et al. The precision of fit of cast and milled full-arch implant-supported restorations. Int J Oral Maxillofac Implants 2013;28(3):687-93. [Abstract](#)
62. Pansick E, Attanasi R. Atlantis™ patient-specific abutments. Inside Dentistry 2010;6(6):1-3.
63. Parpaiola A, Norton MR, Cecchinato D, et al. Virtual abutment design: a concept for delivery of CAD/CAM customized abutments-- report of a retrospective cohort. Int J Periodontics Restorative Dent 2013;33(1):51-8. [Abstract](#)
64. Petrungaro P, Smilanich M, Jimenez E. Use of ceramic abutments in the esthetic zone to enhance implant esthetics. Inside Dentistry 2007;Feb:2-5.
65. Quirynen T, Quirynen M, Duyck J. Prevention of distal extension cantilever fracture in mandibular overdentures. J Dent 2015;43(9):1140-7. [Abstract](#)
66. Raigrodski AJ, Schwedhelm ER, Chen YW. A simplified technique for recording an implant-supported ovate pontic site in the esthetic zone. J Prosthet Dent 2014;111(2):154-8. [Abstract](#)
67. Rinke S, Ziebolz D. Fabrication of an implant-supported overdenture using CAD/CAM technology: A clinical report. Quintessence Int 2013;44(2):127-34. [Abstract](#)
68. Rojas-Vizcaya F. Rehabilitation of the maxillary arch with implant-supported fixed restorations guided by the most apical buccal bone level in the esthetic zone: a clinical report. J Prosthet Dent 2012;107(4):213-20. [Abstract](#)
69. Schepke U, Meijer HJ, Vermeulen KM, et al. Clinical bonding of resin nano ceramic restorations to zirconia abutments: a case series within a randomized clinical trial. Clin Implant Dent Relat Res 2015;E-pub Oct 12, doi:10.1111/cid.12382. [Abstract](#)
70. Schneider A, Kurtzman GM. Computerized milled solid implant abutments utilized at second stage surgery. Gen Dent 2001;49(4):416-20. [Abstract](#)
71. Sesemann MR. A visual essay. Maxillary arch reconstruction utilizing CAD/CAM Atlantis abutments. Pract Proced Aesthet Dent 2008;20(7):397-9. [Abstract](#)
72. Sumi T, Braian M, Shimada N, et al. Characteristics of implant-CAD/CAM abutment connections of two different internal connection systems. J Oral Rehabil 2012;39(5):391-8. [Abstract](#)
73. Svanborg P, Stenport V, Eliasson A. Fit of cobalt–chromium implant frameworks before and after ceramic veneering in comparison with CNC-milled titanium frameworks. Clin and Experiment Dent Res 2015;1(2):49-56. [Abstract](#)
74. Tahmaseb A, De Clerck R, Wismeijer D. Computer-guided implant placement: 3D planning software, fixed intraoral reference points, and CAD/CAM technology. A case report. Int J Oral Maxillofac Implants 2009;24(3):541-6. [Abstract](#)
75. Taylor TD, Klotz MW, Lawton RA. Titanium tattooing associated with zirconia implant abutments: a clinical report of two cases. Int J Oral Maxillofac Implants 2014;29(4):958-60. [Abstract](#)
76. Thoma DS, Brandenburg F, Fehmer V, et al. The esthetic effect of veneered zirconia abutments for single-tooth implant reconstructions: a randomized controlled clinical trial. Clin Implant Dent Relat Res 2015;E-pub Dec 16, doi: 10.1111/cid.12388. [Abstract](#)
77. Thoma DS, Brandenburg F, Fehmer V, et al. Randomized controlled clinical trial of all-ceramic single tooth implant reconstructions using modified zirconia abutments: Radiographic and prosthetic results at 1 year of loading. Clin Implant Dent Relat Res 2016;18(3):462-72. [Abstract](#)

78. Vera C, De Kok IJ, Chen W, et al. Evaluation of post-implant buccal bone resorption using cone beam computed tomography: a clinical pilot study. *Int J Oral Maxillofac Implants* 2012;27(5):1249-57. [Abstract](#)
79. Wadhvani C, Rapoport D, La Rosa S, et al. Radiographic detection and characteristic patterns of residual excess cement associated with cement-retained implant restorations: a clinical report. *J Prosthet Dent* 2012;107(3):151-7. [Abstract](#)
80. Wasiluk G, Chomik E, Gehrke P, et al. Incidence of undetected cement on CAD/CAM monolithic zirconia crowns and customized CAD/CAM implant abutments. A prospective case series. *Clin Oral Implants Res* 2016;E-pub May 17, doi:10.1111/clr.12879. [Abstract](#)
81. Watkin A, Kerstein RB. Improving darkened anterior peri-implant tissue color with zirconia custom implant abutments. *Compend Contin Educ Dent* 2008;29(4):238-40, 42. [Abstract](#)
82. Whitesides L. Evaluation of the Atlantis abutment in implant restoration. *Inside Dentistry* 2006;Sept:98-99.
83. Whitesides LM. Solution for the challenging implant. *Dent Today* 2008;27(2):146, 48. [Abstract](#)
84. Wilk BL. Intraoral digital impressing for dental implant restorations versus traditional implant impression techniques. *Compend Contin Educ Dent* 2015;36(7):529-33. [Abstract](#)
85. Yilmaz B, Salaita LG, Seidt JD, et al. Load to failure of different titanium abutments for an internal hexagon implant. *J Prosthet Dent* 2015;114(4):513-6. [Abstract](#)
86. Yilmaz B, Salaita LG, Seidt JD, et al. Load to failure of different zirconia abutments for an internal hexagon implant. *J Prosthet Dent* 2015;114(3):373-7. [Abstract](#)
87. Yilmaz B, Gilbert AB, Seidt JD, et al. Displacement of implant abutments following initial and repeated torquing. *Int J Oral Maxillofac Implants* 2015;30(5):1011-8. [Abstract](#)

SIMPLANT

1. Abboud M, Wahl G, Guirado JL, et al. Application and success of two stereolithographic surgical guide systems for implant placement with immediate loading. *Int J Oral Maxillofac Implants* 2012;27(3):634-43. [Abstract](#)
2. Aboul-Hosn Centenero S, Hernandez-Alfaro F. 3D planning in orthognathic surgery: CAD/CAM surgical splints and prediction of the soft and hard tissues results - our experience in 16 cases. *J Craniomaxillofac Surg* 2012;40(2):162-8. [Abstract](#)
3. Afshari FS, Hallas MB, Knoernschild KL. An alternative approach in fabrication of fixed complete dentures using a duplicate denture. *J Prosthodont* 2012;21(7):569-72. [Abstract](#)
4. Ahmad R, Abu-Hassan MI, Li Q, et al. Three dimensional quantification of mandibular bone remodeling using standard tessellation language registration based superimposition. *Clin Oral Implants Res* 2012;24(11):1273-9. [Abstract](#)
5. Al-Harbi SA, Verrett RG. Fabrication of a stable surgical template using staged tooth extraction for immediate implant placement. *J Prosthet Dent* 2005;94(4):394-7. [Abstract](#)
6. Al-Harbi SA, Sun AY. Implant placement accuracy when using stereolithographic template as a surgical guide: preliminary results. *Implant Dent* 2009;18(1):46-56. [Abstract](#)
7. Al-Hashedi AA, Taiyeb-Ali TB, Yunus N. Outcomes of placing short implants in the posterior mandible: a preliminary randomized controlled trial. *Aust Dent J* 2016;61(2):208-18. [Abstract](#)

8. Aljunid S, AlSiweedi S, Nambiar P, et al. The management of persistent pain from a branch of the trifold mandibular canal due to implant impingement. *J Oral Implantol* 2016;E-pub Apr 14, doi:10.1563/aaid-joi-D-16-00011. [Abstract](#)
9. Allum SR. Immediately loaded full-arch provisional implant restorations using CAD/CAM and guided placement: maxillary and mandibular case reports. *Br Dent J* 2008;204(7):377-81. [Abstract](#)
10. Amet EM, Ganz SD. Implant treatment planning using a patient acceptance prosthesis, radiographic record base, and surgical template. Part 1: Presurgical phase. *Implant Dent* 1997;6(3):193-7. [Abstract](#)
11. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: a clinical report. *J Oral Implantol* 2010;36(3):209-17. [Abstract](#)
12. Amet EM, Uehlein C. Alveolar nerve repositioning with rescue implants for management of previous treatment. A clinical report. *J Prosthodont* 2013;22(8):633-40. [Abstract](#)
13. Amorfini L, Migliorati M, Signori A, et al. Block allograft technique versus standard guided bone regeneration: a randomized clinical trial. *Clin Implant Dent Relat Res* 2014;16(5):655-67. [Abstract](#)
14. Arisan V, Karabuda CZ, Ozdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res* 2010;21(9):980-8. [Abstract](#)
15. Arisan V, Karabuda ZC, Ozdemir T. Accuracy of two stereolithographic guide systems for computer-aided implant placement: a computed tomography-based clinical comparative study. *J Periodontol* 2010;81(1):43-51. [Abstract](#)
16. Arisan V, Bolukbasi N, Oksuz L. Computer-assisted flapless implant placement reduces the incidence of surgery-related bacteremia. *Clin Oral Investig* 2013;17(9):1985-93. [Abstract](#)
17. Arisan V, Karabuda ZC, Piskin B, et al. Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-aided implant placement. Part II: reliability of mucosa-supported stereolithographic guides. *Clin Implant Dent Relat Res* 2013;15(6):907-17. [Abstract](#)
18. Arisan V, Karabuda CZ, Mumcu E, et al. Implant positioning errors in freehand and computer-aided placement methods: a single-blind clinical comparative study. *Int J Oral Maxillofac Implants* 2013;28(1):190-204. [Abstract](#)
19. Arisan V, Karabuda ZC, Avsever H, et al. Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-assisted implant placement. Part I: relationship of radiographic gray density and implant stability. *Clin Implant Dent Relat Res* 2013;15(6):893-906. [Abstract](#)
20. Arisan V, Karabuda CZ, Özdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res* 2010;21(9):980-88. [Abstract](#)
21. Azari A, Nikzad S. Flapless implant surgery: review of the literature and report of 2 cases with computer-guided surgical approach. *J Oral Maxillofac Surg* 2008;66(5):1015-21. [Abstract](#)
22. Azari A, Nikzad S, Kabiri A. Using computer-guided implantology in flapless implant surgery of a maxilla: a clinical report. *J Oral Rehabil* 2008;35(9):690-4. [Abstract](#)
23. Baggi L, Cappelloni I, Di Girolamo M, et al. The influence of implant diameter and length on stress distribution of osseointegrated implants related to crestal bone geometry: a three-dimensional finite element analysis. *J Prosthet Dent* 2008;100(6):422-31. [Abstract](#)
24. Besimo CE, Lambrecht JT, Guindy JS. Accuracy of implant treatment planning utilizing template-guided reformatted computed tomography. *Dentomaxillofac Radiol* 2000;29(1):46-51. [Abstract](#)

25. Bianchi J, Fiorellini JP, Howell TH, et al. Measuring the efficacy of rhBMP-2 to regenerate bone: a radiographic study using a commercially available software program. *Int J Periodontics Restorative Dent* 2004;24(6):579-87. [Abstract](#)
26. Bocklage R. Computer analysis of titanium implants in atrophic arch and poor quality bone: a case report. *Implant Dent* 2001;10(3):162-7. [Abstract](#)
27. Boedeker D, Dyer J, Kraut R. Clinical outcome of immediately loaded maxillary implants: a 2-year retrospective study. *J Oral Maxillofac Surg* 2011;69(5):1335-43. [Abstract](#)
28. Bou Serhal C, Jacobs R, Van Cleynenbreugel J, et al. Validation of a 3D-CT based stereolithographic template for implant placement in an ex vivo atrophic mandible. *Clin Oral Implants Res* 2002;13.
29. Braidy H, Appelbaum M. Alveolar distraction osteogenesis of the severely atrophic anterior maxilla: surgical and prosthetic challenges. *J Prosthodont* 2011;20(2):139-43. [Abstract](#)
30. Bynum JH. Treatment of a class III malocclusion. *J Cosmetic Dentistry* 2013;29(2):64-72. [Abstract](#)
31. Caldwell CS. Practical incorporation of computed tomography into daily implant treatment planning. *Tex Dent J* 2005;122(4):343-54. [Abstract](#)
32. Cassetta M, Giansanti M, Di Mambro A, et al. Accuracy of two stereolithographic surgical templates: A retrospective study. *Clin Implant Dent Relat Res* 2013;15(3):448-59. [Abstract](#)
33. Cassetta M, Di Mambro A, Giansanti M, et al. Is it possible to improve the accuracy of implants inserted with a stereolithographic surgical guide by reducing the tolerance between mechanical components? *Int J Oral Maxillofac Surg* 2013;42(7):887-90. [Abstract](#)
34. Cassetta M, Di Mambro A, Giansanti M, et al. The intrinsic error of a stereolithographic surgical template in implant guided surgery. *Int J Oral Maxillofac Surg* 2013;42(2):264-75. [Abstract](#)
35. Cassetta M, Stefanelli LV, Giansanti M, et al. Accuracy of a computer-aided implant surgical technique. *Int J Periodontics Restorative Dent* 2013;33(3):317-25. [Abstract](#)
36. Cassetta M, Di Mambro A, Giansanti M, et al. How does an error in positioning the template affect the accuracy of implants inserted using a single fixed mucosa-supported stereolithographic surgical guide? *Int J Oral Maxillofac Surg* 2014;43(1):85-92. [Abstract](#)
37. Cassetta M, Giansanti M, Di Mambro A, et al. Accuracy of positioning of implants inserted using a mucosa-supported stereolithographic surgical guide in the edentulous maxilla and mandible. *Int J Oral Maxillofac Implants* 2014;29(5):1071-8. [Abstract](#)
38. Cassetta M, Di Mambro A, Di Giorgio G, et al. The influence of the tolerance between mechanical components on the accuracy of implants inserted with a stereolithographic surgical guide: A retrospective clinical study. *Clin Implant Dent Relat Res* 2015;17(3):580-8. [Abstract](#)
39. Cassetta M. Immediate loading of implants inserted in edentulous arches using multiple mucosa-supported stereolithographic surgical templates: a 10-year prospective cohort study. *Int J Oral Maxillofac Surg* 2016;45(4):526-34. [Abstract](#)
40. Chai J, Chau AC, Chu FC, et al. Diagnostic performance of mandibular bone density measurements in assessing osteoporotic status. *Int J Oral Maxillofac Implants* 2014;29(3):667-74. [Abstract](#)
41. Chan PW, Chik FF, Pow EH, et al. Stereoscopic technique for conversion of radiographic guide into implant surgical guide. *Clin Implant Dent Relat Res* 2013;15(4):613-24. [Abstract](#)
42. Chan CK, Chai JY, Wah CT. In vitro ultrasonographic measurement of jawbone to predict bone quality. *Int J Oral Maxillofac Implants* 2014;29(5):1042-8. [Abstract](#)

43. Chang PP, Henegbarth EA, Lang LA. Maxillary zirconia implant fixed partial dentures opposing an acrylic resin implant fixed complete denture: a two-year clinical report. *J Prosthet Dent* 2007;97(6):321-30. [Abstract](#)
44. Chow J, Hui E, Lee PK, et al. Zygomatic implants-protocol for immediate occlusal loading: a preliminary report. *J Oral Maxillofac Surg* 2006;64(5):804-11. [Abstract](#)
45. Cushen SE, Turkyilmaz I. Impact of operator experience on the accuracy of implant placement with stereolithographic surgical templates: An in vitro study. *J Prosthet Dent* 2013;109(4):248-54. [Abstract](#)
46. Damstra J, Fourie Z, Huddleston Slater JJ, et al. Accuracy of linear measurements from cone-beam computed tomography-derived surface models of different voxel sizes. *Am J Orthod Dentofacial Orthop* 2010;137(1):16 e1-6; discussion 16-7. [Abstract](#)
47. Damstra J, Fourie Z, Huddleston Slater JJ, et al. Reliability and the smallest detectable difference of measurements on 3-dimensional cone-beam computed tomography images. *Am J Orthod Dentofacial Orthop* 2011;140(3):e107-14. [Abstract](#)
48. Damstra J, Fourie Z, De Wit M, et al. A three-dimensional comparison of a morphometric and conventional cephalometric midsagittal planes for craniofacial asymmetry. *Clin Oral Investig* 2012;16(1):285-94. [Abstract](#)
49. Damstra J, Fourie Z, Ren Y. Evaluation and comparison of postero-anterior cephalograms and cone-beam computed tomography images for the detection of mandibular asymmetry. *Eur J Orthod* 2013;35(1):45-50. [Abstract](#)
50. Davies J, Johnson B, Drage N. Effective doses from cone beam CT investigation of the jaws. *Dentomaxillofac Radiol* 2012;41(1):30-6. [Abstract](#)
51. Degidi M, Nardi D, Daprile G, et al. Buccal bone plate in the immediately placed and restored maxillary single implant: a 7-year retrospective study using computed tomography. *Implant Dent* 2012;21(1):62-6. [Abstract](#)
52. Degidi M, Daprile G, Nardi D, et al. Buccal bone plate in immediately placed and restored implant with Bio-Oss((R)) collagen graft: a 1-year follow-up study. *Clin Oral Implants Res* 2013;24(11):1201-5. [Abstract](#)
53. Dene L. Implant supported overdenture for the atrophic mandible. *N Y State Dent J* 2010;76(3):26-9. [Abstract](#)
54. Depprich RA, Ommerborn MA, Handschel JG, et al. Dentin dysplasia type I: a challenge for treatment with dental implants. *Head Face Med* 2007;3:31. [Abstract](#)
55. D'haese J, Van De Velde T, Elaut L, et al. A prospective study on the accuracy of mucosally supported stereolithographic surgical guides in fully edentulous maxillae. *Clin Implant Dent Relat Res* 2012;14(2):293-303. [Abstract](#)
56. D'haese J, Vervaeke S, Verbanck N, et al. Clinical and radiographic outcome of implants placed using stereolithographic guided surgery: a prospective monocenter study. *Int J Oral Maxillofac Implants* 2013;28(1):205-15. [Abstract](#)
57. D'Haese J, De Bruyn H. Effect of smoking habits on accuracy of implant placement using mucosally supported stereolithographic surgical guides. *Clin Implant Dent Relat Res* 2013;15(3):402-11. [Abstract](#)
58. Di Giacomo GA, Cury PR, de Araujo NS, et al. Clinical application of stereolithographic surgical guides for implant placement: preliminary results. *J Periodontol* 2005;76(4):503-7. [Abstract](#)
59. Dunn DB. All-on-4 graftless approach: Not the panacea for all cases. *Australasian Dental Practice* 2013;24(2):132-38. [Abstract](#)

60. Edelmann AR, Hosseini B, Byrd WC, et al. Exploring effectiveness of computer-aided planning in implant positioning for a single immediate implant placement. *J Oral Implantol* 2016;42(3):233-9. [Abstract](#)
61. Elian N, Ehrlich B, Jalbout Z, et al. A restoratively driven ridge categorization, as determined by incorporating ideal restorative positions on radiographic templates utilizing computed tomography scan analysis. *Clin Implant Dent Relat Res* 2009;11(4):272-8. [Abstract](#)
62. Elsyad MA, Mahanna FF, Elshahat MA, et al. Locators versus magnetic attachment effect on peri-implant tissue health of immediate loaded two implants retaining a mandibular overdenture: a 1-year randomised trial. *J Oral Rehabil* 2016;43(4):297-305. [Abstract](#)
63. Eun-Suk K, Eun-Jin P, Schrott A, et al. Immediate loading as a vehicle for interdisciplinary training in implant placement and restoration. *Int J Oral Maxillofac Implants* 2010;25(4):759-62. [Abstract](#)
64. Fourie Z, Damstra J, Gerrits PO, et al. Accuracy and reliability of facial soft tissue depth measurements using cone beam computer tomography. *Forensic Sci Int* 2010;199(1-3):9-14. [Abstract](#)
65. Fourie Z, Damstra J, Schepers RH, et al. Segmentation process significantly influences the accuracy of 3D surface models derived from cone beam computed tomography. *Eur J Radiol* 2012;81(4):e524-30. [Abstract](#)
66. Frongia G, Piancino MG, Bracco AA, et al. Assessment of the reliability and repeatability of landmarks using 3-D cephalometric software. *CRANIO* 2012;30(4):255-63. [Abstract](#)
67. Froum SJ, Tarnow DP, Wallace SS, et al. Sinus floor elevation using anorganic bovine bone matrix (OsteoGraf/N) with and without autogenous bone: a clinical, histologic, radiographic, and histomorphometric analysis--Part 2 of an ongoing prospective study. *Int J Periodontics Restorative Dent* 1998;18(6):528-43. [Abstract](#)
68. Froum SJ, Cho SC, Cho YS, et al. Narrow-diameter implants: a restorative option for limited interdental space. *Int J Periodontics Restorative Dent* 2007;27(5):449-55. [Abstract](#)
69. Ganz SD. The triangle of bone--a formula for successful implant placement and restoration. *Implant Soc* 1995;5(5):2-6. [Abstract](#)
70. Ganz SD. Use of stereolithographic models as diagnostic and restorative aids for predictable immediate loading of implants. *Pract Proced Aesthet Dent* 2003;15(10):763-71. [Abstract](#)
71. Ganz SD. Presurgical planning with CT-derived fabrication of surgical guides. *J Oral Maxillofac Surg* 2005;63(9 Suppl 2):59-71. [Abstract](#)
72. Ganz SD. CT-derived model-based surgery for immediate loading of maxillary anterior implants. *Pract Proced Aesthet Dent* 2007;19(5):311-8. [Abstract](#)
73. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Compend Contin Educ Dent* 2008;29(5):256-8, 60-2, 64-7. [Abstract](#)
74. Ganz SD. Dental implantology: an evolving treatment modality. *Compend Contin Educ Dent* 2013;34(8):628-9. [Abstract](#)
75. Garcia-Denche JT, Wu X, Martinez PP, et al. Membranes over the lateral window in sinus augmentation procedures: a two-arm and split-mouth randomized clinical trials. *J Clin Periodontol* 2013;40(11):1043-51. [Abstract](#)
76. Gillot L, Cannas B, Buti J, et al. A retrospective cohort study of 113 patients rehabilitated with immediately loaded maxillary cross-arch fixed dental prostheses in combination with immediate implant placement. *Eur J Oral Implantol* 2012;5(1):71-9. [Abstract](#)

77. Gokce SM, Gorgulu S, Gokce HS, et al. Evaluation of pharyngeal airway space changes after bimaxillary orthognathic surgery with a 3-dimensional simulation and modeling program. *Am J Orthod Dentofacial Orthop* 2014;146(4):477-92. [Abstract](#)
78. Gorgulu S, Gokce SM, Olmez H, et al. Nasal cavity volume changes after rapid maxillary expansion in adolescents evaluated with 3-dimensional simulation and modeling programs. *Am J Orthod Dentofacial Orthop* 2011;140(5):633-40. [Abstract](#)
79. Hara S, Mitsugi M, Kanno T, et al. Endoscopically assisted intraoral modified Le Fort II type midfacial advancement using piezoelectric surgery and an intraoperative RED system. *J Oral Maxillofac Surg* 2013;71(2):e93-103. [Abstract](#)
80. Hara S, Mitsugi M, Kanno T, et al. Three-dimensional virtual operations can facilitate complicated surgical planning for the treatment of patients with jaw deformities associated with facial asymmetry: a case report. *Int J Oral Sci* 2013;5(3):176-82. [Abstract](#)
81. Hernandez-Alfaro F, Guijarro-Martinez R, Mareque-Bueno J. Effect of mono- and bimaxillary advancement on pharyngeal airway volume: cone-beam computed tomography evaluation. *J Oral Maxillofac Surg* 2011;69(11):e395-400. [Abstract](#)
82. Hernandez-Alfaro F, Guijarro-Martinez R, Molina-Coral A, et al. "Surgery first" in bimaxillary orthognathic surgery. *J Oral Maxillofac Surg* 2011;69(6):e201-7. [Abstract](#)
83. Hernandez-Alfaro F, Guijarro-Martinez R. New protocol for three-dimensional surgical planning and CAD/CAM splint generation in orthognathic surgery: an in vitro and in vivo study. *Int J Oral Maxillofac Surg* 2013;42(12):1547-56. [Abstract](#)
84. Hernandez-Alfaro F, Guijarro-Martinez R, Peiro-Guijarro MA. Surgery first in orthognathic surgery: what have we learned? A comprehensive workflow based on 45 consecutive cases. *J Oral Maxillofac Surg* 2014;72(2):376-90. [Abstract](#)
85. Ho MH, Chiang CP, Liu YF, et al. Highly efficient release of lovastatin from poly(lactic-co-glycolic acid) nanoparticles enhances bone repair in rats. *J Orthop Res* 2011;29(10):1504-10. [Abstract](#)
86. Holmes S, Goldner S, Bridle C, et al. Evaluation of complex craniomaxillofacial fractures by a new three-dimensional planning system. *Br J Oral Maxillofac Surg* 2006;44(5):416-7. [Abstract](#)
87. Horowitz RA. The use of osteotomes for sinus augmentation at the time of implant placement. *Compend Contin Educ Dent* 1997;18(5):441-7, 50-2; quiz 54. [Abstract](#)
88. Hosseini B, Byrd WC, Preisser JS, et al. Effects of antibiotics on bone and soft-tissue healing following immediate single-tooth implant placement into sites with apical pathology. *J Oral Implantol* 2015;41(5):e202-11. [Abstract](#)
89. Hrabak K, Szabo G, Ewers R, et al. 2D and 3D computer tomography and sinus graft analysis with various graft materials. *J Long Term Eff Med Implants* 1999;9(3):223-33. [Abstract](#)
90. Ikumi N, Tsutsumi S. Assessment of correlation between computerized tomography values of the bone and cutting torque values at implant placement: a clinical study. *Int J Oral Maxillofac Implants* 2005;20(2):253-60. [Abstract](#)
91. Ishak MI, Abdul Kadir MR, Sulaiman E, et al. Finite element analysis of different surgical approaches in various occlusal loading locations for zygomatic implant placement for the treatment of atrophic maxillae. *Int J Oral Maxillofac Surg* 2012;41(9):1077-89. [Abstract](#)
92. Jacobs R. Preoperative radiologic planning of implant surgery in compromised patients. *Periodontol* 2000 2003;33:12-25. [Abstract](#)
93. Jang HY, Kim HC, Lee SC, et al. Choice of graft material in relation to maxillary sinus width in internal sinus floor augmentation. *J Oral Maxillofac Surg* 2010;68(8):1859-68. [Abstract](#)

94. Jeong SM, Yoo JH, Fang Y, et al. The effect of guided flapless implant procedure on heat generation from implant drilling. *J Craniomaxillofac Surg* 2014;42(6):725-9. [Abstract](#)
95. Jones JL, Knox J, Key SJ. Potential reformatting errors in cone-beam computed tomography for dentoalveolar surgery: a cautionary tale. *Br J Oral Maxillofac Surg* 2016;E-pub May 27 doi:10.1016/j.bjoms.2016.03.032. [Abstract](#)
96. Juluri R, Moran M, Suzuki JB, et al. A comparison of computed tomography scans and digital periapical radiographs ridge height measurements. *J Oral Implantol* 2015;41(2):125-31. [Abstract](#)
97. Jung YR, Kim SC, Kang KH, et al. Placement angle effects on the success rate of orthodontic microimplants and other factors with cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 2013;143(2):173-81. [Abstract](#)
98. Kacer CM, Dyer JD, Kraut RA. Immediate loading of dental implants in the anterior and posterior mandible: a retrospective study of 120 cases. *J Oral Maxillofac Surg* 2010;68(11):2861-7. [Abstract](#)
99. Kamposiora P, Papavasiliou G, Madianos P. Presentation of two cases of immediate restoration of implants in the esthetic region, using facilitate software and guides with stereolithographic model surgery prior to patient surgery. *J Prosthodont* 2012;21(2):130-7. [Abstract](#)
100. Kaneko T, Masuda I, Horie N, et al. New bone formation in nongrafted sinus lifting with space-maintaining management: a novel technique using a titanium bone fixation device. *J Oral Maxillofac Surg* 2012;70(3):e217-24. [Abstract](#)
101. Kang YH, Kim BC, Park KR, et al. Visual pathway-related horizontal reference plane for three-dimensional craniofacial analysis. *Orthod Craniofac Res* 2012;15(4):245-54. [Abstract](#)
102. Kang SH, Lee JW, Lim SH, et al. Verification of the usability of a navigation method in dental implant surgery: in vitro comparison with the stereolithographic surgical guide template method. *J Craniomaxillofac Surg* 2014;42(7):1530-5. [Abstract](#)
103. Kanno T, Mitsugi M, Sukegawa S, et al. Computer-simulated bi-directional alveolar distraction osteogenesis. *Clin Oral Implants Res* 2008;19(12):1211-8. [Abstract](#)
104. Katsumi Y, Tanaka R, Hayashi T, et al. Variation in arterial supply to the floor of the mouth and assessment of relative hemorrhage risk in implant surgery. *Clin Oral Implants Res* 2013;24(4):434-40. [Abstract](#)
105. Kawasaki T, Komatsu K, Tsuchiya R. Tilted placement of tapered implants using a modified surgical template. *J Oral Maxillofac Surg* 2011;69(6):1642-50. [Abstract](#)
106. Kennedy KS, Jones EM, Kim DG, et al. A prospective clinical study to evaluate early success of short implants. *Int J Oral Maxillofac Implants* 2013;28(1):170-7. [Abstract](#)
107. Kim SJ, Ribeiro AL, Atlas AM, et al. Resonance frequency analysis as a predictor of early implant failure in the partially edentulous posterior maxilla following immediate nonfunctional loading or delayed loading with single unit restorations. *Clin Oral Implants Res* 2015;26(2):183-90. [Abstract](#)
108. Kimura K, Fukase Y, Makino M, et al. Three-dimensional finite element analysis of fixed complete-arch prostheses supported by 4 immediate-loaded implants in the completely edentulous maxilla using clinical computerized tomography data. *J Oral Implantol* 2011;37 Spec No:96-105. [Abstract](#)
109. Klein M, Abrams M. Computer-guided surgery utilizing a computer-milled surgical template. *Pract Proced Aesthet Dent* 2001;13(2):165-9; quiz 70. [Abstract](#)
110. Koop R, Vercruyssen M, Vermeulen K, et al. Tolerance within the sleeve inserts of different surgical guides for guided implant surgery. *Clin Oral Implants Res* 2013;24(6):630-4. [Abstract](#)
111. Kraut RA. A case for routine computed tomography imaging of the dental alveolus before implant placement. *J Oral Maxillofac Surg* 2001;59(1):64-7. [Abstract](#)

112. Kusek ER. Immediate implant placement into infected sites: bacterial studies of the Hydroacoustic effects of the YSGG laser. *J Oral Implantol* 2011;37 Spec No:205-11. [Abstract](#)
113. Lal K, White GS, Morea DN, et al. Use of stereolithographic templates for surgical and prosthodontic implant planning and placement. Part II. A clinical report. *J Prosthodont* 2006;15(2):117-22. [Abstract](#)
114. Lal K, White GS, Morea DN, et al. Use of stereolithographic templates for surgical and prosthodontic implant planning and placement. Part I. The concept. *J Prosthodont* 2006;15(1):51-8. [Abstract](#)
115. Lee CY. Three-dimensional computer tomography (CT) in the evaluation of placement for dental implants. *Hawaii Dent J* 1996;27(3):26-9. [Abstract](#)
116. Lee CYS, Hasegawa H. Immediate load and esthetic zone considerations to replace maxillary incisor teeth using a new zirconia implant abutment in the bone grafted anterior maxilla. *J Oral Implantol* 2008;34(5):259-67. [Abstract](#)
117. Lee BS, Ohe JY, Kim BK. Differences in bone remodeling using demineralized bone matrix in bilateral sagittal split ramus osteotomy: a study on volumetric analysis using three-dimensional cone-beam computed tomography. *J Oral Maxillofac Surg* 2014;72(6):1151-7. [Abstract](#)
118. Lemmerman KJ, Lemmerman NE. Osseointegrated dental implants in private practice: a long-term case series study. *J Periodontol* 2005;76(2):310-9. [Abstract](#)
119. Lethaus B, Lie N, de Beer F, et al. Surgical and prosthetic reconsiderations in patients with maxillectomy. *J Oral Rehabil* 2010;37(2):138-42. [Abstract](#)
120. Lethaus B, Poort L, Yamauchi K, et al. Qualitative bone CT as a tool to assess vascularization in irradiated bone: an animal study. *Clin Oral Implants Res* 2013;24(7):746-9. [Abstract](#)
121. Levine MH, Goddard AL, Dodson TB. Inferior alveolar nerve canal position: a clinical and radiographic study. *J Oral Maxillofac Surg* 2007;65(3):470-4. [Abstract](#)
122. Li H, Yang Y, Chen Y, et al. Three-dimensional reconstruction of maxillae using spiral computed tomography and its application in postoperative adult patients with unilateral complete cleft lip and palate. *J Oral Maxillofac Surg* 2011;69(12):e549-57. [Abstract](#)
123. Li J, Xuan F, Choi BH, et al. Minimally invasive ridge augmentation using xenogenous bone blocks in an atrophied posterior mandible: a clinical and histological study. *Implant Dent* 2013;22(2):112-6. [Abstract](#)
124. Lin Z, He B, Chen J, et al. Manufacture method and clinical application of minimally invasive dental implant guide template based on registration technology. (English). *West China Journal of Stomatology* 2012;30(4):402-06. [Abstract](#)
125. Lin YK, Yau HT, Wang IC, et al. A novel dental implant guided surgery based on integration of surgical template and augmented reality. *Clin Implant Dent Relat Res* 2015;17(3):543-53. [Abstract](#)
126. Maini A, Durning P, Drage N. Resorption: within or without? The benefit of cone-beam computed tomography when diagnosing a case of an internal/external resorption defect. *Br Dent J* 2008;204(3):135-7. [Abstract](#)
127. Maloney K, Bastidas J, Freeman K, et al. Cone beam computed tomography and SimPlant materialize dental software versus direct measurement of the width and height of the posterior mandible: an anatomic study. *J Oral Maxillofac Surg* 2011;69(7):1923-9. [Abstract](#)
128. Mandelaris GA, Rosenfeld AL. A novel approach to the antral sinus bone graft technique: The use of a prototype cutting guide for precise outlining of the lateral wall. A case report. *Int J Periodontics Restorative Dent* 2008;28(6):568-75. [Abstract](#)
129. Mandelaris GA, Rosenfeld AL. Alternative applications of guided surgery: precise outlining of the lateral window in antral sinus bone grafting. *J Oral Maxillofac Surg* 2009;67(11 Suppl):23-30. [Abstract](#)

130. Mandelaris GA, Rosenfeld AL, King SD, et al. Computer-guided implant dentistry for precise implant placement: combining specialized stereolithographically generated drilling guides and surgical implant instrumentation. *Int J Periodontics Restorative Dent* 2010;30(3):275-81. [Abstract](#)
131. Mandelaris GA, Vlk SD. Guided implant surgery with placement of a presurgical CAD/CAM patient-specific abutment and provisional in the esthetic zone. *Compend Contin Educ Dent* 2014;35(7):494-504. [Abstract](#)
132. Mangano C, Mangano F, Piattelli A, et al. Single-tooth Morse taper connection implants after 1 year of functional loading: a multicentre study on 302 patients. *Eur J Oral Implantol* 2008;1(4):305-15. [Abstract](#)
133. Mangano C, Mangano F, Piattelli A, et al. Prospective clinical evaluation of 1920 Morse taper connection implants: results after 4 years of functional loading. *Clin Oral Implants Res* 2009;20(3):254-61. [Abstract](#)
134. Mangano C, Piattelli A, Mangano A, et al. Combining scaffolds and osteogenic cells in regenerative bone surgery: a preliminary histological report in human maxillary sinus augmentation. *Clin Implant Dent Relat Res* 2009;11 Suppl 1:e92-102. [Abstract](#)
135. Mangano C, Mangano F, Piattelli A, et al. Prospective clinical evaluation of 307 single-tooth morse taper-connection implants: a multicenter study. *Int J Oral Maxillofac Implants* 2010;25(2):394-400. [Abstract](#)
136. Mangano C, Mangano F, Shibli JA, et al. Morse taper connection implants supporting "planned" maxillary and mandibular bar-retained overdentures: a 5-year prospective multicenter study. *Clin Oral Implants Res* 2011;22(10):1117-24. [Abstract](#)
137. Matsuo A, Chiba H, Takahashi H, et al. Clinical application of a custom-made bioresorbable raw particulate hydroxyapatite/poly-L-lactide mesh tray for mandibular reconstruction. *Odontology* 2010;98(1):85-8. [Abstract](#)
138. Matsuo A, Kono M, Toyoda J, et al. Navigation surgery for Le Fort 1 osteotomy in a fibrous dysplasia patient. *Odontology* 2010;98(2):181-4. [Abstract](#)
139. Mazzocco F, Jimenez D, Barallat L, et al. Bone volume changes after immediate implant placement with or without flap elevation. *Clin Oral Implants Res* 2016;E-pub Mar 14, doi:10.1111/clr.12826. [Abstract](#)
140. Mendes R. Computer assisted implant planning - A case report involving severely atrophic edentulous maxillary regions. *Journal of Chinese Clinical Medicine* 2010;5(11):665-7.
141. Mengel R, Candir M, Shiratori K, et al. Digital volume tomography in the diagnosis of periodontal defects: an in vitro study on native pig and human mandibles. *J Periodontol* 2005;76(5):665-73. [Abstract](#)
142. Merheb J, Van Assche N, Coucke W, et al. Relationship between cortical bone thickness or computerized tomography-derived bone density values and implant stability. *Clin Oral Implants Res* 2010;21(6):612-7. [Abstract](#)
143. Merheb J, Temmerman A, Coucke W, et al. Relation between spongy bone density in the maxilla and skeletal bone density. *Clin Implant Dent Relat Res* 2015;17(6):1180-7. [Abstract](#)
144. Merheb J, Vercruyssen M, Coucke W, et al. The fate of buccal bone around dental implants. A 12-month postloading follow-up study. *Clin Oral Implants Res* 2016;E-pub Jan 8, doi:10.1111/clr.12767. [Abstract](#)
145. Merheb J, Temmerman A, Rasmusson L, et al. Influence of skeletal and local bone density on dental implant stability in patients with osteoporosis. *Clin Implant Dent Relat Res* 2016;18(2):253-60. [Abstract](#)

146. Merrett SJ, Drage NA, Durning P. Cone beam computed tomography: a useful tool in orthodontic diagnosis and treatment planning. *J Orthod* 2009;36(3):202-10. [Abstract](#)
147. Mertens C, Decker C, Engel M, et al. Early bone resorption of free microvascular reanastomized bone grafts for mandibular reconstruction - A comparison of iliac crest and fibula grafts. *J Craniomaxillofac Surg* 2014;42(5):e217-23. [Abstract](#)
148. Miguel-Sánchez A, Vilaplana-Vivo J, Vilaplana-Vivo C, et al. Accuracy of quantitative computed tomography bone mineral density measurements in mandibles: A cadaveric study. *Clin Implant Dent Relat Res* 2015;17(4):693-9. [Abstract](#)
149. Mischkowski RA, Zinser MJ, Neugebauer J, et al. Comparison of static and dynamic computer-assisted guidance methods in implantology. *Int J Comput Dent* 2006;9(1):23-35. [Abstract](#)
150. Mol A. Imaging methods in periodontology. *Periodontol* 2000 2004;34(1):34-48. [Abstract](#)
151. Nart J, Barallat L, Jimenez D, et al. Radiographic and histological evaluation of deproteinized bovine bone mineral vs. deproteinized bovine bone mineral with 10% collagen in ridge preservation. A randomized controlled clinical trial. *Clin Oral Implants Res* 2016;E-pub Jun 22, doi:10.1111/clr.12889. [Abstract](#)
152. Neugebauer J, Kistler F, Kistler S, et al. CAD/CAM-produced surgical guides: Optimizing the treatment workflow. *Int J Comput Dent* 2011;14(2):93-103. [Abstract](#)
153. Nijmeh AD, Goodger NM, Hawkes D, et al. Image-guided navigation in oral and maxillofacial surgery. *Br J Oral Maxillofac Surg* 2005;43(4):294-302. [Abstract](#)
154. Nikzad S, Azari A. A novel stereolithographic surgical guide template for planning treatment involving a mandibular dental implant. *J Oral Maxillofac Surg* 2008;66(7):1446-54. [Abstract](#)
155. Nikzad S, Azari A. Computer-assisted implant surgery; a flapless surgical/immediate loaded approach with 1 year follow-up. *Int J Med Robot* 2008;4(4):348-54. [Abstract](#)
156. Nikzad S, Azari A. Custom-made radiographic template, computed tomography, and computer-assisted flapless surgery for treatment planning in partial edentulous patients: a prospective 12-month study. *J Oral Maxillofac Surg* 2010;68(6):1353-9. [Abstract](#)
157. Noh K, Pae A, Lee JW, et al. Fabricating a tooth- and implant-supported maxillary obturator for a patient after maxillectomy with computer-guided surgery and CAD/CAM technology: A clinical report. *J Prosthet Dent* 2016;115(5):637-42. [Abstract](#)
158. Nolan PJ, Freeman K, Kraut RA. Correlation between Schneiderian membrane perforation and sinus lift graft outcome: a retrospective evaluation of 359 augmented sinus. *J Oral Maxillofac Surg* 2014;72(1):47-52. [Abstract](#)
159. Norton MR, Gamble C. Bone classification: an objective scale of bone density using the computerized tomography scan. *Clin Oral Implants Res* 2001;12(1):79-84. [Abstract](#)
160. Odin G, Misch CE, Binderman I, et al. Fixed rehabilitation of severely atrophic jaws using immediately loaded basal disk implants after in situ bone activation. *J Oral Implantol* 2012;38(5):611-6. [Abstract](#)
161. Orentlicher G, Goldsmith D, Horowitz A. Computer-generated implant planning and surgery: Case selection. (cover story). *Compend Contin Educ Dent* 2009;30(3):162-73. [Abstract](#)
162. Orentlicher G, Horowitz A, Goldsmith D, et al. Cumulative survival rate of implants placed "fully guided" using CT-guided surgery: A 7-year retrospective study. *Compend Contin Educ Dent* 2014;35(8):590-7. [Abstract](#)
163. Özkurt Z, Duygu G, Canpolat C, et al. Reconstruction of edentulous maxillary and mandibular arches with implant-supported fixed restorations using a digital treatment planning technique: a clinical report. *J Oral Implantol* 2008;34(3):161-8. [Abstract](#)

164. Pancko F, Dyer J, Weisglass S, et al. Use of tilted implants in treatment of the atrophic posterior mandible: a preliminary report of a novel approach. *J Oral Maxillofac Surg* 2010;68(2):407-13. [Abstract](#)
165. Papadimitriou DE, Salari S, Gannam C, et al. Implant-prosthetic classification of the edentulous jaw for treatment planning with fixed rehabilitations. *Int J Prosthodont* 2014;27(4):320-7. [Abstract](#)
166. Paraque AR, Steve M, Vazquez L, et al. Esthetic and functional reconstruction of the post-tumoral interrupted mandible with double-barrel fibular free flap graft: rationale for a prosthetic approach. *J Oral Implantol* 2011;37(5):571-77. [Abstract](#)
167. Park C, Raigrodski AJ, Rosen J, et al. Accuracy of implant placement using precision surgical guides with varying occlusogingival heights: an in vitro study. *J Prosthet Dent* 2009;101(6):372-81. [Abstract](#)
168. Park E-J, Schrott A, Schnitman PA. Immediate loading as a vehicle for interdisciplinary training in implant placement and restoration. *Int J Oral Maxillofac Implants* 2010;25(5):1007-10. [Abstract](#)
169. Park KR, Park HS, Piao Z, et al. Three-dimensional vector analysis of mandibular structural asymmetry. *J Craniomaxillofac Surg* 2013;41(4):338-44. [Abstract](#)
170. Petschelt F, Millian M, Kraußeneck T. Analysis of the precision of implant templates. *Z Zahnärztl Impl* 2013;29(1):58-69. [Abstract](#)
171. Platzer S, Bertha G, Heschl A, et al. Three-dimensional accuracy of guided implant placement: indirect assessment of clinical outcomes. *Clin Implant Dent Relat Res* 2013;15(5):724-34. [Abstract](#)
172. Ramaglia L, Toti P, Sbordone C, et al. Implant angulation: 2-year retrospective analysis on the influence of dental implant angle insertion on marginal bone resorption in maxillary and mandibular osseous onlay grafts. *Clin Oral Investig* 2015;19(4):769-79. [Abstract](#)
173. Rhoades KA, Leve LD, Harold GT, et al. Drug use trajectories after a randomized controlled trial of MTFC: Associations with partner drug use. *J Res Adolesc* 2014;24(1):40-54. [Abstract](#)
174. Rodriguez A, Anastassov GE, Lee H, et al. Maxillary sinus augmentation with deproteinated bovine bone and platelet rich plasma with simultaneous insertion of endosseous implants. *J Oral Maxillofac Surg* 2003;61(2):157-63. [Abstract](#)
175. Rodriguez-Recio O, Rodriguez-Recio C, Gallego L, et al. Computed tomography and computer-aided design for locating available palatal bone for grafting: two case reports. *Int J Oral Maxillofac Implants* 2010;25(1):197-200. [Abstract](#)
176. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 3: stereolithographic drilling guides that do not require bone exposure and the immediate delivery of teeth. *Int J Periodontics Restorative Dent* 2006;26(5):493-9. [Abstract](#)
177. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 2: rapid-prototype medical modeling and stereolithographic drilling guides requiring bone exposure. *Int J Periodontics Restorative Dent* 2006;26(4):347-53. [Abstract](#)
178. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 1: diagnostics, imaging, and collaborative accountability. *Int J Periodontics Restorative Dent* 2006;26(3):215-21. [Abstract](#)
179. Ruppin J, Popovic A, Strauss M, et al. Evaluation of the accuracy of three different computer-aided surgery systems in dental implantology: optical tracking vs. stereolithographic splint systems. *Clin Oral Implants Res* 2008;19(7):709-16. [Abstract](#)

180. Ryu KH, Min S, You HK, et al. Alveolar ridge dimensional changes following ridge preservation procedure using SocketKAP : exploratory study of serial cone-beam computed tomography and histologic analysis in canine model. *Clin Oral Implants Res* 2015;E-pub Dec 13, doi:10.1111/clr.12711. [Abstract](#)
181. Salama M, Coachman C, Garber D, et al. Prosthetic gingival reconstruction in the fixed partial restoration. Part 2: diagnosis and treatment planning. *Int J Periodontics Restorative Dent* 2009;29(6):573-81. [Abstract](#)
182. Sarment DP, Sukovic P, Clinthorne N. Accuracy of implant placement with a stereolithographic surgical guide. *Int J Oral Maxillofac Implants* 2003;18(4):571-7. [Abstract](#)
183. Sarment DP, Al-Shammari K, Kazor CE. Stereolithographic surgical templates for placement of dental implants in complex cases. *Int J Periodontics Restorative Dent* 2003;23(3):287-95. [Abstract](#)
184. Sawada A, Wakabayashi N, Ona M, et al. Viscoelasticity of human oral mucosa: implications for masticatory biomechanics. *J Dent Res* 2011;90(5):590-5. [Abstract](#)
185. Sbordone C, Sbordone L, Toti P, et al. Volume changes of grafted autogenous bone in sinus augmentation procedure. *J Oral Maxillofac Surg* 2011;69(6):1633-41. [Abstract](#)
186. Sbordone C, Toti P, Guidetti F, et al. Volume changes of iliac crest autogenous bone grafts after vertical and horizontal alveolar ridge augmentation of atrophic maxillas and mandibles: a 6-year computerized tomographic follow-up. *J Oral Maxillofac Surg* 2012;70(11):2559-65. [Abstract](#)
187. Sbordone C, Toti P, Guidetti F, et al. Healing of donor defect after mandibular parasymphyseal block harvesting: a 6-year computerized tomographic follow-up. *J Craniomaxillofac Surg* 2012;40(5):421-6. [Abstract](#)
188. Sbordone C, Toti P, Guidetti F, et al. Volume changes of autogenous bone after sinus lifting and grafting procedures: a 6-year computerized tomographic follow-up. *J Craniomaxillofac Surg* 2013;41(3):235-41. [Abstract](#)
189. Sbordone C, Toti P, Guidetti F, et al. Volumetric changes after sinus augmentation using blocks of autogenous iliac bone or freeze-dried allogeneic bone. A non-randomized study. *J Craniomaxillofac Surg* 2014;42(2):113-8. [Abstract](#)
190. Schepers RH, Raghoobar GM, Vissink A, et al. Fully 3-dimensional digitally planned reconstruction of a mandible with a free vascularized fibula and immediate placement of an implant-supported prosthetic construction. *Head Neck* 2013;35(4):E109-14. [Abstract](#)
191. Schirotti G, Angiero F, Zangerl A, et al. Accuracy of a flapless protocol for computer-guided zygomatic implant placement in human cadavers: expectations and reality. *Int J Med Robot* 2016;12(1):102-8. [Abstract](#)
192. Schlee M, Rothamel D. Ridge augmentation using customized allogenic bone blocks: proof of concept and histological findings. *Implant Dent* 2013;22(3):212-8. [Abstract](#)
193. Schneider D, Schober F, Grohmann P, et al. In-vitro evaluation of the tolerance of surgical instruments in templates for computer-assisted guided implantology produced by 3-D printing. *Clin Oral Implants Res* 2015;26(3):320-5. [Abstract](#)
194. Schnitman PA, Hwang JW. To immediately load, expose, or submerge in partial edentulism: a study of primary stability and treatment outcome. *Int J Oral Maxillofac Implants* 2011;26(4):850-9. [Abstract](#)
195. Schultze-Mosgau S, Keweloh M, Wiltfang J, et al. Histomorphometric and densitometric changes in bone volume and structure after avascular bone grafting in the extremely atrophic maxilla. *Br J Oral Maxillofac Surg* 2001;39(6):439-47. [Abstract](#)

196. Schwartz-Arad D, Toti P, Levin L, et al. A comparative volumetric study of symphysis donor defects, unfilled or filled with bone substitute. *Clin Implant Dent Relat Res* 2013;15(5):684-91. [Abstract](#)
197. Sencimen M, Guleses A, Ozen J, et al. Early detection of alterations in the resonance frequency assessment of oral implant stability on various bone types: a clinical study. *J Oral Implantol* 2011;37(4):411-9. [Abstract](#)
198. Serag M, Alnassar T, Rochford C, et al. Implementation of digital dentistry to rehabilitate a mutilated dentition with implant fixed prostheses: a clinical report. *J Oral Implantol* 2015;41(2):201-4. [Abstract](#)
199. Shahbazian M, Jacobs R, Wyatt J, et al. Accuracy and surgical feasibility of a CBCT-based stereolithographic surgical guide aiding autotransplantation of teeth: in vitro validation. *J Oral Rehabil* 2010;37(11):854-9. [Abstract](#)
200. Shahbazian M, Jacobs R, Wyatt J, et al. Validation of the cone beam computed tomography-based stereolithographic surgical guide aiding autotransplantation of teeth: clinical case-control study. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2013;115(5):667-75. [Abstract](#)
201. Shapurian T, Damoulis PD, Reiser GM, et al. Quantitative evaluation of bone density using the Hounsfield index. *Int J Oral Maxillofac Implants* 2006;21(2):290-97. [Abstract](#)
202. Shen P, Zhao J, Fan L, et al. Accuracy evaluation of computer-designed surgical guide template in oral implantology. *J Craniomaxillofac Surg* 2015;43(10):2189-94. [Abstract](#)
203. Shigehara S, Ohba S, Nakashima K, et al. Immediate loading of dental implants inserted in edentulous maxillas and mandibles; 5-year results of a clinical study. *J Oral Implantol* 2015;41(6):701-5. [Abstract](#)
204. Shimizu T, Mizushiri M, Fukunishi K, et al. Full mouth reconstruction with dental implants in the conservative treatment of bilateral condylar fractures: a clinical letter. *J Oral Implantol* 2015;41(1):89-92. [Abstract](#)
205. Solow RA. Channel retention for fixed implant superstructures: A clinical report. *J Prosthet Dent* 2015;114(3):323-7. [Abstract](#)
206. Somogyi-Ganss E, Holmes HI, Jokstad A. Accuracy of a novel prototype dynamic computer-assisted surgery system. *Clin Oral Implants Res* 2015;26(8):882-90. [Abstract](#)
207. Song WW, Kim SS, Sandor GK, et al. Maxillary yaw as the primary predictor of maxillary dental midline deviation: 3D analysis using cone-beam computed tomography. *J Oral Maxillofac Surg* 2013;71(4):752-62. [Abstract](#)
208. Star H, Thevissen P, Jacobs R, et al. Human dental age estimation by calculation of pulp-tooth volume ratios yielded on clinically acquired cone beam computed tomography images of monoradicular teeth. *J Forensic Sci* 2011;56 Suppl 1:S77-82. [Abstract](#)
209. Stockham CD. Using CT and SIM/Plant to plan implant therapy. *Alpha Omegan* 1996;89(4):35-8. [Abstract](#)
210. Stoppie N, Pattijn V, Van Cleynenbreugel T, et al. Structural and radiological parameters for the characterization of jawbone. *Clin Oral Implants Res* 2006;17(2):124-33. [Abstract](#)
211. Stubinger S, Buitrago-Tellez C, Cantelmi G. Deviations between placed and planned implant positions: an accuracy pilot study of skeletally supported stereolithographic surgical templates. *Clin Implant Dent Relat Res* 2014;16(4):540-51. [Abstract](#)
212. Sudbrink SD. Computer-guided implant placement with immediate provisionalization: a case report. *J Oral Maxillofac Surg* 2005;63(6):771-4. [Abstract](#)
213. Tajima N, Ohba S, Sawase T, et al. Evaluation of sinus floor augmentation with simultaneous implant placement using platelet-rich fibrin as sole grafting material. *Int J Oral Maxillofac Implants* 2013;28(1):77-83. [Abstract](#)

214. Takuma T, Oishi K, Manabe T, et al. Buccal bone resorption around posterior implants after surgery: a 1-year prospective study. *Int J Oral Maxillofac Implants* 2014;29(3):634-41. [Abstract](#)
215. Tardieu PB, Vrielinck L, Escolano E, et al. Computer-assisted implant placement: scan template, simplant, surgiguide, and SAFE system. *Int J Periodontics Restorative Dent* 2007;27(2):141-9. [Abstract](#)
216. Temmerman A, Meeus M, Dhondt R, et al. Oral implant placement and restoration by undergraduate students: clinical outcomes and student perceptions. *Eur J Dent Educ* 2016;20(2):73-83. [Abstract](#)
217. Testori T, Robiony M, Parenti A, et al. Evaluation of accuracy and precision of a new guided surgery system: A multicenter clinical study. *Int J Periodontics Restorative Dent* 2014;34(suppl):s59-s69. [Abstract](#)
218. Tischler M. Simplified fixed implant prosthetics. *Dent Today* 2003;22(9):84-6. [Abstract](#)
219. Tischler M. Interactive computerized tomography for dental implants. Treatment planning from the prosthetic end result. *Dent Today* 2004;23(3):90, 92-3. [Abstract](#)
220. Tischler M. Full-arch fixed prosthetics supported by dental implants and natural teeth: planning, provisionalization, treatment sequences: 2 case examples. *Dent Today* 2004;23(9):86, 88, 90-1. [Abstract](#)
221. Tischler M. Dental implant placement in the maxillary anterior region: guidelines for aesthetic success. *Dent Today* 2005;24(3):72, 74, 76 passim; quiz 78, 61. [Abstract](#)
222. Todisco M, Trisi P. Bone mineral density and bone histomorphometry are statistically related. *Int J Oral Maxillofac Implants* 2005;20(6):898-904. [Abstract](#)
223. Torres J, Tamimi F, Martinez PP, et al. Effect of platelet-rich plasma on sinus lifting: a randomized-controlled clinical trial. *J Clin Periodontol* 2009;36(8):677-87. [Abstract](#)
224. Torres J, Tamimi F, Alkhraisat MH, et al. Platelet-rich plasma may prevent titanium-mesh exposure in alveolar ridge augmentation with anorganic bovine bone. *J Clin Periodontol* 2010;37(10):943-51. [Abstract](#)
225. Tremblay G. Innovative advanced occlusion planning with superimposed CT and optical scans. *Compend Contin Educ Dent* 2011;32(3):50-2, 54-6, 58. [Abstract](#)
226. Tremblay G. Rehabilitation of surgically relocated integrated dental implants with and without bone morphogenesis protein-2. *J Oral Implantol* 2013;39(4):409-15. [Abstract](#)
227. Trikeriotis D, Paravalou E, Diamantopoulos P, et al. Anterior mandible canal communications: a potential portal of entry for tumour spread. *Dentomaxillofac Radiol* 2008;37(3):125-9. [Abstract](#)
228. Uchida T, Yoshida T, Kashiwagi K, et al. Clinical, radiographic, and histologic evaluation of localized ridge augmentation using a mandibular bone block. *Int J Periodontics Restorative Dent* 2008;28(2):180-87. [Abstract](#)
229. Valente F, Schioli G, Sbrenna A. Accuracy of computer-aided oral implant surgery: a clinical and radiographic study. *Int J Oral Maxillofac Implants* 2009;24(2):234-42. [Abstract](#)
230. Van Assche N, Quirynen M. Tolerance within a surgical guide. *Clin Oral Implants Res* 2010;21(4):455-58. [Abstract](#)
231. Van de Velde T, Glor F, De Bruyn H. A model study on flapless implant placement by clinicians with a different experience level in implant surgery. *Clin Oral Implants Res* 2008;19(1):66-72. [Abstract](#)
232. Van de Velde T, Sennerby L, De Bruyn H. The clinical and radiographic outcome of implants placed in the posterior maxilla with a guided flapless approach and immediately restored with a provisional rehabilitation: a randomized clinical trial. *Clin Oral Implants Res* 2010;21(11):1223-33. [Abstract](#)

233. Van de Wiele G, Teughels W, Vercruyssen M, et al. The accuracy of guided surgery via mucosa-supported stereolithographic surgical templates in the hands of surgeons with little experience. *Clin Oral Implants Res* 2015;26(12):1489-94. [Abstract](#)
234. Van Steenberghe D, Malevez C, Van Cleynenbreugel J, et al. Accuracy of drilling guides for transfer from three-dimensional CT-based planning to placement of zygoma implants in human cadavers. *Clin Oral Implants Res* 2003;14(1):131-6. [Abstract](#)
235. van Zyl AW, van Heerden WF. A retrospective analysis of maxillary sinus septa on reformatted computerised tomography scans. *Clin Oral Implants Res* 2009;20(12):1398-401. [Abstract](#)
236. Vandenberghe B, Luchsinger S, Hostens J, et al. The influence of exposure parameters on jawbone model accuracy using cone beam CT and multislice CT. *Dentomaxillofac Radiol* 2012;41(6):466-74. [Abstract](#)
237. Varol A, Basa S. The role of computer-aided 3D surgery and stereolithographic modelling for vector orientation in premaxillary and trans-sinusoidal maxillary distraction osteogenesis. *Int J Med Robot* 2009;5(2):198-206. [Abstract](#)
238. Verardi S. CT scans may not be indicated to analyze the distribution of the arteries in the lateral wall of the maxillary sinus. *J Evid Based Dent Pract* 2006;6(4):276-7. [Abstract](#)
239. Vercruyssen M, Cox C, Coucke W, et al. A randomized clinical trial comparing guided implant surgery (bone- or mucosa-supported) with mental navigation or the use of a pilot-drill template. *J Clin Periodontol* 2014;41(7):717-23. [Abstract](#)
240. Vercruyssen M, van de Wiele G, Teughels W, et al. Implant- and patient-centred outcomes of guided surgery, a 1-year follow-up: An RCT comparing guided surgery with conventional implant placement. *J Clin Periodontol* 2014;41(12):1154-60. [Abstract](#)
241. Vercruyssen M, Coucke W, Naert I, et al. Depth and lateral deviations in guided implant surgery: an RCT comparing guided surgery with mental navigation or the use of a pilot-drill template. *Clin Oral Implants Res* 2015;26(11):1315-20. [Abstract](#)
242. Vercruyssen M, Cox C, Naert I, et al. Accuracy and patient-centered outcome variables in guided implant surgery: a RCT comparing immediate with delayed loading. *Clin Oral Implants Res* 2016;27(4):427-32. [Abstract](#)
243. Verdonck HD, Meijer GJ, Laurin T, et al. Assessment of vascularity in irradiated and nonirradiated maxillary and mandibular minipig alveolar bone using laser doppler flowmetry. *Int J Oral Maxillofac Implants* 2007;22(5):774-78. [Abstract](#)
244. Verdonck HW, Meijer GJ, Laurin T, et al. Implant stability during osseointegration in irradiated and non-irradiated minipig alveolar bone: an experimental study. *Clin Oral Implants Res* 2008;19(2):201-6. [Abstract](#)
245. Verdonck HW, Meijer GJ, Nieman FH, et al. Quantitative computed tomography bone mineral density measurements in irradiated and non-irradiated minipig alveolar bone: an experimental study. *Clin Oral Implants Res* 2008;19(5):465-8. [Abstract](#)
246. Vogl S, Stopper M, Hof M, et al. Immediate occlusal versus non-occlusal loading of implants: A randomized clinical pilot study. *Clin Implant Dent Relat Res* 2015;17(3):589-97. [Abstract](#)
247. Vrielinck L, Politis C, Schepers S, et al. Image-based planning and clinical validation of zygoma and pterygoid implant placement in patients with severe bone atrophy using customized drill guides. Preliminary results from a prospective clinical follow-up study. *Int J Oral Maxillofac Surg* 2003;32(1):7-14. [Abstract](#)
248. Wakimoto M, Matsumura T, Ueno T, et al. Bone quality and quantity of the anterior maxillary trabecular bone in dental implant sites. *Clin Oral Implants Res* 2012;23(11):1314-9. [Abstract](#)

249. Wang WH, Deng JY, Li M, et al. Preoperative three-dimensional reconstruction in vascularized fibular flap transfer. *J Craniomaxillofac Surg* 2012;40(7):599-603. [Abstract](#)
250. Wang WH, Deng JY, Zhu J, et al. Computer-assisted virtual technology in intracapsular condylar fracture with two resorbable long-screws. *Br J Oral Maxillofac Surg* 2013;51(2):138-43. [Abstract](#)
251. Wang WH, Zhu J, Deng JY, et al. Three-dimensional virtual technology in reconstruction of mandibular defect including condyle using double-barrel vascularized fibula flap. *J Craniomaxillofac Surg* 2013;41(5):417-22. [Abstract](#)
252. Widmann G, Bale RJ. Accuracy in computer-aided implant surgery--a review. *Int J Oral Maxillofac Implants* 2006;21(2):305-13. [Abstract](#)
253. Wildburger A, Payer M, Jakse N, et al. Impact of autogenous concentrated bone marrow aspirate on bone regeneration after sinus floor augmentation with a bovine bone substitute--a split-mouth pilot study. *Clin Oral Implants Res* 2014;25(10):1175-81. [Abstract](#)
254. Wong HH, Pow EH, Choi WW. Management of mandibular rotation after a mandibulectomy: a clinical report. *J Prosthet Dent* 2013;110(6):532-7. [Abstract](#)
255. Xiaojun C, Ming Y, Yanping L, et al. Image guided oral implantology and its application in the placement of zygoma implants. *Comput Methods Programs Biomed* 2009;93(2):162-73. [Abstract](#)
256. Zhang S, Liu X, Xu Y, et al. Application of rapid prototyping for temporomandibular joint reconstruction. *J Oral Maxillofac Surg* 2011;69(2):432-8. [Abstract](#)
257. Zhang W, Shen G, Wang X, et al. Evaluation of alveolar bone grafting using limited cone beam computed tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2012;113(4):542-8. [Abstract](#)
258. Zheng J, Zhang S, Lu E, et al. Systematic modification and evaluation of a canine model for elevation of the floor of the maxillary sinus. *Br J Oral Maxillofac Surg* 2014;52(9):784-8. [Abstract](#)
259. Zinser MJ, Mischkowski RA, Sailer HF, et al. Computer-assisted orthognathic surgery: feasibility study using multiple CAD/CAM surgical splints. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2012;113(5):673-87. [Abstract](#)
260. Zinser MJ, Sailer HF, Ritter L, et al. A paradigm shift in orthognathic surgery? A comparison of navigation, computer-aided designed/computer-aided manufactured splints, and "classic" intermaxillary splints to surgical transfer of virtual orthognathic planning. *J Oral Maxillofac Surg* 2013;71(12):2151 e1-21. [Abstract](#)

REGENERATIVE PRODUCTS

1. al Ruhaimi KA. Effect of adding resorbable calcium sulfate to grafting materials on early bone regeneration in osseous defects in rabbits. *Int J Oral Maxillofac Implants* 2000;15(6):859-64. [Abstract](#)
2. Al Ruhaimi KA. Bone graft substitutes: a comparative qualitative histologic review of current osteoconductive grafting materials. *Int J Oral Maxillofac Implants* 2001;16(1):105-14. [Abstract](#)
3. Al-Hezaimi K, Rudek I, Al-Hamdan KS, et al. Efficacy of using a dual layer of membrane (dPTFE placed over collagen) for ridge preservation in fresh extraction sites: a micro-computed tomographic study in dogs. *Clin Oral Implants Res* 2013;24(10):1152-7. [Abstract](#)
4. Al-Hezaimi K, Iezzi G, Rudek I, et al. Histomorphometric Analysis of Bone Regeneration Using a Dual Layer of Membranes (dPTFE Placed Over Collagen) in Fresh Extraction Sites: A Canine Model. *J Oral Implantol* 2015;41(2):188-95. [Abstract](#)
5. Arpak MN, Alkan A, Nergiz I. A case of localized ridge augmentation from using a titanium membrane: a pilot study. *J Oral Sci* 2000;42(3):133-8. [Abstract](#)

6. Bahat O, Fontanessi RV. Efficacy of implant placement after bone grafting for three-dimensional reconstruction of the posterior jaw. *Int J Periodontics Restorative Dent* 2001;21(3):220-31. [Abstract](#)
7. Barbeck M, Najman S, Stojanovic S, et al. Addition of blood to a phylogenetic bone substitute leads to increased in vivo vascularization. *Biomed Mater* 2015;10(5):055007. [Abstract](#)
8. Barros RR, Novaes AB, Jr., Roriz VM, et al. Anorganic bovine matrix/p-15 "flow" in the treatment of periodontal defects: case series with 12 months of follow-up. *J Periodontol* 2006;77(7):1280-7. [Abstract](#)
9. Behfarnia P, Khorasani MM, Birang R, et al. Histological and histomorphometric analysis of animal experimental dehiscence defect treated with three bio absorbable GTR collagen membrane. *Dent Res J (Isfahan)* 2012;9(5):574-81. [Abstract](#)
10. Bhongade ML, Tiwari IR. A comparative evaluation of the effectiveness of an anorganic bone matrix/cell binding peptide with an open flap debridement in human infrabony defects: a clinical and radiographic study. *J Contemp Dent Pract* 2007;8(6):25-34. [Abstract](#)
11. Brawn PR, Kwong-Hing A. Histologic comparison of light emitting diode phototherapy-treated hydroxyapatite-grafted extraction sockets: a same-mouth case study. *Implant Dent* 2007;16(2):204-11. [Abstract](#)
12. Cano J, Campo J, Ewers R. Expansion of the alveolar bone crest in two stages: two clinical cases. *Oral Surgery* 2011;4(1):30-34. [Abstract](#)
13. Charalampakis G, Rabe P, Leonhardt A, et al. A follow-up study of peri-implantitis cases after treatment. *J Clin Periodontol* 2011;38(9):864-71. [Abstract](#)
14. Chen L, Cha J. An 8-year retrospective study: 1,100 patients receiving 1,557 implants using the minimally invasive hydraulic sinus condensing technique. *J Periodontol* 2005;76(3):482-91. [Abstract](#)
15. Cheung HS, Tofe AJ. Mechanism of cell growth on calcium phosphate particles: role of cell-mediated dissolution of calcium phosphate matrix. *S.T.P. Pharma Sciences* 1993;3(1):51-55.
16. Cortes A. Effectiveness of piezoelectric surgery in preparing the lateral window for maxillary sinus augmentation in patients with sinus anatomical variations: A case series. *Int J Oral Maxillofac Implants* 2012;27(5):1211-15. [Abstract](#)
17. Dahlet JC, Boukari A, Collavini M, et al. Ultrastructure and analytical features of the sinus floor augmentation with osteograph and pepgen P-15. *Journal of Biomaterials and Nanobiotechnology* 2013;4(1):64-73.
18. Donovan R, Fetner A, Koutouzis T, et al. Crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: a 1-year radiographic evaluation. *J Periodontol* 2010;81(3):428-34. [Abstract](#)
19. Emam H, Beheiri G, Elsalanty M, et al. Microcomputed tomographic and histologic analysis of anorganic bone matrix coupled with cell-binding peptide suspended in sodium hyaluronate carrier after sinus augmentation: a clinical study. *Int J Oral Maxillofac Implants* 2011;26(3):561-70. [Abstract](#)
20. Emam HA, Behiri G, El-Alaily M, et al. The efficacy of a tissue-engineered xenograft in conjunction with sodium hyaluronate carrier in maxillary sinus augmentation: a clinical study. *Int J Oral Maxillofac Surg* 2015;44(10):1287-94. [Abstract](#)
21. Engler-Hamm D, Cheung WS, Yen A, et al. Ridge preservation using a composite bone graft and a bioabsorbable membrane with and without primary wound closure: a comparative clinical trial. *J Periodontol* 2011;82(3):377-87. [Abstract](#)
22. Enislidis G, Wittwer G, Ewers R. Preliminary report on a staged ridge splitting technique for implant placement in the mandible: a technical note. *Int J Oral Maxillofac Implants* 2006;21(3):445-9. [Abstract](#)

23. Eto AL, Joly JC, Jeffcoat M, et al. Use of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment of class II furcation defects: a clinical and radiographic study in humans. *J Periodontol* 2007;78(12):2277-83. [Abstract](#)
24. Ewers R, Goriwoda W, Schopper C, et al. Histologic findings at augmented bone areas supplied with two different bone substitute materials combined with sinus floor lifting. Report of one case. *Clin Oral Implants Res* 2004;15(1):96-100. [Abstract](#)
25. Ewers R. Maxilla sinus grafting with marine algae derived bone forming material: a clinical report of long-term results. *J Oral Maxillofac Surg* 2005;63(12):1712-23. [Abstract](#)
26. Figueiredo M, Henriques J, Martins G, et al. Physicochemical characterization of biomaterials commonly used in dentistry as bone substitutes--comparison with human bone. *J Biomed Mater Res B* 2010;92(2):409-19. [Abstract](#)
27. Froum SJ, Tarnow DP, Wallace SS, et al. Sinus floor elevation using anorganic bovine bone matrix (OsteoGraf/N) with and without autogenous bone: a clinical, histologic, radiographic, and histomorphometric analysis--Part 2 of an ongoing prospective study. *Int J Periodontics Restorative Dent* 1998;18(6):528-43. [Abstract](#)
28. Garlini G, Redemagni M, Canciani E, et al. Maxillary sinus floor augmentation with vegetal hydroxyapatite versus demineralized bovine bone: A randomized clinical study with a split-mouth design. *J Dental Implants* 2014;4(2):118-25.
29. Ghanbari H, Moeintaghavi A, Sargolzaei N, et al. Comparative study of Aligpore and decalcified freeze-dried bone allograft in open maxillary sinus elevation using piezoelectric surgery. *J Periodontol Implant Dent* 2013;5(1):1-6.
30. Ghivari S, Patil AC, Patil S, et al. Interdisciplinary management of an isolated intrabony defect. *Case Rep Dent* 2014;2014:672152. [Abstract](#)
31. Gille J, Dorn B, Kekow J, et al. Bone substitutes as carriers for transforming growth factor-beta(1) (TGF-beta(1)). *Int Orthop* 2002;26(4):203-6. [Abstract](#)
32. Guda T, Walker JA, Singleton BM, et al. Guided bone regeneration in long-bone defects with a structural hydroxyapatite graft and collagen membrane. *Tissue Eng Part A* 2013;19(17-18):1879-88. [Abstract](#)
33. Hahn J, Rohrer MD, Tofe AJ. Clinical, radiographic, histologic, and histomorphometric comparison of PepGen P-15 particulate and PepGen P-15 flow in extraction sockets: a same-mouth case study. *Implant Dent* 2003;12(2):170-4. [Abstract](#)
34. Hahn J. 8-year onlay bone graft and ridge augmentation with PepGen P-15: a clinical and radiographic case study. *Implant Dent* 2004;13(3):228-31. [Abstract](#)
35. Hammerle CH, Olah AJ, Schmid J, et al. The biological effect of natural bone mineral on bone neoformation on the rabbit skull. *Clin Oral Implants Res* 1997;8(3):198-207. [Abstract](#)
36. Herr G, Wahl D, Kusswetter W. Osteogenic activity of bone morphogenetic protein and hydroxyapatite composite implants. *Ann Chir Gynaecol Suppl* 1993;207:99-107. [Abstract](#)
37. Hoffmann O, Beaumont C, Zafiropoulos GG. Immediate implant placement: a case series. *J Oral Implantol* 2006;32(4):182-9. [Abstract](#)
38. Hole BB, Schwarz JA, Gilbert JL, et al. A study of biologically active peptide sequences (P-15) on the surface of an ABM scaffold (PepGen P-15) using AFM and FTIR. *J Biomed Mater Res A* 2005;74(4):712-21. [Abstract](#)
39. Hrabak K, Szabo G, Ewers R, et al. 2D and 3D computer tomography and sinus graft analysis with various graft materials. *J Long Term Eff Med Implants* 1999;9(3):223-33. [Abstract](#)

40. Iezzi G, Degidi M, Piattelli A, et al. Comparative histological results of different biomaterials used in sinus augmentation procedures: a human study at 6 months. *Clin Oral Implants Res* 2012;23(12):1369-76. [Abstract](#)
41. Jayme SJ, Muglia VA, de Oliveira RR, et al. Optimization in multi-implant placement for immediate loading in edentulous arches using a modified surgical template and prototyping: a case report. *Int J Oral Maxillofac Implants* 2008;23(4):759-62. [Abstract](#)
42. Jimbo R, Jinno Y, Vennerberg A. Bone regenerative properties of biphasic bone substitutes. A critical size defect study in the rabbit calvaria (P255). *Clin Oral Implants Res* 2015;26(Supplement S12):84. [Abstract](#)
43. Kainulainen V, Oikarinen K. Comparison of four bone collectors designed for oral and maxillofacial surgery--an in vitro study. *Clin Oral Implants Res* 1998;9(5):327-32. [Abstract](#)
44. Kasaj A, Rohrig B, Reichert C, et al. Clinical evaluation of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment of human infrabony defects. *Clin Oral Investig* 2008;12(3):241-7. [Abstract](#)
45. Khashu H, Vandana KL. Clinical and radiographic evaluation of human periodontal osseous defect (mandibular grade II furcation) treated with PepGen P-15 and a bioresorbable membrane (Atrisorb). *J Indian Soc Periodontol* 2012;16(4):569-76. [Abstract](#)
46. Khoury F, Hanser T. Mandibular bone block harvesting from the retromolar region: a 10-year prospective clinical study. *Int J Oral Maxillofac Implants* 2015;30(3):688-397. [Abstract](#)
47. Khoury F, Hidajat H. Extensive autogenous bone augmentation and implantation in patients under bisphosphonate treatment: A 15-case series. *Int J Periodontics Restorative Dent* 2016;36(1):9-18. [Abstract](#)
48. Kirmeier R, Payer M, Wehrsuetz M, et al. Evaluation of three-dimensional changes after sinus floor augmentation with different grafting materials. *Clin Oral Implants Res* 2008;19(4):366-72. [Abstract](#)
49. Klein M, Goetz H, Pazen S, et al. Pore characteristics of bone substitute materials assessed by microcomputed tomography. *Clin Oral Implants Res* 2009;20(1):67-74. [Abstract](#)
50. Klongnoi B, Rupprecht S, Kessler P, et al. Lack of beneficial effects of platelet-rich plasma on sinus augmentation using a fluorohydroxyapatite or autogenous bone: an explorative study. *J Clin Periodontol* 2006;33(7):500-9. [Abstract](#)
51. Kohal RJ, Straub LM, Wolkewitz M, et al. Evaluation of guided bone regeneration around oral implants over different healing times using two different bovine bone materials: a randomized, controlled clinical and histological investigation. *Clin Implant Dent Relat Res* 2015;17(5):957-71. [Abstract](#)
52. Koike H, Kawahara D, Kawahara H. Clinical characterization of several bone grafting materials as a dental implant supporting tissue. *Adv Sci Techn* 2006;49:300-05.
53. Korfage A, Raghoebar GM, Noorda WD, et al. Recommendations for implant-retained nasal prostheses after ablative tumor surgery: Minimal surgical aftercare, high implant survival, and satisfied patients. *Head Neck* 2015;E-pub Mar 17, doi:10.1002/hed.24053. [Abstract](#)
54. Koutouzis T, Fetner M, Fetner A, et al. Retrospective evaluation of crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: the effect of bone grafting at implant placement. *J Periodontol* 2011;82(2):234-42. [Abstract](#)
55. Kratz F, Müller C, Körber N, et al. Characterization of protein films on dental materials: Bicinchoninic acid assay (BCA) studies on loosely and firmly adsorbed protein layers. *Phys status Solid A* 2013;210(5). [Abstract](#)

56. Krauser JT, Rohrer MD, Wallace SS. Human histologic and histomorphometric analysis comparing OsteoGraf/N with PepGen P-15 in the maxillary sinus elevation procedure: a case report. *Implant Dent* 2000;9(4):298-302. [Abstract](#)
57. Kubler A, Neugebauer J, Oh JH, et al. Growth and proliferation of human osteoblasts on different bone graft substitutes: an in vitro study. *Implant Dent* 2004;13(2):171-9. [Abstract](#)
58. Kuhl S, Gotz H, Hansen T, et al. Three-dimensional analysis of bone formation after maxillary sinus augmentation by means of microcomputed tomography: a pilot study. *Int J Oral Maxillofac Implants* 2010;25(5):930-8. [Abstract](#)
59. Landi L, Pretel RW, Jr., Hakimi NM, et al. Maxillary sinus floor elevation using a combination of DFDBA and bovine-derived porous hydroxyapatite: a preliminary histologic and histomorphometric report. *Int J Periodontics Restorative Dent* 2000;20(6):574-83. [Abstract](#)
60. Levin BP. Immediate temporization of immediate implants in the esthetic zone: evaluating survival and bone maintenance. *Compend Contin Educ Dent* 2011;32(4):52-6, 58-60, 62. [Abstract](#)
61. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. *Compend Contin Educ Dent* 2015;36(9):682-8. [Abstract](#)
62. Levin BP. The dermal apron technique for immediate implant socket management: A novel technique. *J Esthet Restor Dent* 2016;28(1):18-28. [Abstract](#)
63. Lu SY, Huang CC. Resolution of an active peri-implantitis in a chronic steroid user by bone augmentation with PepGen P-15 and a barrier membrane. *J Oral Implantol* 2007;33(5):280-7. [Abstract](#)
64. Luczyszyn SM, Papalexou V, Novaes AB, Jr., et al. Acellular dermal matrix and hydroxyapatite in prevention of ridge deformities after tooth extraction. *Implant Dent* 2005;14(2):176-84. [Abstract](#)
65. Luongo G, Bressan E, Grusovin MG, et al. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? Four-month post-loading preliminary results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2015;8(2):129-40. [Abstract](#)
66. Lutz R, Prechtel C, Nonhoff J, et al. Biofunctionalization of the implant surface with different concentrations of a synthetic peptide (P-15). *Clin Oral Implants Res* 2013;24(7):781-6. [Abstract](#)
67. Mahesh L, Lahori M, Bali P, et al. Lateral ridge augmentation by titanium membrane using autografts and alloplast: A case report with 3 years radiological follow-up. *Int J Oral Implantol Clin Res* 2010;1(1):e37-42.
68. Mardas N, Stavropoulos A, Karring T. Calvarial bone regeneration by a combination of natural anorganic bovine-derived hydroxyapatite matrix coupled with a synthetic cell-binding peptide (PepGen): an experimental study in rats. *Clin Oral Implants Res* 2008;19(10):1010-5. [Abstract](#)
69. Matos SM, Guerra FA, Krauser J, et al. Clinical evaluation of the combination of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in particulate and hydrogel form as a bone replacement graft material in human periodontal osseous defects: 6-month reentry controlled clinical study. *J Periodontol* 2007;78(10):1855-63. [Abstract](#)
70. Matos S, Guerra F, Krauser JT, et al. Evaluation of an anorganic bovine-derived mineral with P-15 hydrogel bone graft: preliminary study in a rabbit cranial bone model. *Clin Oral Implants Res* 2012;23(6):698-705. [Abstract](#)
71. Melker DJ. The use of PerioDerm for root coverage and correction of insufficiently attached gingiva. *CHAIRSIDE magazine* 2013;8(2):47-59. [Abstract](#)

72. Metzler P, von Wilmsowky C, Zimmermann R, et al. The effect of current used bone substitution materials and platelet-rich plasma on periosteal cells by ectopic site implantation: an in-vivo pilot study. *J Craniomaxillofac Surg* 2012;40(5):409-15. [Abstract](#)
73. Mir-Mari J, Wui H, Jung RE, et al. Influence of blinded wound closure on the volume stability of different GBR materials: an in vitro cone-beam computed tomographic examination. *Clin Oral Implants Res* 2016;27(2):258-65. [Abstract](#)
74. Mir-Mari J, Benic GI, Valmaseda-Castellon E, et al. Influence of wound closure on the volume stability of particulate and non-particulate GBR materials: an in vitro cone-beam computed tomographic examination. Part II. *Clin Oral Implants Res* 2016;E-pub Apr 6, doi:10.1111/clr.12845. [Abstract](#)
75. Mladenovic Z, Sahlin-Platt A, Bengtsson Å, et al. Surface characterization of bone graft substitute materials conditioned in cell culture medium. *Surf Interface Anal* 2010;42(6-7):452-56. [Abstract](#)
76. Möller B, Acil Y, Birkenfeld F, et al. Highly porous hydroxyapatite with and without local harvested bone in sinus floor augmentation: a histometric study in pigs. *Clin Oral Implants Res* 2014;25(7):871-8. [Abstract](#)
77. Nazareth CA, Cury PR. Use of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment isolated Class I gingival recession of defects: a pilot study. *J Periodontol* 2011;82(5):700-7. [Abstract](#)
78. Neugebauer J, Iezzi G, Perrotti V, et al. Experimental immediate loading of dental implants in conjunction with grafting procedures. *J Biomed Mater Res B* 2009;91(2):604-12. [Abstract](#)
79. Nomura T, Katz JL, Powers MP, et al. Evaluation of the micromechanical elastic properties of potential bone-grafting materials. *J Biomed Mater Res B* 2005;73(1):29-34. [Abstract](#)
80. Ogutcen-Toller M, Sener I, Kasap V, et al. Maxillary myxoma: surgical treatment and reconstruction with buccal fat pad flap: a case report. *J Contemp Dent Pract* 2006;7(1):107-16. [Abstract](#)
81. Pettinicchio M, Traini T, Murmura G, et al. Histologic and histomorphometric results of three bone graft substitutes after sinus augmentation in humans. *Clin Oral Investig* 2012;16(1):45-53. [Abstract](#)
82. Pieri F, Lucarelli E, Corinaldesi G, et al. Mesenchymal stem cells and platelet-rich plasma enhance bone formation in sinus grafting: a histomorphometric study in minipigs. *J Clin Periodontol* 2008;35(6):539-46. [Abstract](#)
83. Pinho MN, Roriz VL, Novaes AB, Jr., et al. Titanium membranes in prevention of alveolar collapse after tooth extraction. *Implant Dent* 2006;15(1):53-61. [Abstract](#)
84. Pistilli R, Felice P, Piatelli M, et al. Blocks of autogenous bone versus xenografts for the rehabilitation of atrophic jaws with dental implants: preliminary data from a pilot randomised controlled trial. *Eur J Oral Implantol* 2014;7(2):153-71. [Abstract](#)
85. Poeschl PW, Ziya-Ghazvini F, Schicho K, et al. Application of platelet-rich plasma for enhanced bone regeneration in grafted sinus. *J Oral Maxillofac Surg* 2012;70(3):657-64. [Abstract](#)
86. Possamai V, Scott A, Neil W. Bone pate collection: a simple solution. *Clin Otolaryngol* 2008;33(2):199. [Abstract](#)
87. Radhakrishnan S, Anusuya CN. Comparative clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) and open flap debridement (DEBR) in human periodontal osseous defects: a 6 month pilot study. *J Int Acad Periodontol* 2004;6(3):101-7. [Abstract](#)
88. Restoy-Lozano A, Dominguez-Mompell JL, Infante-Cossio P, et al. Calvarial bone grafting for three-dimensional reconstruction of severe maxillary defects: a case series. *Int J Oral Maxillofac Implants* 2015;30(4):880-90. [Abstract](#)

89. Roos-Jansåker AM, Renvert H, Lindahl C, et al. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a prospective cohort study. *J Clin Periodontol* 2007;34(7):625-32. [Abstract](#)
90. Roos-Jansåker AM, Renvert H, Lindahl C, et al. Submerged healing following surgical treatment of peri-implantitis: a case series. *J Clin Periodontol* 2007;34(8):723-7. [Abstract](#)
91. Roos-Jansåker AM, Lindahl C, Persson GR, et al. Long-term stability of surgical bone regenerative procedures of peri-implantitis lesions in a prospective case-control study over 3 years. *J Clin Periodontol* 2011;38(6):590-7. [Abstract](#)
92. Roos-Jansåker AM, Persson GR, Lindahl C, et al. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a 5-year follow-up. *J Clin Periodontol* 2014;41(11):1108-14. [Abstract](#)
93. Rosen PS, Summers R, Mellado JR, et al. The bone-added osteotome sinus floor elevation technique: multicenter retrospective report of consecutively treated patients. *Int J Oral Maxillofac Implants* 1999;14(6):853-8. [Abstract](#)
94. Rosen VB, Hobbs LW, Spector M. The ultrastructure of anorganic bovine bone and selected synthetic hydroxyapatites used as bone graft substitute materials. *Biomaterials* 2002;23(3):921-8. [Abstract](#)
95. Scarano A, Degidi M, Perrotti V, et al. Sinus augmentation with phylogene hydroxyapatite: histological and histomorphometrical results after 6 months in humans. A case series. *Oral Maxillofac Surg* 2012;16(1):41-5. [Abstract](#)
96. Scarano A, Perrotti V, Degidi M, et al. Bone regeneration with algae-derived hydroxyapatite: a pilot histologic and histomorphometric study in rabbit tibia defects. *Int J Oral Maxillofac Implants* 2012;27(2):336-40. [Abstract](#)
97. Schmid J, Hammerle CH, Fluckiger L, et al. Blood-filled spaces with and without filler materials in guided bone regeneration. A comparative experimental study in the rabbit using bioresorbable membranes. *Clin Oral Implants Res* 1997;8(2):75-81. [Abstract](#)
98. Schopper C, Moser D, Wanschitz F, et al. Histomorphologic findings on human bone samples six months after bone augmentation of the maxillary sinus with Aligipore. *J Long Term Eff Med Implants* 1999;9(3):203-13. [Abstract](#)
99. Schopper C, Moser D, Sabbas A, et al. The fluorohydroxyapatite (FHA) FRIOS Aligipore is a suitable biomaterial for the reconstruction of severely atrophic human maxillae. *Clin Oral Implants Res* 2003;14(6):743-9. [Abstract](#)
100. Schopper C, Ziya-Ghazvini F, Goriwoda W, et al. HA/TCP compounding of a porous CaP biomaterial improves bone formation and scaffold degradation--a long-term histological study. *J Biomed Mater Res B* 2005;74(1):458-67. [Abstract](#)
101. Schopper C, Moser D, Spassova E, et al. Bone regeneration using a naturally grown HA/TCP carrier loaded with rh BMP-2 is independent of barrier-membrane effects. *J Biomed Mater Res A* 2008;85(4):954-63. [Abstract](#)
102. Schopper C, Moser D, Spassova-Tzekova E, et al. Mineral apposition rates provide significant information on long-term effects in BMP-induced bone regeneration. *J Biomed Mater Res A* 2009;89(3):679-86. [Abstract](#)
103. Schulz MC, Lode A, Wittig S, et al. Characterization of the osseointegration of Aligipore and Aligipore modified with mineralized collagen type I. *Oral surg Oral Med Oral Pathol Oral Radiol* 2012;114(5 Suppl):S160-6. [Abstract](#)
104. Shchukarev A, Z. M, M. R. Surface characterization of bone graft substitute materials conditioned in cell culture medium. 2. Protein adsorption. *Surf Interface Anal* 2012;44(8):919-23. [Abstract](#)

105. Shuman IE. Long-term provisionalization following tooth extraction. An innovative approach. *Dent Today* 2003;22(6):60-3. [Abstract](#)
106. Simion M, Ferrantino L, Idotta E, et al. The association of guided bone regeneration and enamel matrix derivative for suprabony reconstruction in the esthetic area: a case report. *Int J Periodontics Restorative Dent* 2015;35(6):767-72. [Abstract](#)
107. Simunek A, Cierny M, Kopecka D, et al. The sinus lift with phycogenic bone substitute. *Clin Oral Implants Res* 2005;16(3):342-48. [Abstract](#)
108. Smiler D, Soltan M, Lee JW. A histomorphogenic analysis of bone grafts augmented with adult stem cells. *Implant Dent* 2007;16(1):42-53. [Abstract](#)
109. Spassova E, Gintenreiter S, Halwax E, et al. Chemistry, ultrastructure and porosity of monophasic and biphasic bone forming materials derived from marine algae. *Mat.-wiss. u Werkstofftech.* 2007;38(12):1-8.
110. Sullivan JP. Implant placement in the aesthetic zone following an autogenous bone graft from an intraoral site: a case study. *Prim Dent J* 2013;2(4):49-55. [Abstract](#)
111. Tadic D, Epple M. A thorough physicochemical characterisation of 14 calcium phosphate-based bone substitution materials in comparison to natural bone. *Biomaterials* 2004;25(6):987-94. [Abstract](#)
112. Takamoto M, Takechi M, Ohta K, et al. Risk of bacterial contamination of bone harvesting devices used for autogenous bone graft in implant surgery. *Head Face Med* 2013;9:3. [Abstract](#)
113. Taylor JC, Cuff SE, Leger JP, et al. In vitro osteoclast resorption of bone substitute biomaterials used for implant site augmentation: a pilot study. *Int J Oral Maxillofac Implants* 2002;17(3):321-30. [Abstract](#)
114. Terheyden H, Jepsen S, Vogeler S, et al. Recombinant human osteogenic protein 1 in the rat mandibular augmentation model: differences in morphology of the newly formed bone are dependent on the type of carrier. *Mund Kiefer Gesichtschir* 1997;1(5):272-5. [Abstract](#)
115. Thompson DM, Rohrer MD, Prasad HS. Comparison of bone grafting materials in human extraction sockets: clinical, histologic, and histomorphometric evaluations. *Implant Dent* 2006;15(1):89-96. [Abstract](#)
116. Thorwarth M, Schultze-Mosgau S, Wehrhan F, et al. Bioactivation of an anorganic bone matrix by P-15 peptide for the promotion of early bone formation. *Biomaterials* 2005;26(28):5648-57. [Abstract](#)
117. Thorwarth M, Wehrhan F, Srour S, et al. Evaluation of substitutes for bone: comparison of microradiographic and histological assessments. *Br J Oral Maxillofac Surg* 2007;45(1):41-7. [Abstract](#)
118. Tischler M. Multi-modality anterior extraction site grafting. Increased predictability for aesthetics. *Dent Today* 2003;22(3):94-6, 98. [Abstract](#)
119. Tovar N, Jimbo R, Gangolli R, et al. Evaluation of bone response to various anorganic bovine bone xenografts: an experimental calvaria defect study. *Int J Oral Maxillofac Surg* 2014;43(2):251-60. [Abstract](#)
120. Traini T, Piattelli A, Caputi S, et al. Regeneration of human bone using different bone substitute biomaterials. *Clin Implant Dent Relat Res* 2015;17(1):150-62. [Abstract](#)
121. Trasatti C, Spears R, Gutmann JL, et al. Increased Tgf-beta 1 production by rat osteoblasts in the presence of PepGen P-15 in vitro. *J Endodontics* 2004;30(4):213-17.
122. Turhani D, Item C, Thurnher D, et al. [Evidence of osteocalcin expression in osteoblast cells of mandibular origin growing on biomaterials with RT-PCR and SDS-PAGE/Western blotting]. *Mund Kiefer Gesichtschir* 2003;7(5):294-300. [Abstract](#)

123. Turhani D, Cvikl B, Watzinger E, et al. In vitro growth and differentiation of osteoblast-like cells on hydroxyapatite ceramic granule calcified from red algae. *J Oral Maxillofac Surg* 2005;63(6):793-9. [Abstract](#)
124. Turhani D, Watzinger E, Weissenbock M, et al. Analysis of cell-seeded 3-dimensional bone constructs manufactured in vitro with hydroxyapatite granules obtained from red algae. *J Oral Maxillofac Surg* 2005;63(5):673-81. [Abstract](#)
125. Turhani D, Weissenbock M, Watzinger E, et al. Invitro study of adherent mandibular osteoblast-like cells on carrier materials. *Int J Oral Maxillofac Surg* 2005;34(5):543-50. [Abstract](#)
126. Turhani D, Weissenbock M, Stein E, et al. Exogenous recombinant human BMP-2 has little initial effects on human osteoblastic cells cultured on collagen type I coated/noncoated hydroxyapatite ceramic granules. *J Oral Maxillofac Surg* 2007;65(3):485-93. [Abstract](#)
127. Uludag H, D'Augusta D, Golden J, et al. Implantation of recombinant human bone morphogenetic proteins with biomaterial carriers: A correlation between protein pharmacokinetics and osteoinduction in the rat ectopic model. *J Biomed Mater Res* 2000;50(2):227-38. [Abstract](#)
128. Verardi S, Pastagia J. Obliteration of the nasopalatine canal in conjunction with horizontal ridge augmentation. *Compend Contin Educ Dent* 2012;33(2):116-20, 22. [Abstract](#)
129. Wanschitz F, Nell A, Patruta S, et al. Influence of three currently used bone replacing materials on the in vitro proliferation of human peripheral blood mononuclear cells. *Clin Oral Implants Res* 2005;16(5):570-4. [Abstract](#)
130. Wanschitz F, Figl M, Wagner A, et al. Measurement of volume changes after sinus floor augmentation with a phycogenic hydroxyapatite. *Int J Oral Maxillofac Implants* 2006;21(3):433-8. [Abstract](#)
131. Watzinger F, Luksch J, Millesi W, et al. Guided bone regeneration with titanium membranes: a clinical study. *Br J Oral Maxillofac Surg* 2000;38(4):312-5. [Abstract](#)
132. Wenz B, Oesch B, Horst M. Analysis of the risk of transmitting bovine spongiform encephalopathy through bone grafts derived from bovine bone. *Biomaterials* 2001;22(12):1599-606. [Abstract](#)
133. Wong DH, Kendrick S. Peptide-enhanced bovine xenograft to treat severe recession. *Dent Today* 2010;29(11):174, 76, 78-9. [Abstract](#)
134. Young MPJ, Carter DH, Worthington HV, et al. The effects of an immediately pre-surgical chlorhexidine oral rinse on the bacterial contaminants of bone debris collected during dental implant surgery. *Clin Oral Implants Res* 2002;13(1):20-29. [Abstract](#)
135. Yu HS, Noh WC, Park JW, et al. Comparative study on the cellular activities of osteoblast-like cells and new bone formation of anorganic bone mineral coated with tetra-cell adhesion molecules and synthetic cell binding peptide. *J Periodontal Implant Sci* 2011;41(6):293-301. [Abstract](#)
136. Yukna RA, Callan DP, Krauser JT, et al. Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-month results. *J Periodontol* 1998;69(6):655-63. [Abstract](#)
137. Yukna RA, Krauser JT, Callan DP, et al. Multi-center clinical comparison of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) and ABM in human periodontal osseous defects. 6-month results. *J Periodontol* 2000;71(11):1671-9. [Abstract](#)
138. Yukna RA, Krauser JT, Callan DP, et al. Thirty-six month follow-up of 25 patients treated with combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell-binding peptide (P-15) bone replacement grafts in human infrabony defects. I. Clinical findings. *J Periodontol* 2002;73(1):123-8. [Abstract](#)

139. Yukna R, Salinas TJ, Carr RF. Periodontal regeneration following use of ABM/P-1 5: a case report. *Int J Periodontics Restorative Dent* 2002;22(2):146-55. [Abstract](#)
140. Zhou AJ, Peel SA, Clokie CM. An evaluation of hydroxyapatite and biphasic calcium phosphate in combination with Pluronic F127 and BMP on bone repair. *J Craniofac Surg* 2007;18(6):1264-75. [Abstract](#)
141. Zhou AJ, Clokie CM, Peel SA. Bone formation in algae-derived and synthetic calcium phosphates with or without poloxamer. *J Craniofac Surg* 2013;24(2):354-9. [Abstract](#)